RAGE

POWERSPORT PRODUCTS

2013

www.RagePowersports.com

Table of Contents

Motorcycle Products 3
- Motorcycle Ramps 3
- Motorcycle Hitch Carriers 7
- Motorcycle and MX Bike Stands 8
- Lifts/Jacks 10
- Service Equipment 12
- Tie Downs 13
- Luggage & Covers 14
- Wheel Chocks 15

ATV Products 16
- ATV Ramps 16
- ATV Boxes & Racks 21
- ATV Luggage 22
- ATV Covers & Accessories 23

Snowmobile Products 24
Lawn & Garden Products 25
Auto Cargo Products 26
Hitch Mounted Carriers 31
Hitch Accessories 33
Bicycle Products 34
Marine Products 44
Industrial Products 45
Heavy Duty Ramps 50
Mobility & Medical 52
Pet Products 54

Rage Powersports Products manufactures, sources and distributes products for loading, hauling and transporting.

Our lineup of products is one of the most diversified in the industry and is available in the US and Canada at fine retailers that serve the Powersports, Heavy Duty Equipment, Mobility, Pet and Bicycle markets.

The promise we make to our dealers: We promise…

GOODS

… to continue to develop and expand the product line with innovative features.

PROFITS

... to offer you value and profit opportunities to help grow your bottom line.

SERVICE

… to provide you with a level of service to expand your customer base.

Contact Us:

RAGE POWERSPORT PRODUCTS

1402 South Elliott
Aurora, MO 65605

Phone: 800-851-6396

Fax: 314-754-8180

Email: sales@ragepowersports.com

- HUGE SELECTION OF ATV, MOTORCYCLE AND CARGO GEAR
- GREAT DEALER MARGINS ON ALL PRODUCTS
- PRODUCTS SHIP DAILY FROM MULTIPLE LOCATIONS
- NO MINIMUM ORDER SIZES - DROP SHIPPING OFFERED
- LOWEST DEALER PRICE ANYWHERE ON RAMPS

FIND OUT WHY AMERICA'S MOST SUCCESSFUL RETAILERS RUN WITH

Motorcycle Products
Featured Items

Hot Seller: Big Boy II Motorcycle Ramp

The Big Boy II loading ramp is by far the most innovative ramp system to hit the market! Packed full of features allowing you to load not just motorcycles, but ATVs, golf carts, UTVs, zero turn lawn mowers, or just about any pneumatic wheel vehicle up to 3000 lbs! The Big Boy II is constructed of lightweight, rustproof aluminum and consists of two separate single runner ramps that can be connected together with included connecting brackets. The ramp system can be folded in half at the center for storage, and when unfolded, features a 12° offset for greater clearance for lower vehicles.

The Big Boy II comes in 8', 9', 10', or 12' lengths to meet most loading height requirements and is 38" wide when both ramps are connected together (19" wide per ramp). Each Big Boy II includes two cam buckle straps for loading safety and a five year manufacturer's warranty! Made in the USA!

Big Boy II
2 PIECE RAMP SYSTEM

MADE IN THE USA
U.S. PAT No. D595920

FEATURES:
- Consists of 2 single runner ramps
- Connect the 2 ramps together with included connecting brackets
- Serrated cross rungs for maximum traction
- Includes 2 cam buckle safety straps
- Full width plate/hook style attaching lip
- 2000 - 3000 lb weight capacities available
- Lightweight, rust-proof aluminum construction
- Designed for 1 person loading and unloading
- 5 year warranty

⚠ Always connect and pin support brackets when loading motorcycles

Model	MF2-9638	MF2-10838	MF2-12038	MF2-14438
Length	96" (8')	108" (9')	120" (10')	144" (12')
Width	38" total - 19" per section	38" total - 19" per section	38" total - 19" per section	38" total - 19" per section
Folded Length	48.5"	54.5"	60.5"	72.5"
Weight (Total)	72 lbs	80 lbs	86 lbs	108 lbs
Weight Capacity	3000 lbs - 1500 lbs per section	3000 lbs - 1500 lbs per section	2500 lbs - 1250 lbs per section	2000 lbs - 1000 lbs per section

New Item: Big Boy III Trike Ramp System

The Big Boy III Trike Loading Ramp system features three heavy duty loading ramps with solid flat plate/hook ends for a full-width attachment to a pickup truck tailgate or trailer bed. Three ramps connect together with attachment brackets to reduce flexing and provide additional stability while loading over a 12° offset for added ground clearance. Available in four lengths to fit almost any loading application. Great for trikes, Can-am Spyders, motorcycles, ATVs, UTVs, and lawn equipment loading.

Big Boy III
TRIKE RAMP SYSTEM

MADE IN THE USA
U.S. PAT No. D595920

FEATURES:
- Full width attaching ramp with a large capacity
- Extruded tapered foot with serrated traction for a smooth transition
- 12° offset for added ground clearance
- Solid flat plate/hook ramp ends
- Connecting brackets secure ramps together to reduce flexing
- Great for trikes, Can-Am Spyders, motorcycles, ATVs, UTVs, and lawn equipment
- Includes safety straps to prevent ramp kick outs
- 5 year warranty

⚠ Always connect and pin support brackets when loading trikes

Model	MF3-9657	MF3-10857	MF3-12057	MF3-14457
Length	96" (8')	108" (9')	120" (10')	144" (12')
Width	57" total - 19" per section	57" total - 19" per section	57" total - 19" per section	57" total - 9" per section
Folded Length	48.5"	54.5"	60.5"	72.5"
Weight (Total)	108 lbs	120 lbs	129 lbs	162 lbs
Weight Capacity	4500 lbs - 1500 lbs per section	4500 lbs - 1500 lbs per section	3750 lbs - 1250 lbs per section	3000 lbs - 1000 lbs per section

BLACK WIDOW MOTORCYCLE RAMP

This loading ramp system is an all aluminum, multi-purpose, heavy duty ramp system that works for motorcycles, ATVs, tractors, or just about anything that needs loading. The Black Widow is a full 40" wide when bolted together and is available in two lengths to accommodate most loading heights. This ramp has three heavy duty sections which can each be used separately or can all be bolted together for one rock solid system. This extra wide system makes loading a motorcycle with one person a snap. The Black Widow Ramp is an indispensable tool to the user who owns multiple recreational vehicles that need loading but does not want to spend a fortune on multiple systems.

FEATURES:
- » Folds in half for easy storage and transport
- » Lightweight, all aluminum design with black powder coat
- » Designed to walk up or ride bike up and down
- » Ramps bolt together for added strength for loading heavier bikes
- » Arched design to increase clearance
- » Serrated cross rungs for maximum traction
- » 3 heavy duty 1" wide cam buckle safety straps
- » Full width plate style attaching lip
- » Designed for 1 person loading and unloading
- » 5 year warranty

⚠ Bolting the ramps together with supplied long bolts is recommended for loading motorcycles

Model	Length	Width	Folded Length	Weight	Weight Capacity
BW-9440-HD	94.5" (7'10")	40" Total Center: 17.25" Sides: 11.25" ea.	48.5"	81 lbs	1500 lbs center ramp 600 lbs per side ramps
BW-10840-HD	108" (9')	40" Total Center: 17.25" Sides: 11.25" ea.	54.5"	89 lbs	1500 lbs center ramp 600 lbs per side ramps

BLACK WIDOW XL - EXTRA LONG

Load a low clearance motorcycle into a pick up truck with the Black Widow Extra Long Motorcycle Ramp. This ramp is designed for easy one person loading and unloading. The extra long design allows loading into taller trucks or trailers and the arched design provides the clearance needed to load lowered bikes. All lightweight aluminum with a black powder coated finish. Folds in the middle for storage or transport, or breaks down to six compact sections for long term storage. Each ramp section connects together to distribute the weight for stability.

FEATURES:
- » Fold to half their length for easy storage and transport
- » Breaks down into 6 sections for long term storage
- » Ramps connect together for added strength for loading heavier bikes
- » Lightweight all aluminum design with black powder coat
- » Designed to ride bike up and down
- » Arched design to increase clearance
- » Serrated cross rungs for maximum traction
- » 3 heavy duty 1" wide cam buckle safety straps
- » Full width plate style attaching lip
- » 5 year warranty

⚠ Motorcycle Use Only - All 3 sections must be connected together with supplied hardware - Ramps cannot be used individually

Model	Length	Width	Folded Length	Weight	Weight Capacity
BW-12040-HD	116" (9'8")	40" Total Center: 17.25" Sides: 11.25" ea.	58"	110 lbs	1500 lbs (Connected)
BW-14440-HD	144" (12')	40" Total Center: 17.25" Sides: 11.25" ea.	72"	124 lbs	1500 lbs (Connected)

THE ORIGINAL BIG BOY MOTORCYCLE RAMP

Our original full size folding motorcycle loading ramp that started it all! This motorcycle ramp system gives you the freedom to load a motorcycle safely with one person. At only 74 lbs, it is one of the lightest full size motorcycle loading ramps on the market. The Big Boy motorcycle loading systems are 38" wide to allow the rider to put their feet down when loading and the arched design prevents bottoming out of the motorcycle. These ramps fold in half to fit right next to the motorcycle or break down to three sections that fold in half for compact storage even in the truck cab.

FEATURES:
- » Full width plate style attaching lip
- » Serrated cross rungs for maximum traction
- » 2 heavy duty 1" wide cam buckle safety straps
- » Designed for 1 person loading and unloading
- » 3 separate sections that fold for compact storage
- » 5 year warranty

⚠ Motorcycle Use Only - Connecting Rod must be inserted through all 3 ramps before use, Ramps cannot be used individually

Model	Length	Width	Folded Length	Weight	Weight Capacity
MF-12038	120" (10')	38" Total Center: 14" Sides: 12" ea.	60"	74 lbs	1500 lbs (Connected)

HEAVY DUTY FOLDING RAMP SYSTEM

Use these heavy duty folding ramps to load motorcycles, ATVs, UTVs, and tractors. The ramp system is constructed of aluminum and can be separated into two ramps or connected for a solid 38" wide ramp. A built-in offset arch in the ramps provides extra clearance for lower bikes. Extra heavy duty serrated plates replace the standard rung design. There are three lengths available with varying weight capacities from 1500 lbs to 2000 lbs. These heavy duty ramps include safety straps to keep secured to the loading surface. Designed for one person loading and unloading. Quality built in the USA!

FEATURES:
- » Load motorcycles or ATVs by yourself
- » All aluminum construction - lightweight - rust proof
- » Solid plate attaching lip
- » Extra wide plate style serrated rungs offer maximum traction in the rain, mud or snow. Stronger than the traditional "rung" design.
- » Heavy duty hinge system folds in half for storage
- » Use together as a solid ramp or spread apart as dual runners
- » 3 lengths available, includes safety straps



Model	Length	Width	Folded Length	Weight	Weight Capacity
HD-12038-2000	120" (10')	38" Total 19" per ramp	60.5"	112 lbs 56 lbs ea.	2000 lbs 1000 lbs per ramp
HD-14438-1500	144" (12')	38" Total 19" per ramp	72.5"	130 lbs 65 lbs ea.	1500 lbs 750 lbs per ramp
HD-16838-1500	168" (14')	38" Total 19" per ramp	84.5"	176 lbs 88 lbs ea.	1500 lbs 750 lbs per ramp

TOLL FREE (800)-851-6396 · FAX- (314)-754-8180 · WWW.RAGEPOWERSPORTS.COM

3-Piece Non-Folding Motorcycle Ramp

This full-size non-folding motorcycle ramp system gives you the freedom to load and unload a medium sized or large motorcycle safely with one person. These high quality arched motorcycle loading systems are available in two lengths and have a total of 40" of width to allow the rider room to put their feet down. These ramp systems are ideal for trailers where storage space is not a problem and both models will fit into an 8' bed next to the motorcycle with the tailgate up.

FEATURES:
- Full width plate style gripping edge
- Arch helps prevent bottoming out of motorcycle
- 1.5" raised ramp edges that act like curbing
- Serrated rungs at a spacing of 3" for superior traction
- User friendly adjustable safety straps
- Lightweight all aluminum construction

Model	Length	Width	Weight	Weight Capacity
M-8440	84" (7')	40" Total Center: 16" Sides: 12" ea.	46 lbs	1500 lbs center ramp 600 lbs per side ramp
M-9540	95" (7'11")	40" Total Center: 16" Sides: 12" ea.	52 lbs	1500 lbs center ramp 600 lbs per side ramp

89" Long 3-Piece Ramp

The AF-9034-HD 3-piece ramp system is a combination of our heavy duty 89" single ramp and our AFP solid plate ATV ramps plus a hardware connecting kit. This 3-piece system is 89" long and is perfect for loading bikes onto small 4x2 trucks and trailers. This system is rock solid when bolted together and has a solid surface on the side section to put your feet down when riding up or down. The 1500 lb capacity center section and the side sections can be unbolted and used separately as well for just about any loading job. All three sections fold in half and can be stored together or separately.

FEATURES:
- All 3 sections fold in half and come apart
- 3 heavy duty 1" cam buckle safety straps
- Designed for 1 person loading and unloading
- All aluminum construction w/ solid side sections for feet
- Includes all hardware for every possible configuration
- Center and side sections can be used separately for ATVs, lawn equipment, and more

Model	Length	Width	Folded Length	Weight	Weight Capacity
AF-9034-HD	89" (7'5")	33.5"	46"	56.5 lbs	1500 lb Center 750 lb Sides

Folding Motorcycle Trailer Ramp

The TF-6050 is a tri-folding motorcycle trailer ramp for loading a bike onto open and enclosed trailers. This ramp has a full width attaching lip to fit on almost any trailer and folds to 1/3 its width so it can be easily stored on any trailer. The 50" of width allow the rider to put their feet down when loading. The heavy duty center takes a bike up to 1500 lbs and the ramp also can load ATVs, small garden tractors, and more.

FEATURES:
- Folds down to 17" wide for compact storage
- Wide enough to put feet down, designed to ride up
- Works for motorcycles, ATVs, garden tractors, and more
- 48.5" wide full attaching lip and 2 safety straps
- All aluminum construction
- Designed for 1 person loading and unloading
- Serrated rungs for maximum traction

Model	Length	Width	Folded Width	Weight	Weight Capacity
TF-6050-1500A	60" (5')	48.5"	17"	32 lbs	1500 lbs

Black Widow Single Motorcycle Ramp

The Black Widow single folding motorcycle ramp is a 17" wide loading ramp that folds to half its length for compact storage. The extra width makes it much more forgiving than most single runner ramps when pushing up a street bike or off road bike.

FEATURES:
- Folds in half for storage and transport
- Extra wide design is more forgiving when pushing a bike up
- All aluminum with black powder coat
- Arched design to increase clearance
- Serrated cross rungs for maximum traction
- Heavy duty 1" wide cam buckle safety strap
- Full width plate style attaching lip

Model	Length	Width	Folded Length	Weight	Weight Capacity
BW-9417-HD	94.5" (7'10")	17.25"	48.5"	43 lbs	1500 lbs
BW-10817-HD	108" (9')	17.25"	54"	47 lbs	1500 lbs

NON-FOLDING SINGLE MOTORCYCLE RAMPS

These single motorcycle ramps are the perfect solution for loading small and medium sized bikes onto low pick up trucks or trailers. The ramps include raised and beveled side rails, a full width attaching lip, and serrated rungs.

FEATURES:
- » Full width plate style gripping edge
- » Arched for clearance
- » Heavy duty 1" wide cam safety strap
- » Raised ramp edges act like curbing to keep the bike on track
- » Serrated rungs at a spacing of 3" with an aggressive non-skid surface
- » Durable all aluminum construction provides many years of non-rusting safe use

Model	Length	Width	Weight	Weight Capacity
A-7214-1000-1	72" (6')	14"	14 lbs	1000 lbs
A-8412-600-1	84" (7')	12"	15 lbs	600 lbs
A-8416-1500-1	84" (7')	16"	26 lbs	1500 lbs
A-8912-900-1	89" (7'5")	12"	18 lbs	900 lbs
A-9512-600-1	95" (7'11")	12"	14 lbs	600 lbs
A-9516-1500-1	95" (7'11")	16"	28 lbs	1500 lbs

ALUMINUM NON-FOLDING MOTOCROSS RAMP

Non folding version of our aluminum motocross ramp. Raised edges, a raised tire grip and a solid lip plate ensure maximum stability during use. Includes adjustable safety strap.



FEATURES:
- » Lightweight non-rust aluminum construction
- » Raised safety edges and solid attaching lip
- » Adjustable safety strap included
- » Sets up for loading in seconds

Model	Length	Width	Weight	Weight Capacity
DB-7606	76" (6'4")	6"	6 lbs	400 lbs

ALUMINUM FOLDING MOTOCROSS RAMP

Aluminum Folding Motocross ramps have a solid plate lip for added stability, raised sides and a unique tread design to prevent tires from slipping during loading and unloading. Each ramp has a maximum weight capacity of 400 lbs, can be folded to a compact 2-1/2" x 41" and easily carried with a plastic handle, or secured to a truck bed with an adjustable strap.

FEATURES:
- » Folds exactly in half
- » Attached carrying handle
- » Lightweight non-rust aluminum construction
- » Raised safety edges
- » Sold attaching lip plate
- » Adjustable safety straps included

Model	Length	Width	Folded Length	Weight	Weight Capacity
DBF-8206	82" (6'10")	6"	41"	8 lbs	400 lbs

LIGHT DUTY SINGLE FOLDING MOTORCYCLE RAMP

Our light duty single folding motorcycle ramps are designed for loading off road and motocross bikes. These ramps are available with rungs or plate style solid surface. They are all aluminum and fold in half for compact storage.

FEATURES:
- » Folds in half for storage and transport
- » Lightweight all aluminum arched design
- » Serrated cross rungs for maximum traction
- » Heavy duty 1" wide cam buckle safety strap
- » Rubber coated fingers protect tailgate

Model	Length	Width	Folded Width	Weight	Weight Capacity
AFL-9012	89" (7'5")	11-1/8"	45"	14.5 lbs	750 lbs
AFP-9012 (Plate Style)	89" (7'5")	11-1/8"	45"	16 lbs	750 lbs

SINGLE HD FOLDING MOTORCYCLE RAMP

The AF-9012-HD is a single 89" long folding motorcycle loading ramp with a heavy duty 1500 lb capacity to easily load any size bike from a small dirt bike to a large cruiser. The ramp folds exactly in half for storage.

FEATURES:
- » Full width plate style attaching lip
- » Lightweight all aluminum arched design to increase clearance
- » Serrated cross rungs for maximum traction
- » Includes safety strap
- » Folds in half for storage with heavy duty hinge system

Model	Length	Width	Folded Length	Weight	Weight Capacity
AF-9012-HD	89" (7'5")	11.25"	46"	24.5 lbs	1500 lbs

ECONOMY ARCHED MOTOCROSS RAMP

This economical arched motocross bike ramp is perfect for the weekend warrior on a budget. Just the basics in this ramp which is what some customers prefer. Lightweight all aluminum design.

FEATURES:
- » Lightweight all aluminum
- » Arched design to increase clearance
- » Serrated cross rungs for maximum traction and 3" rung spacing
- » Heavy duty 1" wide cam buckle safety strap
- » Rubber coated fingers protect tailgate

Model	Length	Width	Weight	Weight Capacity
IA-9012	90" (7'6")	12"	14 lbs	600 lbs

TOLL FREE (800)-851-6396 · FAX- (314)-754-8180 · WWW.RAGEPOWERSPORTS.COM

Aluminum Hitch Motorcycle Carrier

Our aluminum motorcycle carrier mounts right into a Class III, IV, or V 2" receiver hitch. This device can carry up to a 400 lb motocross bike without the need for a trailer or even a pick up truck. This all aluminum design is both economical and lightweight. The system includes a loading ramp and also an anti-tilt locking device to prevent sway of the carrier when it is loaded. The runged surface has a 16" opening for the front tire to simply drop into and included attaching points to tie down the bike with straps.

FEATURES:
- Lightweight all aluminum design
- Fits in any 2" receiver
- Includes aluminum loading ramp
- Loading ramp attaches to carrier when traveling
- 2 integrated tie down loops
- Assembles in seconds

Model	Track Length	Track Width	Ramp Length	Weight	Weight Capacity
AMC-400	75"	5.5"	45.5"	36.5 lbs	400 lbs

Double Hitch Motorcycle Carrier

Load up and haul two dirt bikes with our hitch mounted double motorcycle carrier. The AMC-600-2 is constructed of aluminum with a steel powder coated main hitch tube for added support. An included ramp is used to load up bikes, and when not in use, the ramp secures to the carrier. Included with the hitch mounted carrier is a anti-tilt device for extra stability. The carrier can attach to 2" square Class III, IV, or V hitch receivers.

FEATURES:
- Lightweight all aluminum design
- Fits in any 2" receiver
- Includes aluminum loading ramp
- Loading ramp attaches to carrier when traveling
- 2 integrated tie down loops
- Designed for dirt bikes or motocross bikes

Model	Track Length	Track Width	Ramp Length	Weight	Weight Capacity
AMC-600-2	75"	5.5"	45.5"	69 lbs	600 lbs

Sport Motorcycle Carrier

The SMC-600R sport bike motorcycle carrier is designed to transport motorcycles up to 600 lbs on a 2" Class III or greater hitch receiver. The carrier features a 72" long ramp for loading and an integrated wheel chock for front wheel stability. Durable, yet lightweight, the carrier frame is constructed of black powder coated steel while the carrier track is constructed of aluminum. An included anti-tilt device keeps the carrier stable.

FEATURES
- Durable steel black powder coated frame
- Aluminum carrier track
- Fits in any 2" Class III or greater receiver
- Includes 6' loading ramp
- Loading ramp attaches to carrier when traveling
- Integrated wheel chock for added motorcycle stability
- Anti-tilt device included for carrier stability

Model	Track Length	Track Width	Ramp Length	Weight	Weight Capacity
SMC-600R	78.75"	8"	72"	99 lbs	600 lbs

Steel Hitch Motorcycle/Scooter Carrier

The MX-600X carrier is constructed of steel and has a black powder coated finish for protection. The carrier will fit into a 2" Class III or greater receiver and includes a 5' long loading ramp which attaches to the carrier when not in use. The carrier features integrated loops for tie down straps and removable pins to adjust the size of the front wheel channel from 8" - 12" for either a scooter or dirt bike. Also included is an anti-tilt device and pinch bolt to eliminate carrier wobble.

FEATURES:
- Durable steel frame with black powder coating
- Fits in any 2" receiver
- Includes 5' loading ramp
- Loading ramp attaches to carrier when traveling
- Front tire cradle adjusts from 8"-12" for dirt bikes or scooters
- 2 integrated tie down loops
- Pinch bolt removes receiver slack
- Designed for dirt bikes or scooter

Model	Track Length	Track Width	Ramp Length	Weight	Weight Capacity
MX-600X	74.75"	5.5"	59.25"	64 lbs	600 lbs

Tilt-A-Rack Powersport Carrier

Tilt-a-Rack Powersport Carriers are designed for transporting most motor scooters, motocross bikes, Vespas, and small motorcycles, with the exception of the Honda Reflex/Helix scooters. For easy loading, these powersport racks tilt on an angle for access without the need for ramps. For vehicles further off the ground, the Tilt-a-Rack Powersport carrier features a built-in deck extender to reduce loading incline.

FEATURES:
- Designed for transporting most motor scooters, motocross bikes, Vespa, and small motorcycles (except Honda Reflex/Helix Scooters)
- Tilts on the passenger side for easy loading and unloading
- For 2" Class III/IV hitch receivers only
- Built-in deck extender to reduce loading incline
- Integrated tie-down points
- Locks in a level position for transport
- Works with most vehicles including some smaller SUV models
- All aluminum construction

Model	Dimensions	Deck Extender Length	Clearance (Hitch to Carrier)	Weight	Weight Capacity
410ACR	72" x 6" x 2"	36.75"	19"	47 lbs	400 lbs

BLACK WIDOW FRONT MOTORCYCLE STANDS

Black Widow Professional Grade motorcycle stands are great for use at the shop, in the garage, or at the track. Two different styles are available for lifting the front of a motorcycle for service or maintenance. Each stand is constructed of heavy duty steel tubing with a durable black powder coat. Four 3" wheels make for a smooth lifting motion. Stands only weigh 8 lbs. Easy to use one person operation.

FEATURES:
- 3" heavy duty casters
- Black powder coated finish
- 1.25" steel tubing construction
- Universal design for front motorcycle forks
- Elevated rear handle for easy lifting
- Easy 1 person operation lifts a bike in seconds

Model	Adjustable Width	Lift Height	Weight
BW-06	7" to 9.25"	2" - 5" (varies per tire)	8 lbs
BW-10	8" to 13.75"	2" - 4" (varies per tire)	8 lbs

BLACK WIDOW ALUMINUM MOTORCYCLE STAND

This stand slides under motorcycle spools 11.25" to 15" wide, lifting the rear off the ground for service, maintenance, and cleaning. A truss-style support system allows the weight of the motorcycle to be lifted simply by pushing down on the handle to pivot the stand over four heavy duty 3" caster wheels. Lightweight, reinforced aluminum construction with a silver powder coat finish. Underside rubber stoppers protect the stand and floor from surface abrasions. Includes all necessary hardware.

FEATURES:
- Lightweight aluminum construction
- 4 heavy duty 3" caster wheels
- Fits spool attachments 9" to 13" wide
- Truss-style support system
- Underside rubber stoppers
- Silver powder coat finish
- Two-step assembly

Model	Description	Rear Spools	Weight
BW-T6	Black Widow Aluminum Rear Motorcycle Stand	11.25" - 15"W	6 lbs

MOTORCYCLE BED RACK FOR TRUCK BEDS

The adjustable 54"-74" wide Motorcycle Bed Rack features a durable all-steel construction, three tie-down points, and two wheel chocks for optimal stabilization. Comes with all necessary hardware for mounting and installation requires drilling. To add three motorcycles, the optional center chock is available.

FEATURES:
- Adjusts 54" to 74" wide
- Heavy duty tie rings
- 2 integrated wheel chocks
- Optional 3rd motorcycle center extension available
- All steel construction with black powder coat
- Includes all mounting hardware
- Assembly requires drilling

Model	Description	Weight
MC-BEDRACK	Adjustable Motorcycle Bed Rack Adjusts from 54" - 74" wide	10 lbs
MC-BEDRACK-EXT	Center Mount Chock Extension	4 lbs

BLACK WIDOW BIKE STAND KIT

BW-30-31 Black Widow E-Spec Kit includes an adjustable Front Fork Stand and Rear Spool Stand to lift a motorcycle or sport bike off the ground for front and rear maintenance, servicing, and cleaning. Simply slip either stand, or both, into place and push the handle down to pivot the stand and lift the motorcycle. The innovative, single person operating design is lightweight and portable. Works great to prevent flat spots during off season storage.

FEATURES:
- Single person operation
- Lightweight and portable system
- Ideal for preventing flat wear spots during off season storage
- Front Fork Stand adjusts from 7" to 9.75"W / Rear Spool Stand adjusts from 10" to 14.25"W
- Kit includes both the Front Fork Stand and Rear Spool Stand
- 4 heavy duty 3"D caster pivot wheels per stand
- 3/4" gusset reinforced heavy duty 1-1/4" steel tube construction
- Black semi-gloss powder coat finish

Model	Adjustable Width	Lift Height	Weight
BW-30-31	Front Stand: 7" - 9.75" Rear Stand: 10" - 14.25"	Front: 2" Rear: 4"	9 lbs

BLACK WIDOW REAR MOTORCYCLE STANDS

The Black Widow Professional Grade motorcycle stands are designed for lifting the rear of a motorcycle for service, maintenance, or storage. The stands are constructed of 1-1/4" steel tubing with a durable black powder coat. There are two models available: BW-12 is designed to fit on rear swing arms and BW-14 is designed to fit on motorcycles with rear spools. Each stand only weighs 10 lbs making it easy to take to the track or shop.

FEATURES:
- 3" heavy duty casters
- 1.25" steel tubing construction
- Elevated rear handle for easy lifting
- Black powder coated finish
- Universal design for spools (BW-14) or swingarms (BW-12)
- Easy 1 person operation lifts a bike in seconds

Model	Swing Arm Fitting	Lift Arm Height	Weight
BW-12	Fits Swingarms 10" - 13-1/4"W	14-3/8"	10 lbs
BW-14	Fits Spools 10" - 14-1/2"W	12-3/4"	10 lbs

BLACK WIDOW STEERING HEAD LIFT STAND

Our front steering head lift and stand raises motorcycles by the triple tree using one of five included triple tree pins. Place a pin at the top end of the stand, slide the stand into the motorcycle triple tree, and then pivot by pushing down on the stand to lift the front end. Designed for one person operation, the BW-20 is ideal for taking spring pressure off the front suspension during storage or for motorcycle front fork maintenance/servicing and cleaning.

FEATURES:
- Single person operation
- 5 interchangeable pin system fits a variety of sport bikes
- Removed weight on front suspension during off season storage
- High-traffic 3"D rubber caster pivot wheels
- 3/4" gusset reinforced, heavy duty 1-1/4" steel tube construction
- Black semi-gloss powder coat finish

Model	Triple Tree Pin Sizes	Frame Width	Weight
BW-20	0.507" (13mm), 0.588" (15mm), 0.645" (16.5mm), 0.668" (17mm), 0.704" (18mm)	12.5"	14 lbs

TOLL FREE (800)-851-6396 · FAX- (314)-754-8180 · WWW.RAGEPOWERSPORTS.COM

All in One Motorcycle Stand

The Ai1 All in One Motorcycle Stand combines a Rear Spool Stand, Rear Swingarm Stand, and a Front Fork Stand together for one complete, easy to use motorcycle stand. Using an interchangeable attachment system, the Ai1 can be quickly re-configured to suit lifting a motorcycle by the rear spools, rear swingarm, front forks, or front swingarm. Simply slide the Ai1 Motorcycle Stand into place, push the handle down to pivot along four 3" heavy duty caster wheels, and the motorcycle lifts. An optional X-Arm kit is available including necessary fittings and two L-Arm sections to enable use of two stands at once for lifting a motorcycle completely off the ground. Innovative, lightweight, and very portable.



Included Components

FEATURES:
- » Lightweight, portable motorcycle stand system
- » Includes Rear Spool Adapters, Swingarm Stand, and Front Fork Stand
- » (4) 3"D heavy duty caster wheels
- » Rubber stoppers prevent stand and surface abrasions
- » Optional XARM kit allows the use of both stands at once
- » Heavy duty steel tube construction
- » Black semi-gloss powder coat
- » Includes all necessary hardware for assembly and operation

Model	Front Adjustable Width	Rear Adjustable Width	Arm Height	Weight
Ai1	Forks: 7" - 9"	Spools: 11"- 13.75" Swingarm: 10.75"- 13.5"	13"	12 lbs
Ai1-XARM	Ai1 XARM Add-on Kit – Includes (2) L-Arm sections with wheels, (2) bolts, (2) nuts, (2) washers and rubber coated knobs		13"	5 lbs

Black Widow Single Sided Swing Arm Stand

This rear motorcycle stand has a heavy duty, professional grade design that accommodates bikes with single sided swing arms. An interchangeable pin system can use a variety of side pins (sold separately) to work with different motorcycles. Each side pin has two bearings which allow the wheel to spin when lifted. The stand features a 26" lifting handle for easy operation and includes four 3" wheels.

FEATURES:
- » 1.25" heavy duty tubing with powder coat finish
- » Lifts rear of motorcycle for servicing or storage
- » Interchangeable side pin system (side pins sold separately)
- » Side pins are mounted on bearings, allowing wheel to spin when lifted
- » 26" lifting handle for 1 person lifting
- » Four 3" caster wheels
- » Stand may only be used on left side of bike

Model	Description	Lift Arm Height	Weight
BW-SIDE-STAND	Black Widow Single Sided Swing Arm Stand	14.75"	9 lbs
BW-SIDE-PIN-25	Single Sided Swing Arm Stand Side Pin for Ducati motorcycles - 25mm/21.7mm		
BW-SIDE-PIN-27	Single Sided Swing Arm Stand Side Pin for Triumph motorcycles - 27mm		
BW-SIDE-PIN-28	Single Sided Swing Arm Stand Side Pin for Honda motorcycles - 28mm		
BW-SIDE-PIN-31	Single Sided Swing Arm Stand Side Pin for Honda motorcycles - 31mm		
BW-SIDE-PIN-40	Single Sided Swing Arm Stand Side Pin for MV Augusta motorcycles - 40mm		
BW-SIDE-PIN-53	Single Sided Swing Arm Stand Side Pin for BMW motorcycles - 53mm		

Color Rear Swing Arm Stands

The standard rear swing arm motorcycle stands are available in four colors to match the most popular sport bike factory colors. These rear swing arm stands feature reversible rubber mounts and adjust to fit swingarms from 9.25" - 11.75" (10" - 12.75" for spools.) 3" wheels and 1.5" tube construction round out this rugged design for years of use at the shop or the track.

FEATURES:
- » Thick 1.5" tubing
- » 4 wheels with 3" diameter
- » Red, Blue, Green, and Yellow available
- » Lightweight at 10 lbs
- » Reversible rubber mounts and spool attachments included

Model	Color	Weight
MC-STAND-B	Blue	10 lbs
MC-STAND-R	Red	10 lbs
MC-STAND-Y	Yellow	10 lbs
MC-STAND-G	Green	10 lbs

Motorcycle Center Stand and Jack

The NR1127 Motorcycle Center Stand is constructed of high-quality steel and a heavy-duty black powder coat finish. The threaded lift bar and cross-link system make getting a motorcycle off the ground for maintenance or storage simple and easy. Only a 3/4" socket and ratchet or wrench is needed to adjust the 2" wide platform anywhere between 5-1/2" to 9-1/2" in height.

FEATURES:
- » Heavy-duty cross-link system
- » Threaded lift bar and pivot plate
- » Adjustable lifting height 5-1/2"-9-1/2"
- » 2" wide lift platform
- » Steel construction and black powder coat finish

Model	Description	Size	Weight
NR1127	Motorcycle Stand Kit – Includes NR123, NR427 and NR923	5.5" to 9.5" H x 24" to 39" L x 36"W	40 lbs
NR123	Motorcycle Center Stand	5.5" to 9.5" H x 36" L x 5"W	20 lbs
NR427	Rear Wheel Roller	1.5" H x 10.25" L x 12"W	5 lbs

Brute Motorcycle Stand

Brute Motorcycle/ATV stands moves a motorcycle/ATV effortlessly around a shop or garage. Height and width are adjustable to accommodate many ATV and motorcycle styles. There are four plastic composite wheels – two fixed and two swiveling/locking. Rubber strips on top of the stand prevent scratching and damage to your motorcycle/ATV. Each stand also has four built-in tie-down points to safely secure your motorcycle/ATV.

FEATURES:
- » High quality steel construction
- » Adjustable height and width
- » Plastic composite wheels (2 fixed and 2 swiveling/locking)
- » Multiple tie-down points
- » Rubber padding to prevent damage
- » Great for ATVs, motorcycles, and dirt bikes
- » Assembly required

Model	Dimensions	Weight	Weight Capactiy
1301	Overall: 18" - 26.25" L x 20.5"W x 12.5" - 15.5" H Platform: 14" - 22" L x 14"W	25 lbs	750 lbs

Deluxe Foot Pedal Operated Bike Stand

The deluxe motocross stand is designed to lift motocross and dirt bikes off the ground up to 16.5" with a 2.75" lifting range. The stand is constructed of red anodized aluminum with an easy to use lifting pedal. The cross bar base provides a sturdy foundation for servicing or maintaining a bike. The platform has dimensions of 6.5" x 10.5" and the foot pedal is 10" long.

FEATURES:
- » Constructed of lightweight anodized aluminum
- » Quick raise foot pedal operation
- » Sturdy cross bar base

Model	Dimensions	Lifting Height	Weight	Weight Capacity
MX-STAND-DLX	Overall: 18" L x 17.25" W x 11.25" H Platform: 6.5" x 10.5"	11.25" - 16.5" Lift Range: 2.75"	8 lbs	350 lbs

Aluminum Motocross Stands

The aluminum motocross stands are great for storing, servicing, or maintaining dirt bikes or motocross bikes. These stands are constructed of polished aluminum making them lightweight and easy to setup. The top platform has a gas and oil resistant rubber pad riveted on. A 3.5" square opening is also provided to allow oil to flow from the bike crankcase to the oil drain pan.

FEATURES:
- » Constructed of lightweight polished aluminum
- » Raises bikes 16.75"
- » 10" x 10" rubber covered top
- » 3.5" square opening allows oil to flow to a oil drain pan

Model	Dimensions	Weight	Weight Capacity
MX-STAND-ALUM-LITE	16.75" H x 16.75"W x 16.5" L	5 lbs	350 lbs

Folding MotoCross Bike Stand

The folding motocross stand is designed for service of motocross bikes and includes a 6 quart drain pan. The stand folds up for minimal storage size or to hang up in a shop or trailer and includes a carrying handle. Lifts the bike to 17.5" and has a rubber coated base platform.

FEATURES:
- » Yellow powder coated steel construction
- » Folds for storage and includes carrying handle
- » Rubber coated 10" x 11.75" platform
- » Includes 6 quart oil drain pan
- » Tool tray and hole for oil draining

Model	Dimensions	Weight	Weight Capacity
MX-STAND-DLX-FOLD	20" L x 15.25"W x 17.5" H Folded: 24.5" L x 15.25"W x 5.75" H Platform: 11.75" x 10"	12 lbs	350 lbs

Foot Pedal Operated MotoCross Stand/Lift

This lifting stand is designed to lift motocross and dirt bikes up to 15" high. The stand offers sturdy steel construction with easy to use lifting pedal. The wide base provides a sturdy foundation for service or maintenance. The platform has dimensions of 9.25" x 11.5" with a rubber contact pad and makes lifting a bike with one person quick and easy.

FEATURES:
- » 1.25" powder coated steel tube construction
- » Quick raise foot pedal operation
- » Lightweight
- » 9.25" x 11.5" rubber coated platform
- » Universal design lifts MX bikes up to 350 lbs

Model	Dimensions	Lifting Height	Weight	Weight Capacity
MX-STAND-2	Base: 12.25" x 11" Platform: 9.25" x 11.5"	10.5" - 15"	10 lbs	350 lbs

Steel Motocross Lift

Our Steel Motocross Lift is designed to lift a MX bike up to 35.25". The lift brings a bike up to the height to allow work to be done on it in the standing position and also allows for taking the weight off the suspension for off season storage. The lift is foot pedal operated, lifts up to a 300 lb bike, and includes foot peg holders to secure the bike to the lift. A locking mechanism is included to secure the lift in the extended position.

FEATURES:
- » Steel construction
- » Easy to operate foot pedal
- » Rubber pad on surface with opening for draining oil
- » Includes attaching devices to secure bike to lift
- » Lifts bike up to 35.25" to allow service from standing position and storage.
- » Locking device to lock in the extended position

Model	Dimensions (Not raised)	Lifting Height	Weigh	Weight Capacity
MX-LIFT	19" L x 17"W x 13.75" H Platform: 16" L x 13.75"W	13.75" - 35.25"	68 lbs	300 lbs

Black Widow Motorcycle Jack

The BW Motorcycle Jack lifts a motorcycle or ATV weighing up to 1500 lbs from 4-5/8" to 14" using a hydraulic foot pedal, and locks it in place with a triple position safety lock. The bike can then be tied down to the integrated tie-down points for further stabilization. The lifting saddle and hydraulic pedal have a rubber padding to protect both the motorcycle or ATV and the jack operator.

FEATURES:
- » Hydraulic rubber-padded foot pedal operation
- » Integrated tie-down points to secure a motorcycle or ATV
- » Triple position safety mechanism locks the jack in place
- » Durable steel construction with black powder coat finish
- » Protective lift saddle non-slip rubber padding
- » 2 heavy duty swivel and 2 fixed caster wheels
- » 27"L removable jack handle

Model	Type	Base Dimensions	Lifting Height	Weight	Weight Capacity
BW-JACK	Hydraulic	31.5"L x 14.5"W x 4.5"H	4.625" - 14"	62 lbs	1500 lbs

Hydraulic Motorcycle Jack

The Black Widow hydraulic motorcycle and ATV jack is an economical service jack with high end features. Simple foot pedal hydraulic operation allows quick lifting anywhere. Lifts a motorcycle or ATV up to 1500 lbs for service, repair, cleaning, storage, or display.

FEATURES:
- » Operates on hydraulics
- » 3 position safety lock and removable handle
- » Rubber padded foot pedal
- » 4 wheels, rear ball bearing swivel wheels
- » Black powder coated finish

Model	Type	Base Dimensions	Lifting Height	Weight	Weight Capacity
BW-0101	Hydraulic	33"x 16"	5.125"- 17"	81 lbs	1500 lbs

Air/Hydraulic Motorcycle Jack

The Black Widow Air and Hydraulic combination motorcycle and ATV jack can operate on compressed air or with the included hydraulic cylinder via a foot pedal. No air available, no problem! Quickly lifts a motorcycle or ATV up to 1500 lbs for service, repair, cleaning, or storage.

FEATURES:
- » Operates by hydraulics or air
- » 3 position safety lock arms
- » Rubber padded foot pedal and removable handle
- » 4 wheels, rear ball bearing lockable swivel wheels
- » Black powder coated finish

Model	Lifting Mechanism	Outside Dimensions	Lifting Height	Weight	Weight Capacity
BW-0102	Hydraulic/Air	38"x 17"	4.875"- 16.75"	83 lbs	1500 lbs

Black Widow Motorcycle Lift

This pneumatically operated motorcycle lifting system allows quick lifting of a motorcycle up to 1000 lbs for service, repair, cleaning, storage, or display. The Black Widow Lift has a diamond plated traction surface that raises up to a maximum of 33" H. It operates between 90-100 psi via a foot petal control and locks in multiple positions. This lift is a must have tool for any service shop or serious motorcycle enthusiast.

FEATURES:
- » Pneumatic foot pedal operation
- » 11 gauge steel construction and locks in 5 height positions
- » Diamond plate tractions surface and gloss black powder coat
- » Oversize front tire clamp, 24"loading ramp and 21.75"x 11.5" rear drop panel
- » Includes wheeled dolly to quickly move the lift on a shop floor
- » Optional 10"side sections available to extend platform width to 44"for ATVs

Model	Length	Platform Width	Lifting Height	Weight	Weight Capacity
BW-1000A	Platform: 78.75" Overall: 102.75"	24"	7" - 33"	270 lbs	1000 lbs

Black Widow Hydraulic Lift Table

This motorcycle lift can be operated with compressed air or by using the included hydraulic cylinder via a foot pedal. No air available, no problem! Quickly lifts a motorcycle up to 1000 lbs for service, repair, cleaning, storage, or display. This lift has a diamond plated traction surface that raises up to a maximum of 30.75" high. A perfect fit for your customers who may not always have access to an air compressor.



FEATURES:
- » Operates by either compressed air or hydraulic foot pedal
- » Front tire clamp locks in front tire. Includes 2 tie down loops
- » Includes 24" rear loading ramp
- » 11.5"x 29.5" drop panel allows access to rear tire
- » 4 attached casters allow for movement on a shop floor
- » 11 gauge steel construction
- » Diamond plate traction surface and gloss black powder coating
- » Locking pin ensures safety when in the up position

Model	Length	Platform Width	Lifting Height	Weight	Weight Capacity
BW-680A	Platform: 87" Overall: 111"	26.75"	6.5" - 30.75"	312 lbs	1000 lbs

Black Widow Motorcycle Screw Jack

The MC-JACK lifts the front or rear of a motorcycle from 3-3/4" to 16-1/4" off the ground or on a motorcycle table lift. Easily operated by fitting the MC-JACK under the motorcycle frame and turning the hex nut using the crank handle. Includes two reinforced steel feet for bolting to a workshop floor or lift table, two rubber padded 2" lift adapters, and a 6" crank handle.

FEATURES:
- » Black gloss powder coat finish
- » Removable rubber padded adapters add an additional 2" - 3.5" height
- » Includes a removable 6" long handle for crank-style operation
- » Safely lifts the front or rear (not designed to lift entire motorcycle)
- » Base feet secure the jack to a workshop floor or lift table

Model	Platform Dimensions	Lifting Height	Weight	Weight Capacity
MC-JACK	6"W x 17.75"L	3.75" - 16.25" Additional 2" - 3.5" height with adapters	28 lbs	1100 lbs

PIT VIPER MOTORCYCLE DOLLY

The Pit Viper Motorcycle Dolly holds a single motorcycle or sport bike with a kick-stand for maneuvering around the shop or garage. Front and rear lever operated wedge gates allow for easy loading and unloading to the dolly platform.

FEATURES:
- » Supports motorcycles and sport bikes weighing up to 1250 lbs
- » Lever operated Front/Rear Gate wedge design for easy loading/unloading
- » Steel pin locking system keeps the motorcycle on the dolly during moving
- » 5 position adjustable kickstand platform
- » Locking dual caster wheels
- » High quality 12 gauge steel construction
- » Black semi-gloss powder coat finish

Model	Dimensions	Weight	Weight Capacity
MC-DOLLY	Overall: 83.5"L x 30.5"W x 3.5"H Usable Track: 76"L x 8"W x 2"H	66 lbs	1250 lbs

CRUISER MOTORCYCLE DOLLY

The Cruiser Motorcycle Dolly has a long 94" ribbed track to store or maneuver cruisers and choppers. Double caster wheels make it easy to move around. Each end features an on-off ramp/gate that can be easily opened or closed with a long handle, and pins that prevent the motorcycle from rolling off the track.

FEATURES:
- » 94" ribbed track for cruisers and choppers
- » 12 gauge steel construction with powder coat
- » Double caster wheels
- » Adjustable kickstand plate
- » On-off ramps/gates with handle
- » Both ends have pin to prevent bike from rolling off

Model	Dimensions	Weight	Weight Capacity
CRUISER-DOLLY	Overall: 99"L x 33.5"W x 3.5"H Usable Track: 94"L x 8"W x 2"H	80 lbs	1250 lbs

BLACK WIDOW TIRE BEAD BREAKER

The Black Widow Tire Bead Breaker is a great tool for the home mechanic. It has an easy to use design with a wide base for stability and a long, padded handle for extra leverage. The bead breaker works with most motorcycle, trailer, or other smaller tires and features an adjustable pivot angle and lower block base.

FEATURES:
- » Fast and easy to use
- » Works with motorcycle, trailer, and other small tires
- » Extra long handle with padded grip for leverage
- » Pivot angle is adjustable
- » Adjustable lower block base
- » Wide base provides stability
- » Steel construction
- » Black powder coat finish

Model	Overall Dimensions	Weight
BW-2065	26"L x 24"W x 16"H (not including handle)	12.75 lbs

BLACK WIDOW MOTORCYCLE BEAD BREAKER

The Black Widow Motorcycle Bead Breaker makes it easy for one person to break most motorcycle, ATV, or sport tire beads. The bead breaker has a durable steel construction with an adjustable breaker tool and long handle for extra leverage. The top ring includes four plastic rim protectors.

FEATURES:
- » One-person operation
- » Works with most motorcycle, ATV, or sport wheels with 16" or larger rims
- » Adjustable breaker tool
- » Long handle provides extra leverage if needed
- » Top ring includes rim protectors
- » Steel construction
- » Black powder coat finish
- » Zinc finish handle and core mount

Model	Rim Size	Tire Cradle	Dimensions	Weight
BW-2063	16" or greater	Top Ring: 15.5"D Bottom Ring: 19.5"D	Overall: 26.5"L x 19.5"W 8"H Cradle, 11.5"H Lift Arm 29"L Handle Breaker: 5"W	19 lbs

BLACK WIDOW MOTORCYCLE TIRE BALANCER

The Motorcycle Tire Balancer has a portable, static design that can be set up between work benches, across the rear drop panel of a motorcycle lift, or clamped to another fabricated stand. It works with most motorcycle or dirt bike tires and includes peel-and-stick, lead-free steel weights.

FEATURES:
- » Versatile, portable design
- » Works with most dirt bike or motorcycle tires
- » Dual smooth rolling bearings
- » Polished steel axle with aluminum centering cones
- » Thick footing for easy clamping
- » Includes 30g of peel-and-stick steel weights
- » May be used as a wheel truing stand (dial indicator not included)
- » Requires use of fabricated stand

Model	Max Wheel Size	Dimensions	Cone Dimensions	Weight
BW-WB-02	10"W (diameter determined by stand)	Roller Base: 2.25"W x 2.5"L x 2"H (base to center of axle)	0.525"-1.34"D	2 lbs

BLACK WIDOW MOTORCYCLE WHEEL BALANCER

This static wheel balancer works with most Harley, cruiser, sport bike, road bike, and dirt bike wheels. A polished steel axle with aluminum centering cones rests on smooth rolling bearings at the ends of the adjustable support arms. Peel-and-stick, lead-free weights are included.

FEATURES:
- » Works with most dirt bike or motorcycle tires
- » Dual smooth rolling bearings
- » Polished steel axle with aluminum centering cones
- » 2-position support arms
- » Adjustable leveling feet
- » Steel construction with black powder coat finish
- » Includes 30g of peel-and-stick steel weights
- » May be used as a wheel truing stand (dial indicator not included)

Model	Max Wheel Size	Dimensions	Cone Dimensions	Weight
BW-WB-03	10"W x 28"D	16.75"L x 9.5"W x 19.25"H (center of axle) 3"H base (.25"-.75" adjustable feet)	0.525"-1.34"D	15 lbs

TOLL FREE (800)-851-6396 · FAX- (314)-754-8180 · WWW.RAGEPOWERSPORTS.COM

8-Piece 1" Motorcycle Strap Kits

Our professional grade motorcycle tie down kits consist of premium quality, 1" webbing 6' long straps and heavy duty ratchet and cam buckle mechanisms. All our kits also include four 12" soft loops which avoid the strap hooks from coming in contact with the motorcycle.

FEATURES:
» Heavy duty 3000 lb break strength ratchet straps
» Heavy duty 1500 lb break strength cam buckle straps
» Huge 5" vinyl coated S-hooks
» Looped ends for leverage when tightening
» 1" wide by 12" long soft loops to prevent contact of hooks with the bike
» HEAVY DUTY oversized cam buckles and ratchets

Model	Includes
MCSK1	(2) 1" cam-buckle straps (2) 1" ratchet straps (4) Soft Loops
MCSK1-R	(4) 1" ratchet straps (4) Soft Loops
MCSK1-C	(4) 1" cam-buckle straps (4) Soft Loops

8-Piece 2" Snap Hook Strap Kits

Our professional grade Super Duty 2" snap hook tie down kits have spring loaded locking snap hooks on the ends for the most secure connection possible. These are the tie down kits for the biker who takes securing his motorcycle seriously and knows he has a lot to lose if not done correctly. 2" webbing 6' long straps and heavy duty ratchet and cam buckle mechanisms. These kits also include four 12" soft loops which avoid the strap hooks from coming in contact with the motorcycle.

FEATURES:
» Heavy duty 4400 lb break strength ratchet straps
» Heavy duty 3000 lb break strength cam buckle straps
» Spring loaded snap hook ends
» Looped ends for leverage when tightening
» Soft loops prevent contact of hooks with the bike
» HEAVY DUTY oversized cam buckles and ratchets

Model	Includes
MCSK-SH	(2) 2" cam-buckle snap-hook straps (2) 2" ratchet straps (4) Soft Loops
MCSK-SH-R	(4) 2" ratchet snap-hook straps (4) Soft Loops
MCSK-SH-C	(4) 2" cam-buckle snap-hook straps (4) Soft Loops

8-Piece 2" Motorcycle Strap Kits

Our professional grade Super Duty 2" motorcycle tie down kits consist of premium quality, 2" webbing, 6' long straps and heavy duty ratchet and cam buckle mechanisms. The kit also includes four 12" soft loops which prevent the strap hooks from coming in contact with the motorcycle.

FEATURES:
» Heavy duty 4400 lb break strength ratchet straps
» Heavy duty 3000 lb break strength cam buckle straps
» Huge 5" vinyl coated S-hooks
» Looped ends for leverage when tightening
» 1" wide by 12" long soft loops to prevent contact of hooks with the bike
» HEAVY DUTY oversized cam buckles and ratchets

Model	Includes
MCSK2	(2) 2" cam-buckle straps (2) 2" ratchet straps (4) Soft Loops

Soft Loops

Soft loops provide protection for powersport, mobility, or lawn and garden equipment when using hook end tie downs. Each soft loop wraps around the item to be tied down, then loops through itself and cinches tight to create a stable tie down point. Soft loops are available in a set of four standard loops for motorcycle and mobility devices or a set of two for heavy duty motorcycles or ATVs.

FEATURES:
» Protects powersport and utility equipment when using hook end tie downs
» Can be used to add tie down points
» Adds stability to straps when transporting
» Available with a 1200 lb break strength or a heavy duty 4500 lb break strength

Model	Description	Dimensions
4S-Loop	(4) Motorcycle and mobility soft loops 1200 lb break strength/400 lb working load	1"W x 12"L
2S-HDLoop	(2) Heavy duty motorcycle and ATV soft loops 4500 lb break strength/1500 lb working load	1.5"W x 16.5"L

Quick Nuts

Quick-Nuts are installed permanently to the bed of the truck or trailer for quick removal of a motorcycle chock or other accessories. A 5/8" hole needs to be drilled into the mounting surface for installation. A motorcycle chock or other accessories are held in place with a 3/8" screw that threads into the base of the Quick-Nut. Quick-Nuts are sold in pairs.

FEATURES:
» Stainless steel construction
» Installs permanently into a pickup truck or trailer bed
» Enables quick-release of motorcycle chocks
» Requires drilling (5/8" mount)
» Works for accessories with a 3/8" mounting hole
» Sold in pairs

Model	Top Bolt Dimensions	Base Nut Dimensions
QUICK-NUTS	3/8" x 1-1/2"	5/8" x 2-1/4"

Deluxe Motorcycle Covers

Our Deluxe motorcycle covers are designed for indoor or outdoor use and are waterproof 420 denier heavy coating polyester on the top and heat resistant polyester and cotton mix on the bottom. There are three sizes available to fit almost any motorcycle on the road.

FEATURES:
- » Waterproof construction designed for all climates
- » On the interior, soft lining on the top, heat resistant material on the bottom
- » Tough UV stabilized nylon exterior
- » Includes cover storage bag
- » Elastic cords at bottom for tightening
- » Attached strap to wrap cover under bike for additional moisture protection
- » Sown in grommets for security devices
- » Vents in cover to release moisture
- » Adjustable design fits bikes with accessories added
- » 3 universal sizes to fit almost every bike on the road

Model	General Size
DMC-M	80" L x 44" H
DMC-L	94" L x 46" H
DMC-XL	98" L x 60" H

Standard Motorcycle Covers

The standard motorcycle cover is an economical waterproof cover with double stitched seams and has non-scratch material in the upper panel and heat resistant material in the lower panel. This cover is universal fitting and is broken down into two sizes. Includes a storage bag for storing when not in use.

FEATURES:
- » Waterproof construction designed for all climates
- » On the interior, Soft lining on the top, heat resistant material on the bottom
- » Tough UV stabilized nylon exterior
- » Includes cover storage bag
- » Elastic cords at bottom for tightening
- » Double stitched for durability
- » Lockable bottom
- » Adjustable design fits bikes with accessories added
- » 2 universal sizes to fit almost every bike on the road

Model	General Size
MC-L	90" L x 48" H
MC-XL	98" L x 60" H

Motorcycle Tank Bag

Carry extra items or even store a helmet with the weather resistant, non-slip design, magnetic mount, 1892 cubic inch Motorcycle Tank Bag 4001-Y. Includes a clear map pocket, an expandable main storage compartment, and a separate front pocket. A reinforced handle allows the entire tank bag to be carried between destinations.

FEATURES:
- » Magnetic mount
- » Non-slip anti-skid base
- » Reinforced carrying handle
- » Clear map pocket
- » Expandable main compartment fits helmets
- » Weather resistant polyester with a polyurethane coating

Model	Dimensions	Weight	Capacity
4001Y	15.75" L x 12.2" W x 5.9" H	3.5 lbs	1098-1892 cubic inches (18-31 litre)

Extra Large Motorcycle Tank Bag

This tank bag features double side pockets, a clear map pocket, and a helmet-sized, expandable main storage compartment provide plenty of room for a variety of items that couldn't otherwise be carried while on a motorcycle. Includes a reinforced carrying handle and a built-in backpack. Weather resistant, non-slip anti-skid design.

FEATURES:
- » Magnetic mount with under-seat tie straps
- » Double side pockets
- » Non-slip anti-skid base
- » Reinforced carrying handle
- » Built-in backpack
- » Clear map pocket
- » Expandable main compartment fits helmets
- » Weather resistant polyester with a polyurethane coating

Model	Dimensions	Weight	Capacity
4002Y	14.6" L x 11" W x 7.5" H	2.9 lbs	1190-2044 cubic inches (19.5-33.5 litre)

Scooter and Moped Covers

Keep Vespas or scooters protected when not in use with a scooter cover. Constructed of a lightweight, water resistant, polyester fabric with a scratch resistant inner lining. An elastic cord is stitched into the bottom to keep the cover tight on the scooter. Each cover is double stitched for extra durability. These scooter/Vespa covers are designed for transport or storage. Three sizes available, each includes a storage bag.

FEATURES:
- » Water resistant
- » Lightweight polyester fabric material
- » Scratch resistant lining
- » Elastic cord sewn into bottom
- » J hook straps keep the cover secured
- » Designed for transport or storage
- » Double stitched seams
- » 3 universal sizes
- » Includes storage bag

Model	General Size
SC-M	48" L x 22" W x 44" H
SC-L	60" L x 32" W x 44" H
SC-XL	81" L x 38" Wi x 55" H

Removable Motorcycle Wheel Chock Kits

These high quality removable motorcycle wheel chock kits include hardware that can be bolted into a trailer floor or pick up truck bed and allow the chock to be quickly removed when not needed. These chocks are constructed of heavy duty 1" steel tubing and are powder coated black. Three sizes are available to fit everything from a dirt bike to a street bike to a wide tire drag bike.

FEATURES:
» Can be installed or removed quickly with included mounting kit
» Low profile mounting kit does not interfere with trailer floor when the chock is removed
» Heavy duty 1" steel tubing design with vertical bracing
» 3 sizes available to fit almost any bike
» Black powder coated finish

Model	Chock Width
MC-CH-3.5	3.5"W
MC-CH-5.5	5.5"W
MC-CH-6.5	6.5"W
MC-CH-HARDWARE	Extra removable hardware packs

Black Widow Locking Motorcycle Chock

The Front Wheel Locking Chock secures motorcycles in the upright position for storage and transportation. Easily operated with one person, the BW-CH-DX1 pivots to lock 16" - 21" sized front motorcycle wheels in place when loaded. Ideal for a free-standing floor stand and mounts to flat surfaces. The tire cradle and wheel stop are channel shaped, pivot adjustable, and have multiple position settings for custom tire sizes.

FEATURES:
» Single person operation
» Rubber end-caps help prevent the chock from sliding
» Wheel locks when loaded
» 3 position tilting channel wheel stop
» 2 position pivoting channel tire cradle
» Ideal for use as a free-standing floor stand
» Mounts to flat surfaces (bolts not included)
» Solid and sturdy under moderate wind conditions
» Black gloss powder coat finish
» Requires assembly

Model	Dimensions	Wheel Size	Weight
BW-CH-DX1	23"L x 21"W x 13.5"H	16" - 21"	18 lbs

Adjustable Motorcycle Wheel Chock

MC-2900 Adjustable Motorcycle Wheel Chock mounts with four bolts to flat surfaces of table lifts, trailers, and truck beds for motorcycle transportation and storage. The cradle adjusts to one of 12 positions and pivots to lock the front motorcycle wheel in place. For use with motorcycle 16" - 19" front wheel sizes. Steel construction with a black powder coat finish.

FEATURES:
» Single person operation
» Fits front motorcycle wheel sizes 16"-19"
» Cradle centers and locks front motorcycle wheels in place
» 12 position adjustable pivoting cradle
» Permanent 4 bolt mounting system for table lifts, trailers, and truck beds
» Includes assembly and mounting hardware
» Black powder coated steel construction
» Motorcycles must be tied down when using this wheel chock for transportation

Model	Dimensions	Wheel Size	Weight
MC-2900	15.5"L x 10.5"W x 14"H	16" - 19"	15 lbs

MX Tire Shoe

The MX Tire Shoe allows buyers to store or transport their Enduro/dirt bike quickly and easily. Acting like a wheel chock, the swiveling cradle plates fit on the top, front, and bottom of the dirt bike wheel for maximum stability. The MX Tire Shoe is made from high-quality steel and has a black powder coat finish for durability. Any wheel/tire size between 19" - 23" tall and 5" wide can fit easily into the tire shoe. The MX Tire Shoe can be mounted into the bed of a truck or trailer with the three pre-drilled holes (hardware not included).

FEATURES:
» High quality steel and black powder coat finish
» Swiveling cradle plates
» Three pre-drilled holes for mounting to truck bed or trailer
» Supports wheels from 19" to 23"
» Mounting hardware not included

Model	Dimensions	Wheel Size	Weight
MSW-1	9.75"L x 13.5"W x 20" - 30"H	19" - 23" Dia. 5"W	10 lbs

ATV & UTV Products
Featured Items

Black Widow Folding Arched Ramps

The Black Widow folding arched ramps fold to half their length and adjust to fit the width of any ATV or garden tractor. These ramps are available in 11.25" or 12.25" widths and have a loading capacity of 600 lbs or 1000 lbs per ramp. These aluminum ramps are arched for additional clearance and are available in three lengths to work with any truck or trailer height.

FEATURES:
- Fold to half their length for easy storage and transport
- Lightweight all aluminum design w/ black powder coat
- Arched design to increase clearance
- Serrated cross rungs for maximum traction with 4" spacing
- Full width plate style attaching lip and 2 safety straps
- 3 lengths available for any loading height

Model	Length	Width	Folded Length	Weight	Weight Capacity
BW-9412-2	94.5" (7'10")	11.25"	48.5"	38 lbs	1200 lbs
BW-10812-2	108" (9')	11.25"	54.5"	42 lbs	1200 lbs
BW-12012-2	120" (10')	12.25"	60.5"	68 lbs	2000 lbs

Heavy Duty Folding UTV/Utility Ramps

These extra long loading ramps are constructed from lightweight aluminum with a serrated cross-rung system designed for maximum traction in various weather conditions. The heavy duty design allows for a single person to load UTVs, large ATVs, garden tractors, small farm equipment, and more! Each dual folding, 14" wide UTV loading ramp can be stored at a folded 5-5/8" height, has a 12° clearance offset. These are our heaviest duty aluminum folding ramps. Made in the USA.

FEATURES:
- Set includes two 14" wide ramps
- Folds down to 5-5/8" tall
- Offset of 12° for clearance
- All aluminum construction
- Serrated rungs for maximum traction
- Includes two cam buckle safety straps
- Up to 2,000 lb vehicle capacity with a 48" wheel base or less
- For ATVs, UTVs, garden tractors, small farm equipment and more!

Model	Length	Width	Folded Length	Weight (each)	Weight Capacity
MF2-12014-2000-2	120" (10')	14"	60.5"	36 lbs	2000 lbs
MF2-14414-2000-2	144" (12')	14"	72"	42 lbs	2000 lbs

Toll Free (800)-851-6396 · Fax- (314)-754-8180 · www.RagePowersports.com

Black Widow X-Tra Wide Folding Ramps

These arched ramps are designed for loading today's current trend of larger, heavier ATVs. The ramps are 17" wide, fold in half, and have a loading capacity of 1500 lbs per ramp. They also work for tractors, golf carts, or other wheeled equipment.

FEATURES:
- » Fold in half for easy storage and transport
- » Lightweight all aluminum design w/ black powder coat
- » Arched design to increase clearance
- » Serrated cross rungs for maximum traction with 4" spacing
- » Full width plate style attaching lip with 2 safety straps
- » Extra wide for today's larger ATVs

Model	Length	Width	Folded Length	Weight	Weight Capacity
BW-9417-HD-2	94.5" (7'10")	17"	48.5"	86 lbs	3000 lbs
BW-10817-HD-2	108" (9')	17"	54.5"	94 lbs	3000 lbs

Lightweight Folding Dual Ramps

These ramps were built for ease of use and compact size. The SF-9012-2a ramps are 12" wide each and fold in half for compact storage in a truck bed, truck cab, or under a quad. Lightweight all aluminum construction and a convenient carrying handle make for easy transporting. A slight arch and 90" of length allows loading a 4 wheeler into all 2 wheel drive and most standard height 4x4 trucks.

FEATURES:
- » Built-in carry handle
- » Fold exactly in half
- » Full width attaching lip
- » 1500 lb load capacity
- » Lightweight all aluminum construction
- » Serrated rungs at 3" spacing for a smooth, non-skid ride up
- » Slight arch helps preventing in bottoming out or scraping of machinery

Model	Length	Width	Folded Length	Weight	Weight Capacity
SF-9012-2a	90" (7'6")	12"	46"	44 lbs	1500 lbs

Economy Dual Folding Aluminum ATV Ramps

Our AFL series dual aluminum folding arched ramps are designed for loading ATVs and small garden tractors onto low and mid-height pick up trucks and all trailers. These economical ramps are popular among customers because they are light-weight, compact, and low in cost. You will find that these lightweight power houses are impossible for your customers to resist.



FEATURES:
- » Folds in half for storage and transport
- » Lightweight all aluminum
- » Arched design to increase clearance
- » Serrated cross rungs for maximum traction
- » 2 included safety straps
- » Rubber coated fingers protect tailgate
- » 750 lb weight capacity per ramp (1500 lb set)

Model	Length	Width	Folded Length	Weight	Weight Capacity
AFL-9012-2	89.25" (7'5")	11.125"	45"	29 lbs	1500 lbs

Plate Style Dual Folding Aluminum Ramps

The AFP series plate style dual aluminum folding arched ramps are designed for loading ATVs or small garden tractors onto pick up trucks or trailers. These ramps have a solid plate surface with raised traction cutouts which are ideal for many loading situations where rung style ramps do not work well. Because of their design, these ramps are perfect for the customer who has multiple uses for a set of ramps.

FEATURES:
- » Solid plate surface with raised traction cutouts
- » Folds in half for storage and transport
- » Lightweight all aluminum
- » Arched design to increase clearance
- » 2 included safety straps
- » Rubber coated fingers protect tailgate
- » 750 lb weight capacity per ramp (1500 lb set)

Model	Length	Width	Folded Length	Weight	Weight Capacity
AFP-9012-2	89.25" (7'5")	11.125"	45"	32 lbs	1500 lbs

Trail Traxx Folding ATV Ramps

These folding dual runners have an aluminum construction that is light-weight and easy to handle. An arched design provides ample clearance and each ramp folds down to 12"W x 44.5" L x 6"H for compact storage. The diamond pattern mesh grating allows dirt and debris to fall through while providing traction. Trail Traxx ramps also include two cam buckle safety straps.

TRAIL TRAXX

FEATURES:
- » Lightweight aluminum construction
- » Arched for greater clearance
- » Diamond pattern mesh grating
- » Rubber coated fingers
- » Includes 2 cam buckle safety straps

Model	Length	Width	Folded Length	Weight	Weight Capacity
AF-8912-2-M	89"	12"	44.5"	32 lbs	1500 lbs

Trail Traxx Dual Ramps

The lightweight aluminum A-8912-2-M ramps have an arched design for maximum clearance, making them ideal for loading into trucks and trailers. Features a dual ramp design so ramps can be spaced at any distance to support most ATVs. Each ramp has rubber coated fingers to prevent scratching the tailgate and a diamond grate surface for traction.



TRAIL TRAXX

FEATURES:
- » Arched design for maximum clearance
- » Diamond grate ramp surface for traction
- » 4" rubber fingers to prevent scratches to tailgate
- » Lightweight aluminum construction
- » Includes 2 cam buckle safety straps

Model	Dimensions	Weight	Weight Capacity
A-8912-2-M	89"L x 12"W x 2"H	26 lbs	1500 lbs

Extra Long Aluminum Bi-Fold ATV Ramp

Extra-long economy style bi-fold ATV ramps load with ease into taller trucks! Lightweight, quality aluminum with a superior traction serrated cross rung system for both wet and dry use. Folds exactly in half for storage, includes rubber coated fingers, and ramp safety straps.



FEATURES:
- » Extra long 94" length for tall / lifted trucks
- » Superior traction wet or dry with serrated cross rungs
- » Lightweight aluminum construction
- » Folds exactly in half for storage
- » 1200 lb distributed weight capacity
- » Rubber coated fingers and included safety straps

Model	Length	Width	Folded Width	Weight	Weight Capacity
IBF-9444	94" (7'10")	44"	22"	34 lbs	1200 lbs

Mudrunner Steel ATV Trailer Ramps

Mudrunner trailer ramps are a great solution for loading an ATV, lawn mower, golf cart, or other 4-wheel equipment into a trailer. The mesh surface allows dirt and debris to fall through and provides traction. Integrated carrying handles make them easy to transport. Mudrunner ATV ramps also include rubber coated fingers, tapered feet, and safety straps.

FEATURES:
- » Steel construction with black powder coat
- » Designed for loading ATVs onto trailers
- » Mesh surface lets dirt fall through
- » Integrated carrying handle
- » Rubber coated fingers
- » Tapered feet
- » Includes 2 safety straps

Model	Length	Width	Weight	Weight Capacity
ST-4811-1600-M	48"	11"	29 lbs	1600 lbs

Full Width Aluminum Tri-Fold Ramp

The aluminum 46" Full Width Tri-Fold ATV ramp evenly distributes ATV weight during loading/unloading. Added traction is provided by 7" rung spacing while the entire ramp is held securely in place with four grit coated 4" support fingers and two safety straps. After use, the full width Tri-Fold ATV ramp can be folded to 15" wide for convenient storage between the ATV tires.

FEATURES:
- » Folds to 1/3 its size
- » Ramp slides under ATV for storage
- » Rust-free all aluminum construction
- » 7" rung spacing
- » 2 included safety straps
- » Grit coated extra wide 4" fingers
- » 1250 lb weight capacity

Model	Length	Width	Folded width	Weight	Weight Capacity
TF-8046	80" (6'8")	46"	15"	30 lbs	1250 lbs

Tri-Fold ATV Ramp

The lightweight aluminum TF-7754 has a compact tri-fold design for convenient storage. Features a full width attaching lip with rubber strips for scratch resistance and a 54" wide loading surface. The TF-7754 has a 1500 lbs distributed weight capacity.

FEATURES:
- » Lightweight aluminum construction
- » Compact tri-fold design
- » Full 54" wide loading surface
- » Full width attaching lip with rubber strips for scratch resistance
- » Includes 2 safety straps

Model	Length	Width	Folded Dimensions	Weight	Weight Capacity
TF-7754	77"	54"	77" L x 17.5" W x 5.5" H	33.5 lbs	1500 lbs

Economy Steel Bi-Fold ATV Ramp

Simple, easy, and effective. These bi-folding ATV ramps are all that's needed to load an ATV or quad into the back of your pickup truck. Constructed of 1" tubular steel, powder coated black and held together with durable steel hinges. Fold the ramp in half and it will store underneath an ATV. Rubber coated fingers protect from scratching the tailgate and secures with included safety straps. 1000 lb total capacity.



FEATURES:
- » Folds to half its width
- » Ramps slide under ATV for storage
- » Strong, durable 1" steel tube construction
- » Powder coated black
- » 6.5" rung spacing
- » 2 included safety straps
- » Rubber coated fingers protect tailgate
- » 1000 lb weight capacity

Model	Length	Width	Folded Width	Weight	Weight Capacity
ST-BF-7444	74" (6'2")	44"	22"	36 lbs	1000 lbs

Economy Steel Tri-Fold ATV Ramp

Designed to minimize storage space, the tri-fold ATV ramp is one of the most compact ramps available. The tri-fold ramp folds to 1/3 its size and can store under an ATV in the bed of a pickup. 1" steel tubular construction allows for a 1000 lb weight capacity. Rubber coated ramp fingers along with two safety straps grip truck tailgate preventing scratches and kick out. A 6.5" rung space provides traction while lowering weight.



FEATURES:
- » Folds to 1/3 size to slide under ATV for storage
- » Strong 1" tubular steel construction and hinge system
- » 6.5" rung spacing
- » Powder coated black
- » 2 included safety straps
- » Rubber coated fingers protect tailgate
- » 1000 lb weight capacity

Model	Length	Width	Folded Width	Weight	Weight Capacity
ST-TF-7449	74" (6'2")	49"	16.5"	48 lbs	1000 lbs

Toll Free (800)-851-6396 · Fax- (314)-754-8180 · www.RagePowersports.com

Mudrunner Dual Folding ATV Ramps

Mudrunner ATV ramps feature a mesh surface, allowing dirt, snow, and debris to fall through for increased traction. The ramps conveniently fold in half for storage or transport and include integrated carry handles. These dual runners have a sturdy steel construction and are offset 12° at the hinge for greater clearance when loading. Two safety straps are included.

FEATURES:
- Steel construction with black powder coat
- Mesh surface allows debris to fall through
- 12° offset for greater clearance
- Folds in half for storage - Includes carry handle
- Rubber coated fingers
- Tapered feet
- Includes 2 safety straps

Model	Length	Width	Folded Length	Weight	Weight Capacity
ST-AF-8012-2	80"	12"	41.5"	70 lbs	1500 lbs
ST-AF-9012-2	90"	12"	46.5"	78 lbs	1500 lbs

Arched Aluminum Ramps

The IA-9012-2 dual runners have an arched design to provide clearance when loading an ATV or other 4-wheeled equipment. The ramps feature 3" rung spacing with serrated cross bars for maximum traction. An all aluminum construction makes these ramps lightweight and rust-free.

FEATURES:
- Lightweight aluminum construction that won't rust
- Arched for improved clearance
- Rubber fingers grip tailgate or trailer edge
- Serrated rungs provide traction
- Includes adjustable safety straps

Model	Length	Width	Weight	Weight Capacity
IA-9012-2	89" (7'5")	12"	28 lbs	1200 lbs

Lightweight Bi-Fold Aluminum ATV Ramps

The IBF bi-folding series of ramps fold to half their width and can be deployed in seconds. There are currently two styles available. The IBF-7144 is a 71" long by 44" wide, lightweight bi-fold ramp with serrated cross bar rungs and rubber fingers. The IBF-7148 is 71" long and 48" wide for loading wider ATVs. It folds in half and has a raised cross bar rung design.

IBF-7148

IBF-7144

FEATURES:
- Lightweight all aluminum
- Folds to half its width
- 2 included safety straps
- Rubber coated fingers
- 1200 lb weight capacity
- Serrated rungs or raised cross bar design

Model	Length	Width	Folded Width	Weight	Weight Capacity
IBF-7144	71" (5'11")	44"	22"	27 lbs	1200 lbs
IBF-7148	71" (5'11")	48"	24"	26 lbs	1200 lbs

Premium Bi-fold/Tri-fold ATV Ramp Series

These premium ramps offer exclusive features for the customer who desires the most quality features available on an ATV ramp today. Constructed of high grade aircraft aluminum, these ramps are offered in both a tri-fold and bi-fold design. These ramps both include an aluminum hinge system to distribute the weight evenly to each separate section of ramp and allows them to fold to 1/2 or 1/3 their usable width.



F-8244-1500A



TF-8248

FEATURES:
- Full width plate style gripping edge
- Adjustable cam buckle ramp strap
- Durable, lightweight all aluminum
- Serrated rungs with 3" spacing for superior traction
- Beveled ramp foot for maximum ground contact
- Fold for compact storage and transport

Model	Length	Width	Folded Width	Weight	Weight Capacity
TF-8248	82" (6'10")	48"	16"	49 lbs	1500 lbs
F-8244-1500A	82" (6'10")	44"	22"	42 lbs	1500 lbs

Lightweight Tri-Fold Aluminum ATV Ramps

The ITF series lightweight tri-fold ATV ramps are a favorite among ATV riders. These ramps fold to 1/3 their width and can fit between the tires of most ATVs when loaded in a pick up truck or on a trailer. Two sizes of this models are available, either a 71" L x 51" W model for loading wider ATVs onto low pick up trucks or trailers or a 46" W x 85" L model for higher 4x4 pick up trucks. Your customers will love this design because it is lightweight, compact, and sets up in seconds.



ITF-7151

ITF-8546

FEATURES:
- Lightweight all aluminum
- Folds to 1/3 its width
- 2 included safety straps
- Rubber coated fingers
- 1200 lb weight capacity
- Serrated rungs for traction
- Extra wide design to fit wider ATVs

Model	Length	Width	Folded Width	Weight	Weight Capacity
ITF-7151	71" (5'11")	51"	17"	26 lbs	1200 lbs
ITF-8546	85" (7'1")	46"	15.5"	32 lbs	1200 lbs

Straight Aluminum Trailer Ramps

These Straight Aluminum Trailer Ramps are specifically designed to give small-wheeled motor vehicles increased traction in a variety of weather conditions with the unique serrated rung system. A solid plate on the end of each ramp ensures a flush fit to most trailers and the included safety straps keep the ramps secure during use.



FEATURES:
- » Full width plate style gripping plate
- » 3" serrated rungs spacing for a non-skid surface second to none
- » Raised ramp sides help keep your tires on the ramps
- » Includes adjustable safety straps (3' length)
- » Durable, lightweight, and rust-free all aluminum construction

Model	Length	Width	Weight (each)	Weight Capacity
S-4816-2000-2	48" (4')	16"	12.5 lbs	2000 lbs
S-6012-2000-2	60" (5')	12"	16 lbs	2000 lbs

Steel ATV Trailer Ramps

These economical trailer ramps are designed for loading ATVs or other equipment with large tires into a trailer. The ramps have a heavy duty steel construction with a powder coat finish and feature 7.25" rung spacing and rubber coated fingers to grip the trailer without scratching it. When not in use, the ramps can be easily stored underneath or next to an ATV. The steel ATV ramps have a 1500 lb capacity and include safety straps.

FEATURES:
- » Heavy duty steel with black powder coat finish
- » Shorter length for loading ATVs onto trailers
- » 7.25" rung spacing
- » Easily stores under or next to ATV
- » Rubber coated attaching fingers
- » Includes safety straps

Model	Length	Width	Weight	Weight Capacity
ST-S-4616-1500	46"	16"	28 lbs	1500 lbs

Ride Master Tri-Fold UTV Ramp

The tri-fold UTV ramp has a 2200 lb capacity, allowing it to handle most ATVs and UTVs on the market today. Its aluminum construction makes it lightweight and rust-free, while the arched ramps provide a smooth transition when loading. The ramp features textured rungs for traction, raised side rails to help guide up a UTV, and welded end caps to keep out dirt. A center section connects the two ramp sections, keeping them square and stable.



FEATURES:
- » Lightweight aluminum construction
- » Tri-folding design
- » 2200 lb capacity can handle most ATVs and UTVs
- » Arched ramps for smooth transition
- » Textured rungs provide traction
- » Raised side rails
- » Wide tailgate plates with rubber grips
- » Welded end caps keep out dirt
- » Includes two adjustable safety straps

Model	Length	Width	Folded Size	Weight	Weight Capacity
ATF-8555	85"	Open: 55" Ramp: 18"	85" L x 19" W x 9.75 H	40 lbs	2200 lbs

Ride Master UTV Trailer Ramp

The Ride Master UTV Trailer ramp is perfect for loading an ATV or UTV up to 3000 lbs into a trailer. Its lightweight aluminum construction and tri-folding design make it easy to use. The ramps are also arched for maximum clearance and feature rubber coated attaching fingers. Two safety straps are included.



FEATURES:
- » Lightweight aluminum construction
- » Shorter length is perfect for trailers
- » Tri-folding design
- » Arched ramps for maximum clearance
- » 20" wide ramps for safe loading
- » 3000 lb capacity accommodates most ATVs, UTVs and golf carts
- » Rubber coated fingers
- » Includes 2 adjustable safety straps

Model	Length	Width	Folded Size	Weight	Weight Capacity
ATF-6264	65"	Open: 62" Ramp: 20"	65" L x 22" W x 7.625" H	29 lbs	3000 lbs

Alumi-Loc Ramp Locking System

The Alumi-Loc positively locks loading ramps in place for secure loading of equipment. Designed to be faster, easier to use and more secure than straps, the Alumi-Loc virtually eliminates ramp slip and can be mounted on truck beds, trailers, box trucks, containers, loading docks, or any flat surface requiring equipment loading. Works with MF2 Series motorcycle and UTV/ATV Ramps, SNO series Snowmobile Ramps and select heavy duty ramps.

Model	Description
ALUMI-LOC-48	48" W Ramp Locking System (bracket only)
ALUMI-LOC-52	52" W Ramp Locking System (bracket only)
ALUMI-LOC-60	60" W Ramp Locking System (bracket only)
ALUMI-LOC-CUSTOM	Custom Width Ramp Locking System (bracket only)
ALUMI-LOC-KIT	Ramp Locking System Hardware Mounting Kit

Extra Wide Folding UTV/ Golf Cart Ramps

The Big Boy II loading ramps listed in our motorcycle catalog also can be used individually for loading ATVs, golf carts, UTVs, zero turn lawn mowers, or just about any pneumatic wheel vehicle up to 2500 lbs! Each section is 19" wide and is constructed of lightweight aluminum and can be connected together with four included connecting brackets for loading motorcycles. The ramp system can be folded in half at the center for storage, and when unfolded, features a 12° offset for greater clearance for lower vehicles. For specifications see the Big Boy II in the Motorcycle Ramp section of the catalog.

Front/ Rear ATV Rack Baskets

ATV rack baskets are designed to hold extra gear on a ATV utilizing the front and rear racks. The baskets mount to most tubular ATV racks and includes mounting hardware. The baskets are constructed of steel for durability and have mesh sides and bottom to allow dirt or debris to fall through. Includes a one year warranty (not including rust from scratching and outdoor use).

FEATURES:
- Rear and Front baskets available
- Self cleaning mesh sides and bottom
- Steel construction
- Universal mounting hardware

Model	Rack Use	Size	Weight
FB-2020	Front Racks	17"L x 36"W x 6.5"H	28 lbs
DDB-2010	Front Racks	26.75"L x 41"W x 12.75"H	42 lbs

ATV Rear Rack

The universal mount ATV Rear Rack has a sturdy steel frame with a mesh bottom and sides to allow dirt and debris to fall through. The rack provides extra room for hauling a tool box, hunting gear, gas cans, or other cargo. It includes mounting hardware and fits most tubular ATV racks.

FEATURES:
- Heavy duty, black powder coat steel frame
- Mesh sides and bottom
- Includes universal mounting hardware
- Fits most tubular ATV racks
- 1.25" slot for rear ATV bar

Model	Inner Dimensions	Outer Dimensions	Weight
ARFR-2030	22"L x 37.25"W x 5.375"H	22.75"L x 39"W x 6"H	25 lbs

Standard ATV Cargo Box

The standard ATV cargo box is designed for hauling extra cargo on the rear rack of an ATV. The box is constructed of high density polyethylene and features a padded backrest. Mounting the cargo box to the ATV rack requires drilling into the bottom of the box and attaching with included U-shaped bolts. The cargo box is lockable and has rear reflectors for added visibility.

FEATURES:
- Lockable
- Durable high density polyethylene shell
- Backrest cushion
- Mounts with U-bolts (drilling required)

Model	Inner Dimensions	Outer Dimensions	Weight
ATV-CB-8010	9.75"L x 30.25"W x 13"H	20"L x 34"W x 13.5"H	20 lbs

Deluxe ATV Cargo Box

The deluxe ATV cargo box is designed for transporting extra gear or cargo on the rear rack of an ATV. The cargo box features a soft foam padded backrest and inside straps for holding extra gear. The box has two handles on the top for setting up or moving. Velcro straps keep the box secure to the ATV rack with optional U-bolts for permanent mounting (drilling required). The rear of the box features reflective tape for added visibility.

FEATURES:
- Durable high density polyethylene shell
- Lockable
- Foam cushion backrest cushion
- Mounts with U bolts (drilling required)

Model	Inner Dimensions	Outer Dimensions	Weight
ATV-CB-8020	12" - 17"L x 34.5"W x 8.5" - 13"H	21.5"L x 37.5"W x 15.5"H	22 lbs

ATV Cargo Box

ATV Cargo Box for an existing ATV rack system expands available storage space in a safe and secure fashion. The cargo box can be mounted permanently using four included U-bolts, or temporarily with the attached tie-down straps. A rugged high density polyethylene shell helps protect the cargo hold area from the elements, and can be dual locked to help prevent theft. Includes a backrest cushion for passenger comfort, keys, and all necessary mounting hardware.

FEATURES:
- Added security with 2 locks and 4 keys
- High density polyethylene composition
- Secures to ATV racks with 4 U-bolts (*requires drilling)
- 2 side tie-down straps for stability/temporary mount
- Safety reflection strips on both sides and rear
- Cushion backrest for passenger comfort

Model	Inside Dimensions	Outside Dimensions	Weight
ATV-CB-8030	11" - 16"L x 32" - 34.75"W x 10"H	23"L x 37.5"W x 18"H	26 lbs

Front ATV Cargo Box

This ATV cargo box is designed to carry up to 2.34 cubic feet of gear on the front rack of an ATV. The box has a durable, high density polyethylene construction and mounts to the rack with four U-bolts (drilling the box is required). Integrated locks provides security for cargo and each side of the box has yellow reflectors for increased visibility.

FEATURES:
- Constructed of high density polyethylene
- Mounts to front ATV rack with U-bolts (requires drilling)
- Includes mounting hardware
- Lid has foam lining
- Each side has yellow reflectors
- Includes integrated locks with two keys

Model	Inside Dimensions	Outside Dimensions	Weight
ATV-CB-6600	8.25" - 11.5"L x 26.25" - 30.75"W x 8.25"H	16"L x 33"W x 10.75"H	15 lbs

ATV Gun Bag

The ATV Gun Bag attaches to an ATV rack using six tie-down buckle straps to increase cargo space. The bag features a large, padded bottom main compartment, front detachable storage bags, and detachable water bottle holders. A 57" gun/fishing rod bag is also included.

FEATURES:
» Attaches to an ATV rack w/6 tie-down straps w/plastic buckles
» Tie-down straps sewn with reflective threads for safety
» Storm-flaps fold over to protect cargo
» 2 detachable storage bags
» 2 detachable water bottle holders
» Reinforced corners and walls retain shape
» Black, weather resistant polyester
» Large main compartment with (2) 9" H x 8-3/4" W Velcro dividers and foam padded base
» Includes a 57" W gun/fishing rod bag w/drawstring and 4 securing straps

Model	Description	Dimensions
ATV-FRBG-9010	Soft ATV Gun Bag for front or rear ATV racks	Base: 27" W x 15" L x 9.5" H Detachable Bags: 8" W x 6" L x 6" H Gun/Fishing Rod Bag: 57" W

ATV Rear Rack Bag

The ATV Rear Rack Bag is a great accessory for transporting items on the back of an ATV. The bag attaches with six straps and features a padded backrest section along with plenty of compartments for organizing gear. A water-resistant construction with main compartment storm flap helps keep out moisture.

FEATURES:
» Water-resistant nylon construction w/ storm flap
» Includes carrying handles
» Attaches to a rear ATV rack with 6 straps
» Removable Velcro dividers in main compartment
» Padded backrest section
» 2 attached outside storage bags
» 3 mesh cupholders (2 inside and 1 outside)
» Small detachable storage pouch (5.5" L x 5" W)
» Inside zippered pockets on lid
» Top bungee net for carrying gun cases, clothing, etc.

Model	Description	Dimensions
ATV-RBG-3320	Soft ATV Bag for rear ATV racks	Overall: 18" L x 31" W x 11" H Main compartment:14" L x 30" W Storage bags: 7.5" W x 11" H / 8.5" W x 11" H

Rear ATV Bags

These weather-resistant ATV bags easily attach to an ATV rack with six straps. A foam bottom, rigid walls, and reinforced corners give these bags a sturdy design. The bags include interior adjustable dividers, two insulated bottle holders, and two detachable and expandable front bags.

FEATURES:
» Fits front or rear ATV racks with six straps
» Weather-resistant fabric
» Foam bottom and rigid walls
» Reflective safety stitching on straps
» Interior has adjustable dividers
» Front bags are detachable and expandable
» Two insulated bottle holders
» Storm flaps

Model	Description	Dimensions
ATV-RBG-9030-BK	Rear ATV Bag in Black	Base: 10" L x 33" W x 11" H Detachable Bags: 10" L x 7" W x 7" H
ATV-RBG-9030-CAMO	Rear ATV Bag in Camo	Base: 10" L x 33" W x 11" H Detachable Bags: 10" L x 7" W x 7" H

ATV Rack Packs

ATV fender and tank bags are constructed of 600D polyester fabric with durable zipper closures. Each fender and tank bag is available in black or camouflage and features two (or more) pockets for storing extra items. Fender packs have integrated securing straps which universally attach to the rear or front fender of an ATV. Tank saddle bags attach via the gas tank cap.

FEATURES:
» Designed to fit on ATV gas tanks and rear or front fenders
» Constructed of 600D polyester fabric
» Mesh and lined pockets
» Securing straps attach to ATV
» Waterproof
» Camouflage or black available

Model	Description	Storage Capacity
62104	ATV Gas Tank Saddle Bag Color: Black	2 pockets- 1 mesh pocket- 1 cup holder w/ draw string
62204	ATV Gas Tank Saddle Bag Color: Camo	2 pockets- 1 mesh pocket- 1 cup holder w/ draw string
62107	ATV Fender Pack Color: Black	2 lined pockets 2 mesh pockets
62207	ATV Fender Pack Color: Camo	2 lined pockets 2 mesh pockets
62108	ATV Handlebar Tank Bag Color: Black	2 lined pockets 2 mesh pockets

ATV Rack Packs

These durable ATV rack packs hold extra gear or cargo on rear ATV racks. The 600D polyester is water proof and tough enough to withstand the wear of off road riding. Each pack has four straps to secure to a rack. Three designs are available, in black or camo colors. Inside the packs are Velcro secured dividers for separating gear.

FEATURES:
» Designed to fit on ATV rear racks
» Constructed of 600D polyester
» Velcro storage dividers
» 4 securing straps
» Waterproof - Camouflage and Black colors

Model	Description	Overall Dimension	Overall Storage Capacity
62101	ATV Rear Rack Pack w/o cushion Color: Black	33" x 16" x 9'	3942 cubic inches
62201	ATV Rear Rack Pack w/o cushion Color: Camo	33" x 16" x 9"	3942 cubic inches
62102	ATV Rear Rack Pack w/ cushion Color: Black	33" x 16" x 11"	3942 cubic inches
62202	ATV Rear Rack Pack w/ cushion Color: Camo	33" x 16" x 11"	3942 cubic inches
62103	ATV Front or Rear Rack Pack Color: Black - Rectangular Shape	33" x 16" x 9"	4752 cubic inches
62203	ATV Front or Rear Rack Pack Color: Camo - Rectangular Shape	33" x 16" x 9"	4752 cubic inches

ATV Covers

ATV covers for protection from dirt, dust, or weather. Made from 100% waterproof polyester which is UV and mildew resistant with double stitched seams for durability. The bottom has an elastic cord sewn in with quick release buckles and straps to keep the cover secure. Camo or olive drab available.

FEATURES:
- » Waterproof polyester construction
- » UV/mildew resistant
- » Velcro storage dividers
- » Elastic bottom cord
- » Quick release buckles and straps
- » Double stitched seams

Model	Size	Color
ATVC-OM	82" x 48" x 31.5"	Olive Drab
ATVC-OL	87" x 49" x 33.5"	Olive Drab
ATVC-CM	82" x 48" x 31.5"	Camouflage
ATVC-CL	87" x 49" x 33.5"	Camouflage

UTV Covers

These waterproof UTV covers are constructed with a breathable polyster material that's UV and mildew resitant for protection from debris, rain, and snow. The covers feature an elastic cord sewn in the hem for a snug fit and double stitched seams for durability. Available in two colors, olive drab or camo, and one size that fits most UTVs up to 120" long. Includes a drawstring storage bag.

FEATURES:
- » Waterproof polyster material
- » UV.and mildew resistant
- » Sewn in elastic cord for a snug fit
- » Double stitched seams for durability
- » Includes drawsting storage bag
- » Fits most UTVs up to 120" long
- » 2 grommet holes to use with rope/bungee to cover for a long period of time
- » Vents on both sides to reduce cover ballooning

Model	Description	Color
62433	UTV cover with carrying bag	Olive Drab
62443	UTV cover with carrying bag	Camo

ATV Cabin Cover

ATV Cabin Cover fits on ATVs with both a front and rear rack to provide protection from the elements during travel. Features four large, roll-up windows for maximum visibility, and two zippered doors for convenient access. Constructed from dense, weather resistant nylon fabric over a durable, black powder coat steel tube frame.

FEATURES:
- » For standard ATVs with Front and Rear racks
- » Durable steel tube frame
- » Black powder coat finish
- » Zippered doors / roll-up windows
- » Includes all necessary hardware

Model	Description
62110	ATV Cabin Cover - Fits standard ATVs with front and back racks

Universal ATV Windshield

An ATV windshield provides protection from flying debris, mud, dirt and bugs. It also reduces wind chill when riding in colder weather, covering the handgrips, face and torso areas. The ATV windshield is constructed of a strong acrylic plastic and has universal mounting brackets to fit most ATV handlebars.



FEATURES:
- » Offers protection from flying debris, bugs, and mud
- » Reduces wind chill
- » Covers handgrips, face and torso areas
- » Universal mounting system adjusts to fit most ATV handlebars
- » Clear acrylic plastic with black accent on bottom

Model	Dimensions	Weight
ATV-Windshield	Overall: 36"W x 20.5"H Handguards: 9.5"W x 7"H Shield: 17"W x 12.5"H	8 lbs

ATV Wheel Chock

Stabilize an ATV or UTV on a trailer with this durable steel wheel chock. The chock is constructed of 1" steel tubing and has an 11.5" inner width to accommodate larger tires. Removable mounting hardware allows you to secure the chock to a trailer or pickup bed.

FEATURES:
- » 1" steel tubing with black powder coat finish
- » Works with ATVs and UTVs
- » Mounting holes allow securing to the floor
- » Includes removable mounting hardware

Model	Dimensions	Weight
ATV-WC	Overall: 12.5"L x 14"W x 13.25"H Inner: 11.5"W	4 lbs

Kill Shot Game Cart

This lightweight steel game cart makes it easier for hunters to haul gear or game out of the woods. With a 500 lb capacity, the cart can haul deer, antelope, smaller elk, bear, mule deer, or hunting gear. Large solid rubber wheels allow it to move over rough terrain with ease and it can collapse down for compact storage or transport.

FEATURES:
- » Steel construction with brown powder coat finish
- » Solid rubber tires on steel rims with steel spokes
- » Heavy duty, 3/4" steel axle
- » Easy to assemble - no tools needed
- » Can be folded down for storage after removing wheels and side braces
- » Includes 2 buckle straps

KILL SHOT HUNTING GEAR

Model	Tire Size	Weight	Weight Capacity
GAME-CART	18.5"	30 lbs	500 lbs

Snowmobile Products

Whiteout Snowmobile Ramp

Our premium snowmobile ramps are the most versatile and complete loading ramp available and make loading a snowmobile into a pickup truck or on a trailer a breeze. Designed with integrated extra slick ski guides, single, double, or even triple carbides track straight and true. The center ramp features 1/2" square cross bar cleats for maximum traction. Both the center and side ramps feature a hybrid hook/plate end for strength and versatility and taper at the bottom for a smooth entry and exit. These all aluminum ramps will never rust and can be stacked neatly for storage in a truck bed or on your trailer.

Finally one loading ramp to load all the toys! Additional center ramps are available for loading motorcycles, ATVs/UTVs, or lawn & garden equipment.

WHITEOUT SNOWMOBILE RAMPS

FEATURES:
- » Rust-free, lightweight aluminum construction
- » Integrated ski guides
- » 1/2" x 1/2" cross bar cleats provide traction in all weather conditions
- » Includes safety straps
- » Additional center ramps available for loading ATVs, motorcycles, and more
- » Optional extension available for maximum loading traction

Model	Length	Ramp Width	Weight	Weight Capacity
SNO-9626-046	Center: 96" (8') Side: 77" (6.5')	Center: 12" Side: 7"	Center: 26 lbs Side: 17 lbs ea.	Center: 1500 lbs Side: 500 lbs ea.

Black Ice Snowmobile Ramps

The lightweight aluminum Black Ice ramps work great for loading snowmobiles into trailers or pick-up trucks with only one person. Easy-glide polyethylene runners on both sides of the ramp protect skis. The ramp rests on the tailgate with 4" rubber coated fingers to prevent the tailgate from being scratched and secures to the truck with the included cam buckle safety straps. Black Ice ramps have a tri-fold design making them easy to move around and store.

BLACK ICE SNOWMOBILE RAMPS

FEATURES:
- » SNO-6054-HD recommended for trailers only
- » SNO-9454-HD recommended for full size 4x4 trucks
- » Tri-fold design for storage and portability
- » Lightweight aluminium construction
- » Easy-glide polyethylene runners protect skis
- » 4" rubber coated ramp fingers protect tailgate
- » 2 cam buckle safety straps included

Model	Dimensions	Folded Dimensions	Weight	Weight Capacity
SNO-6054-HD	60" L x 54" W x 2" H	6.25" H x 17.5" W	32 lbs	1500 lbs
SNO-9454-HD	94" L x 54" W x 2" H	6.25" H x 17.5" W	52 lbs	1500 lbs

Snowmobile Covers

Our snowmobile covers come in two different models and three sizes to protect against all weather conditions plus dirt, dust, and UV rays. The covers feature an elastic band around the bottom ensuring a snug fit. Not designed to work with newer body style snowmobiles or snowmobiles with handlebar extension hooks. Includes a storage bag.

FEATURES:
- » All weatherpoof fabric protects against rain, snow, dirt, dust, and UV rays
- » UV and mildew resistant fabric protects snowmobile's paint
- » Standard or Deluxe snowmobile cover models available
- » Deluxe covers feature a stronger, heavier fabric
- » Elastic band around bottom provides a snug fit
- » Includes 6 tie-down straps and a storage bag

Model	Description	Fits	Color
68131	Standard Small Cover	Snowmobiles up to 110"	Silver
68132	Standard Medium Cover	Snowmobiles from 110" to 115"	Silver
68133	Standard Large Cover	Snowmobiles from 115" to 125"	Silver
68121	Deluxe Small Cover	Snowmobiles up to 110"	Gray
68122	Deluxe Medium Cover	Snowmobiles from 110" to 115"	Gray
68123	Deluxe Large Cover	Snowmobiles from 115" to 125"	Gray

Handlebar Mitts

These powersport mitts are available in a water resistant nylon fabric in two different prints, a camouflage pattern or black. Both are lined with a soft fleece fabric to help protect against the cold. To further protect against the elements, a strap has been attached to the end of each mitt to close off the end and keep it secure on the handlebar.

FEATURES:
- » Sold in pairs
- » Fit over most handlebars
- » Strap to close end of mitt
- » Lined with a warm fleece fabric
- » Water resistant nylon fabric
- » Camouflage and Black colors

Model	Description
62106	ATV/Snowmobile Handlebar Mitts - Color: Black
62136	ATV/Snowmobile Handlebar Mitts - Color: Camo

Lawn & Garden Products

Arched Aluminum Ramps

We have a large selection of dual arched ramps for loading ATVs, garden tractors, golf carts, or other 4-wheeled equipment. We have short models for trailers and longer models for higher loading jobs. The advantage of dual ramps is they can adjust to the width of any 4-wheeled vehicle wheel base and they take up less room than full width ramps.

Arched ramps allow additional clearance while loading into a pick up truck or trailer. We hold a patent on our style of arched ramps and they are loaded with quality features that allow these ramps to sell themselves when they are sitting on your show-room floor. We also have folding arched ramps which can be seen in our ATV Section.

FEATURES:
- » Full width plate style gripping edge
- » Arch helps prevent bottoming out or scraping of machinery
- » Serrated rungs at a spacing of 3" exhibits a non skid surface second to none
- » 1.5 inch raised ramp edges that act like curbing to keep your tires in the track
- » Includes cam buckle safety straps to ensure a safe loading experience
- » Durable aluminum construction will provide many years of non-rusting safe use

Model	Length	Width	Weight	Weight Capacity
A-7214-2000-2	72" (6')	14"	28 lbs	2000 lbs
A-8412-1200-2	84" (7')	12"	30 lbs	1200 lbs
A-8416-3000-2	84" (7')	16"	44 lbs	3000 lbs
A-8912-1800-2	89" (7'5")	12"	35 lbs	1800 lbs
A-9512-1200-2	95" (7'11")	12"	37 lbs	1200 lbs
A-9516-3000-2	95" (7'11")	16"	48 lbs	3000 lbs

Aluminum Tractor Shed Ramps

These small but useful ramps were manufactured after numerous customer requests. Measuring 3' long, these ramps are designed for garden tractors and small wheeled equipment to allow them to get up small rises such as garden sheds, curbs, medians, even some low trailers. A total of 1500 lb capacity, a 4" long full width attaching lip and 4" rung spacing are a few of the quality features on this popular little powerhouse.

FEATURES:
- » Lightweight aluminum construction
- » 4" attaching lip for stability
- » Drilled 1/2" hole allows ramps to be bolted to shed floor
- » 1500 lb total capacity (750 lbs each ramp)

Model	Length	Width	Thickness	Weight	Weight Capacity
S-368-1500	36" (3')	8"	1.5"	8 lbs	1500 lbs (750 ea.)

Garden Tractor Cover

These durable polyester covers are an easy way to protect a garden tractor from dust, sap, UV rays, and rain. The covers fit most garden tractors, covering the wheels and mower deck, and feature an elastic hem for a snug fit.

FEATURES:
- » Olive drab polyester construction
- » Helps keep out rain, snow, dust, and UV rays
- » Elastic hem for a snug fit
- » Double stitched seams
- » Fits most garden tractors
- » Includes storage bag

Model	Description	Max Mower Size
62413	Olive Drab Garden Tractor Cover	74" L Fits cutting decks up to 54" (64" W)

Push Lawn Mower Cover

The push lawn mower cover is a great accessory for quickly protecting a mower for storage. The covers have a durable polyester construction and fit over most push mowers, including the wheels. An elastic hem and integrated handlebar straps provide a snug fit.

FEATURES:
- » Olive drab polyester construction
- » Helps keep out rain, snow, dust, and UV rays
- » Elastic hem for a snug fit
- » Double stitched seams
- » Integrated handlebar straps secure cover to mower
- » Fits most push mowers
- » Includes storage bag

Model	Description	Max Mower Size
62414	Olive Drab Push Mower Cover	Handlebar Width: 21" Deck Width: 36" Overall Length: 72"

Snowblower Cover

The water-resistant snowblower cover fits over small and medium sized snowblowers, protecting them from dirt, dust, and UV rays. This easy to use accessory has an elastic hem for a snug fit and includes a storage bag.

FEATURES:
- » Black polyester construction with water resistant coating
- » Helps keep out rain, dust, dirt, and UV rays
- » Elastic hem for a snug fit
- » Includes storage bag

Model	Fits	Approximate Size
62411	Small to Medium Snowblowers up to Two-Stage	63" L x 40" H with elastic bottom

Auto Cargo Products
Featured Items

Car Roof Racks

These Car Roof Racks are designed to transport extra cargo easily on a vehicle rooftop. Mounts with four U-bolts to the cross bar system (fits 3-1/4" x 1-3/8" thick or 1-3/8" in diameter round cross bars). The Car Roof Rack is available in two sizes, and provides plenty of side support to keep your cargo in place while adding space for tie down points. Each Car Roof Rack is constructed from high quality steel and has a black powder coat finish. Includes a wind fairing for reducing wind resistance and noise.

FEATURES:
- » High quality steel construction
- » Universal U-bolts attach to thick or round cross bars
- » Available in two sizes
- » Wind fairing reduces wind resistance and noise
- » Assembly required

Model	Dimensions	Weight	Weight Capacity	Mounting Requirements
RBC-4938HD	Overall: 48.5" L x 38.25"W x 5.5"H Inside: 42.25" L x 36.25"W x 4.75"H	34 lbs	150 lbs	Round: up to 1.375"D Square: Up to 3.25"W x 1.375" thick
RBC-6245HD	Overall: 62.5" L x 45"W x 6.25"H Inside: 55" L x 42.875"W x 5.75"H	47 lbs	150 lbs	Round: up to 1.375"D Square: Up to 3.25"W x 1.375" thick

Deluxe Aluminum Locking Roof Rack Bars

RB-1001-49 locking roof bars are made from premium aluminum and can be adjusted to fit side rails with a maximum distance of 50" apart. The sliding clamps make installation and usage easy and safe with the addition of the key lockable knobs. To ensure proper balance, bars need to be spaced 15" apart but can support up to 150 lbs on the roof of your vehicle. The rubber inserts add extra grip to keep your cargo in place.

FEATURES:
- » Premium aluminum construction
- » Easy turn key lockable knobs
- » Install and removal is quick and easy
- » 5/8" ribbed rubber inserts on both bars for added grip

Model	Side Bar Requirements	Weight Capacity
RB-1001-49	Side Rail Width: 1" - 1.75" Max. Side Rail Height: 1.5" Each bar spaced at least 15" apart Max. Side Rail Span: 50"W	150 lbs

Toll Free (800)-851-6396 · Fax- (314)-754-8180 · www.RagePowersports.com

Deluxe Roof Cargo Basket

The ER-08208S deluxe roof basket cargo carrier mounts to existing roof cross bars like those found on most SUVs and mini-vans today. This stylish roof rack comes with a heavy duty black epoxy powder coated finish and measures 47.25" long x 36.5" wide x 5" tall overall. (Inside dimensions: 45.25" x 30.25" x 5".) Includes all mounting hardware for factory or aftermarket cross bars.

FEATURES:
- » Universal fit to most factory and aftermarket crossbars
- » Steel construction with powder coat finish
- » Clamps are rubber coated to protect vehicle
- » Includes semi-transparent fairing

Model	Length	Width	Rail Height	Weight	Weight Capacity
ER-08208S	47.25"	36.5"	5"	24 lbs	150 lbs

Economy Roof Cargo Rack

The economy roof cargo rack mounts to existing roof cross bars like those found on most SUVs and mini-vans today. This roof rack comes with a heavy duty black epoxy powder coated finish. This rack offers a quality design for the budget conscious. Ships disassembled for minimum shipping costs, assembly is required.

FEATURES:
- » Heavy duty black epoxy powder coating
- » Mounts to existing cross bars
- » Assembly required

Model	Length	Width	Rail Height	Weight	Weight Capacity
RB-7206	39.5"	36"	2.75"	14 lbs	150 lbs

Cargo Nets

Cargo tie-down nets available in small, medium and large. Hooks on the outside perimeter are inner-connected with stretchable bungee cord material, great for wrapping around and conforming to a wide variety of differently shaped cargo. Secures loose cargo to carriers, roof racks, cargo carriers, and more.





FEATURES:
- » Stretchable, durable bungee material
- » Great alternative to multiple bungee cords
- » Available in three sizes

Model	Description	Number of Hooks	Cord Diameter
CN1515	Small 15" x 15" Cargo Net	6	5 mm
CN3045	Medium 30" x 45" Cargo Net	14	5 mm
CN7296	Large 72" x 96" Cargo Net	32	4 mm

Black Widow Roof Cargo Basket

The Black Widow roof basket cargo carrier mounts to existing roof cross bars like those found on most SUVs and mini-vans today. This roof rack comes with a heavy duty black epoxy powder coated finish and measures 43.5" x 39" x 6" tall. An optional extension is also available which adds 24" in length to this roof rack.



Black Widow

FEATURES:
- » Heavy duty construction
- » Durable black powder coat-finish
- » Mounts to existing cross bars
- » Optional extension adds 24" of length
- » Optional wind fairing for noise reduction
- » Fits most SUVs and mini-vans

Model	Length	Width	Height	Weight	Weight Capacity
RB-DLX-V2	43.5"	39"	6"	32 lbs	150 lbs
RB-DLX-V2-EXT	24"	39"	6"	16 lbs	150 lbs
RB-DLX-V2-FR	n/a	37"	5.5"	2 lbs	n/a

Stingray Low Profile Roof Basket

The Low Profile Roof Basket has a large storage area to haul extra gear on a vehicle roof top. This roof basket is constructed of powder coated steel to protect from the elements and includes all hardware for universal mounting. The low profile design reduces wind noise and drag on the vehicle.

THE STINGRAY
LOW PROFILE ROOF CARGO RACK

FEATURES:
- » Durable tubular steel construction
- » Black powder coat finish
- » Includes mounting hardware
- » Fits existing cross bars
- » Low profile design

Model	Dimensions	Weight Capacity
RB-1512	52.5" L x 43.5" W x 5.25" H	150 lbs
RB-1512-FR	38" L x 4.5" H	n/a

10.3 CU. FT. WATERPROOF SOFT SIDE CAR TOP CARRIERS

Add extra cargo storage to a vehicle with the RBG-02 soft side car top carrier created from a weatherproof heavy duty PVC nylon. The car top carrier features a storm flap, self-repairing zipper and tie down straps, designed to mount to an existing vehicle's roof rack.

FEATURES:
- » Mounts to a vehicle roof rack
- » Storm flap
- » Self-repairing zipper
- » Waterproof PVC coated nylon
- » Easy to fold soft sides

Model	Description	Dimensions	Capacity
RBG-02	Soft Side Car Top Carrier	37" x 30" x 16"	10.3 cu. ft.

6.45 CU. FT. CAR TOP ROOF BAG

The RGB-05 is designed with heavy duty, flexible, PVC coated nylon, a self-repairing zipper, and a weatherproof flap to transport a variety of differently or odd shaped cargo. Each car top roof bag mounts to a vehicle roof rack with the included tie down straps.

FEATURES:
- » Mounts to a vehicle roof rack
- » Storm flap
- » Self-repairing zipper
- » Waterproof PVC coated nylon
- » Easy to fold soft sides for oddly shaped cargo

Model	Description	Dimensions	Capacity
RBG-05	Car Top Roof Bag	39" x 26" x 11"	6.45 cu. ft.

14.8 CU. FT. WATERPROOF SOFT SIDE CAR TOP CARRIERS

Designed for larger cargo, the RBG-06 will hold up to 14.8 cubic feet on a vehicle roof rack with the included tie-down straps. The bag is constructed of weatherproof heavy duty PVC coated nylon. Each large capacity car top carrier bag features a self-repairing zipper and water resistant flap cover.

FEATURES:
- » Mounts to a vehicle roof rack
- » Storm flap
- » Self-repairing zipper
- » Waterproof PVC coated nylon
- » Large capacity, easy to fold soft sides

Model	Description	Dimensions	Capacity
RBG-06	Soft Side Car Top Carrier	43" x 35" x 17"	14.8 cu. ft.

15 CU. FT. WATERPROOF SOFT SIDE CAR TOP CARRIERS

The weatherproof, soft-sided car top carrier ties down to an existing vehicle roof rack for added vehicle cargo storage. Created from heavy duty PVC nylon, each car top carrier features a self-repairing zipper, a storm flap and adjustable tie down straps.

FEATURES:
- » Mounts to a vehicle roof rack
- » Storm flap
- » Self-repairing zipper
- » Waterproof PVC coated nylon
- » Easy to fold soft sides

Model	Description	Dimensions	Capacity
RBG-01	Soft Side Car Top Carrier	38" x 38" x 18"	15 cu. ft.

XL CAPACITY CARGO CARRIER & ROOF CARRIER COMBO

When even more extra cargo space is needed, the extra large RBG-04 is fit for the challenge. The waterproof cargo bag can be mounted to a vehicle roof rack or cargo carrier with the included rack tie-down straps. Whether its stored on the roof rack or on a cargo carrier, the flap cover, self-repairing zipper, and PVC nylon coat are sure to keep gear dry during transportation.

FEATURES:
- » Mounts to a vehicle roof rack
- » Storm flap
- » Self-repairing zipper
- » Waterproof PVC coated nylon
- » Extra large, easy to fold soft sides

Model	Description	Dimensions	Capacity
RBG-04	XL Cargo Bag for Roof or Hitch Carrier	59" x 24" x 24"	19.6 cu. ft.

WATERPROOF ROLLING ROOF TOP LUGGAGE CARRIER

With smooth rolling polyurethane wheels and a pull-style handle, Rolling Car Top Luggage can be stored on an existing vehicle roof rack with the provided tie-down straps, then removed and rolled to the destination without needing to lug individual contents or the entire bag. Allows for easy cargo transportation and features a steel reinforced framework, an in line zipper/Velcro pocket , one 2" x 32" tie down strap, and two 1" x 42" tie down straps.

FEATURES:
- » Mounts to a vehicle roof rack
- » Storm flap and self-repairing zipper
- » Waterproof PVC coated nylon
- » Easy rolling polyurethane wheels
- » Built-in pull style handle
- » Extra zippered, Velcro pocket

Model	Description	Dimensions	Capacity
RBG-03	Rolling Car Top Luggage	36" x 16" x 14"	4.5 cu. ft.

Expandable Roof Storage Bag

The RBG-07 series roof top cargo bags tie down to a vehicle roof rack for transporting extra gear. Each soft-sided roof bag has an expandable design to accommodate differently shaped cargo from 14" to 18" high. Includes necessary tie-down straps for securing the bag to a vehicle roof rack. Made with waterproof PVC coated nylon and features a self-repairing zipper with storm flap to keep moisture out.

FEATURES:
- » Mounts to a vehicle roof rack
- » Storm flap with self repairing zipper
- » Expandable design (14" to 18" high)
- » Waterproof PVC coated nylon
- » Soft-sided cargo storage bag
- » Includes tie-down straps

Model	Description	Dimensions	Capacity
RBG-07-2	Expandable Roof Bag	38" L x 34"W x 14" – 18" H	10.5 - 13.5 cu. ft.
RBG-07-4	Large Expandable Roof Bag	48" L x 36"W x 14" – 18" H	14 - 18 cu. ft.

Translucent White Roof Bag

The Summit RBG-08-2 Translucent White roof cargo bag ties down to a vehicle roof rack for additional storage and helps reduce heat build-up inside the bag. The waterproof PVC coated nylon roof bag includes a self-repairing zipper, storm flap, and tie-down straps for securing it to a vehicle roof. The RBG-08-2 is a convenient and stylish way to transport gear in a practical means.

FEATURES:
- » Mounts to a vehicle roof rack
- » Storm flap with self repairing zipper
- » Translucent white design reduces heat build-up
- » Waterproof PVC coated nylon
- » Soft-sided cargo storage bag
- » Includes tie-down straps

Model	Description	Dimensions	Capacity
RBG-08-2	Translucent White Roof Bag	37" L x 30"W x 15" H	10 cu. ft.

Universal Roof Bars

RCB-3745-U Universal Roof Rails install quickly without hassle to a vehicle roof using straps with gator clips. Hauls cargo too large to fit inside a vehicle with standard crossbar roof rails. Rubber coated, non-mar feet protect the vehicle roof and rubber end-caps help prevent cargo from snagging during loading.

FEATURES:
- » Includes 1 pair of 48"W roof bars
- » Quick vehicle attachment and removal
- » Sturdy steel tube construction
- » Black and gray textured finish
- » Protective rubber end-caps and non-mar rubber feet
- » Straps to vehicle roof and clips inside the vehicle with gator clips
- » Recommended for 4-door vehicles

Model	Overall Width	Foot Position	Bar Thickness	Weight Capacity
RCB-3745-U	47.75"	37" - 45"	1"	150 lbs

Universal Telescoping Roof Bars

TRCB-4460-U Universal Telescoping Roof Rails quickly attach to a vehicle roof by straps designed to fasten inside the vehicle doors with gator clips. Expandable from 44" to 60"W to fit a variety of roof widths, the roof bars are a great way to carry larger items unable to fit inside the vehicle. Roof bar feet and ends are covered in rubber to protect the vehicle roof and prevent possible cargo snags during loading.



FEATURES:
- » Includes 1 pair of 48"W roof bars
- » Quick vehicle attachment and removal
- » Sturdy steel tube construction
- » Black and gray textured finish
- » Protective rubber end-caps and non-mar rubber feet
- » Straps to vehicle roof and clips inside the vehicle with gator clips
- » Recommended for 4-door vehicles

Model	Overall Width	Foot Position	Bar Thickness	Weight Capacity
TRCB-4460-U	44" - 60"	33.25" - 56.25"	1"	150 lbs

Carbon Steel Roof Bars

RB-1004-49 high capacity roof bars work in conjunction with your car or truck's current roof rail. Each adjustable roof bar has rubber coated clamps that work with a key lockable knob and wing nut system. The adjustable clamps work with your existing rails and allow up to 180 lbs to be stored on the roof of your vehicle. The RB-1004-49 high capacity roof bars come with all necessary hardware for easy installation.

FEATURES:
- » Carbon steel construction
- » 4 adjustable knobs that can be locked for security
- » Inner clamp is controlled by outer knob
- » Clamp feet are rubber coated

Model	Side Rail Requirements	Weight Capacity
RB-1004-49	Width: 1" - 6.75" Max. Height: 2" Max. distance apart: 49"	180 lbs

Economy Roof Cross Bars

Our most economical basic Roof Cross Bars fit most factory raised rails and are ready to use out of the box. Easy to install, no tools required. Corrosion resistant, galvanized black powder finish.

FEATURES:
- » Fits most factory raised side rails
- » Galvanized for corrosion resistance
- » Durable black powder coating
- » Adjustable fitting
- » Rubber coated feet

Model	Overall Length	Rail Requirements	Weight	Weight Capacity
RLB-2301	49.75"	Max. Side Rail Span: 46.5" Max. Side Bar width: 1.75" Min. Height Side Bars to Roof: 1.75"	8 lbs	130 lbs

WORKSTAR TRUCK RACK

Ladders and other materials may be safely carried with the Workstar Pickup Truck Rack. Up to 500 lbs can be evenly distributed with an adjustable double support system designed to mount to pickup truck bed rails. The durable, all steel 1-7/8" diameter tubes provide plenty of tie down room. This rack is available in a standard version or a deluxe version that includes rope tie-offs and gussett reinforcements.

FEATURES:
- » Includes 2 ladder uprights
- » Available with or without rope tie-offs and gusset reinforcements
- » All steel 1-7/8" diameter tube construction
- » Black powder coat finish
- » Mounts to pickup truck bed rails with 3/8" holes
- » Plastic end caps keep weather out

Model	Dimensions	Tube Size	Bed Sizes	Weight	Weight Capacity
SLR-RACK	Each support: 31.25"H Feet: 13.75"L x 2.5"W	1.875"D	52"- 71"W	45 lbs	500 lbs
SLR-RACK-DLX (includes rope tie-offs and gussett reinforcements)	Each support: 30.5"H Feet: 13.75"L x 2.5"W	1.875"D	52"- 68"W	54 lbs	500 lbs

UNIVERSAL PICK UP TRUCK RACK

Transport and haul ladders, pipes, lumber and more with the innovative pickup truck cargo solution, a Titan Universal Truck Rack. Specifically designed to support up to 850 lbs and maintain access to anything stored in the truck bed below. The entire cargo rack is adjustable to fit a variety of truck bed sizes and features multiple tie-down points for a variety of cargo options.

FEATURES:
- » Black powder coat finish
- » Zinc coated hardware and an all steel construction
- » Universal mount design for full and mid-sized pick-up trucks
- » Multiple tie-down points
- » Cab-overhang to protect the vehicle roof
- » Designed for hauling ladders, lumber and pipes

Model	Dimensions	Weight	Weight Capacity
UPUT-RACK	132"L x 57"W x 31.75"H	145 lbs	850 lbs

TLR TRUCK LADDER RACK

The truss-style support TLR Truck Ladder Rack mounts to most pickup truck bed side rails. Featuring a heavy duty, black powder coat, square-tube steel framework, the Truck Ladder Rack is rated for a maximum distributed weight capacity of 250 lbs over the two 19-1/4" to 34" adjustable arms. For security purposes, the 14 lb support arms are removable from the mounting feet.

FEATURES:
- » Will fit to most pickup truck bed rails
- » Adjustable support arm width 19-1/4" to 34"
- » Removable support arms
- » Square tube steel with a black powder coat finish
- » Includes Velcro tie downs and a ladder stop
- » Requires drilling for installation

Model	Adjustable Width	Weight	Weight Capacity
TLR	19.25"- 34"	Removable supports: 14 lbs each	250 lbs

TLR-3 TRUCK LADDER RACK

The TLR-3 Ladder Rack is designed to fit most pickup truck beds and features adjustable crossbars for 20" and 28" wide ladders and multiple tie-down points to secure loads. Support arms are removable and an F-150 bracket is included for deeper pickup truck beds.

FEATURES:
- » Will fit to most pickup truck beds
- » Includes F-150 attachment bracket
- » Holds up to 3 ladders
- » Multiple tie-down points
- » Removable support arms
- » Square tube steel with a black powder coat finish
- » Includes velcro tie-straps
- » Requires drilling for installation

Model	Dimensions	Weight	Weight Capacity
TLR-3	20" and 28"W Crossbar 39"H Supports	44 lbs	250 lbs

TOLL FREE (800)-851-6396 · FAX- (314)-754-8180 · WWW.RAGEPOWERSPORTS.COM

Hitch Mounted Carriers
Featured Items

X-tra Large Mobility and Equipment Carrier

The UC500-XL is our largest hitch mounted platform carrier available. Designed for both commercial and mobility use, the UC500-XL makes transporting a large bariatric power wheelchair or commercial equipment in a trailer hitch a reality. The rugged 60" long x 33" wide platform has a steel mesh surface that allows water, mud and snow to drop through. This carrier is constructed of black powder coated steel and offers a 500 lb capacity.

The UC500-XL requires a Class III hitch, but a more heavy duty Class IV hitch is recommended. This carrier is much easier to store in a garage and maneuver than a small trailer and requires no separate licence plate or registration. Simply adjust the dual leveler bolts during initial installation and the locking pins perform with the slightest of ease. Multiple built-in handles make removing and installing the carrier quick and seamless. The folding loading ramp has a built-in handle and locks in position vertically when not in use.

Specifications	UC500-XL
Weight Capacity	500 lbs
Platform Dimensions	60" L x 33"W
Ramp Dimensions	60" L x 32.5"W
Carrier Weight	164 lbs
Distance from hitch pin hole, folded upright	5.75"
Distance from hitch pin hole, unfolded	17"
Height of side rail	6.5"

FEATURES:
- » Huge 60" x 33" platform with built in 5' long loading ramp
- » More maneuverable, easier to store and operate than a trailer
- » Heavy duty 500 lb carrying capacity
- » Includes anti-wobble collar to increase carrier stability
- » Built in tie-down points for easier securing of equipment
- » Folds up vertically when not in use
- » Steel construction with black powder coat finish
- » For use with 2" Class III or IV trailer hitches

Cargo Carrier Bike Rack Combo

A combination hitch mounted steel cargo carrier and bicycle rack gives the option to carry bicycles along with extra cargo using a 2" Class III or IV hitch receiver. The 500 lb capacity cargo carrier measures 60" W x 20" L x 3" H and folds up for storage. An integrated bike rack attachment allows the use of an optional 2 or 3 bike carrier. Assembly is required and all necessary hardware is included.

BCCC-2
(CC03-002+BC-X806-2)

BCCC-3
(CC03-002+BC-X807-3)

CC03-02

Model	Description	Weight Capacity
CC03-002	Steel Folding Cargo Carrier 60"W x 20" L x 3" H	500 lbs
BC-X806-2	Adds a 2-Bike bicycle carrier to the CC03-002	2 Bikes
BC-X807-3	Adds a 3-Bike bicycle carrier to the CC03-002	3 Bikes
BCCC-2	60"W x 20" L Cargo Carrier and 2 Bike Combo Kit – Includes the CC03-002 Cargo Carrier and the BC-X806-2 Bicycle Carrier attachment	500 lbs/2 Bikes
BCCC-3	60"W x 20" L Cargo Carrier and 3 Bike Combo Kit – Includes the CC03-002 Cargo Carrier and the BC-X807-3 Bicycle Carrier attachment	500 lbs/3 Bikes

FEATURES:
- » Folds up for storage
- » Rear reflective safety strips
- » Attachment for adding a 2 or 3 bicycle carrier rack
- » Anti-Tilt and/or Pinch Pin anti-wobble system
- » Slotted carrier bed helps channel any water through
- » Heavy duty steel construction
- » Black powder coat finish
- » Bicycle carriers also work with 3/4" shank ball mounts
- » Requires assembly, includes all necessary hardware

UCC500 Hitch Cargo Basket

The UCC500 hitch basket works great for hauling utility equipment such as snowblowers or lawnmowers. The carrier has a heavy duty construction that can haul up to 500 lbs and features a mesh surface to allow water or dirt to pass through. A loading ramp is conveniently built into the carrrier and can fold upright and lock into place while traveling.

FEATURES:
» Heavy duty steel construction with black powder coat finish
» Mesh basket and ramp surface to allow water or debris to fall through
» Works great for lawnmowers, snowblowers, and other equipment
» Integrated loading ramp that locks in an upright position
» Plenty of tie down points
» Requires some assembly

Specifications	UCC500
Usable Size	30" x 45.5" x 7.5"
Overall Size	32" x 48" x 7.5"
Loading Ramp	42.5" x 30"
Clearance	5" Hitch Pin to Carrier
Hitch Class	2" Class III or IV
Weight Capacity	500 lbs
Weight	76 lbs

Summit Cargo Carrier Bags

The Summit Cargo Carrier Bag is designed to work with cargo carriers 48" or 60" in length. Each cargo bag is made from waterproof PVC nylon and features a Velcro weather-seal flap to cover external zippers for maximum weather protection. The six built-in tie down straps secure the bag and remove excess slack. The bags can also attach to an existing roof rack provided all six tie downs can be secured.

FEATURES:
» Waterproof PVC nylon construction
» 6 universal tie-down straps
» Velcro weather-seal flaps
» Two internal 16" x 8" zippered pockets
» Expandable height (17" - 21")

Model	Dimensions	Compatibility
CSBG-48	48" L x 19" W Expandable height: 17" - 21"	48" L cargo carriers
CSBG-60	60" L x 19" W Expandable height: 17" - 21"	60" L cargo carriers

Hitch Mounted Basket Cargo Carriers

Folding and non-folding cargo baskets use a vehicle hitch to provide extra cargo space. The folding basket has a pull-pin design allowing the basket to be folded up and out of the way. Both versions are constructed from steel for superior strength and have a thick mesh bottom with sturdy 5.5" side rails for multiple tie-downs and gear protection. Reflective strips are included for safety purposes in low-light conditions. These 500 lb capacity cargo baskets feature versatile ways of transporting extra cargo and can be used with cargo nets and some cargo bags.

FEATURES:
» Steel construction for superior strength
» Thicker steel mesh bottom
» Taller 5.5" side rails keep your gear secure
» Black powder coat finish
» Assembles with simple hand tools in minutes
» Fits all 2" receivers
» Hitch pin required (sold separately)
» Folding and non-folding styles available

Model	Usable Length	Usable Width	Weight Capacity
Non-Folding Cargo Carriers			
CCB-4820-DLX	18"	46.5"	500 lbs
CCB-6020-DLX	18"	58.25"	500 lbs
Fold up Cargo Carriers			
CCB-F4820-DLX	18"	46.5"	500 lbs
CCB-F6020-DLX	18"	58.25"	500 lbs

Hitch Mounted Cargo Carriers

Tray style cargo carriers mount to 2" receiver hitches and have a thick steel mesh bottom with a strong, flat plate 2.75" side rail construction. The side rails provide up to 12 tie-down points and can be extended 8" with an optional kit. Two tray style cargo carrier versions are available, one folding and the other non-folding. The folding version pivots up and out of the way when needed. Each tray style cargo carrier comes with reflective strips for safety and are designed with a maximum weight capacity of 500 lbs.

FEATURES:
» Steel construction for superior strength
» Thicker steel mesh bottom
» 2.75" side rails keep your gear secure
» 12 tie down points
» Black powder coat finish
» Assembles with simple hand tools

Model	Usable Length	Usable Width	Weight Capacity
Non-Folding Cargo Carriers			
CC-4820-DLX	19.25"	47.75"	500 lbs
CC-6020-DLX	19.25"	59.75"	500 lbs
Fold up Cargo Carriers			
CC-F4820-DLX	19.25"	47.75"	500 lbs
CC-F6020-DLX	19.25"	59.75"	500 lbs

Hitch Accessories

Hitch Riser/Drop and Converter

Convert and correct towing hitch alignment/clearance problems with the DRH-2 Hitch Riser/Drop adapter for Class I and II 1-1/4" hitch receivers. Extends the length of a 1-1/4" hitch receiver out 6-1/4" or 7-7/8" and rises or drops 3-3/4" to a 2" hitch opening. Rated at 3500/350 GTW/TW. Heavy duty steel construction with a black powder coat finish.

FEATURES:
- » Converts 1-1/4" hitch receivers to 2"
- » Fixes towing hitch alignment/clearance problems
- » Extends hitch receiver 6-1/4" or 7-7/8"
- » Rises or drops 3-3/4"
- » Heavy duty steel construction
- » Black powder coat finish

Model	Tongue Weight	Pin Hole Distance	Rise/Drop	Weight	Weight Capacity
DRH-2	350 lbs	Length: 6.25" and 7.875" Height: 3.75" Overall Length: 12"	3.75"	9.5 lbs	3500 lbs

Dual Purpose Hitch Adapter

The dual purpose 2" hitch adapter DRH-1 extends a 2" hitch receiver 12-1/2" for both towing and using a cargo carrier, bike rack, or other receiver hitch accessory. The top hitch rises 6-1/2" to separate hitch mounted accessories from the bottom towing hitch. Tow a camper, trailer, or boat and use a bike carrier in one configuration. Rated at 4000/400 GTW/TW. Heavy duty steel construction with a black powder coat finish.

FEATURES:
- » Fits 2" receiver hitches
- » Extends hitch receiver 12-1/2"
- » Bottom hitch for towing a camper trailer, or boat
- » Heavy duty steel construction
- » Black powder coat finish
- » Top hitch rises 6-1/2" for bike racks, cargo carriers, and more

Model	Tongue Weight	Top Hitch Rise	Pin Hole Distance	Weight	Weight Capacity
DRH-1	400 lbs	6-1/2"	5/8" Pin: 12" (top), and 12-1/2" (bottom)	20 lbs	4000 lbs

Truck Bed Extender

The HitchRack is constructed of heavy duty steel tubing giving it a distributed weight capacity of up to 750 lbs. The support arm can be adjusted width wise and height wise giving support to payloads that exceed a pickup truck's bed length. Great for supporting lumber, kayaks or canoes, piping, ladders, and other items exceeding a standard pickup's bed length.

FEATURES:
- » Fits 2" receiver hitches
- » Adjustable height and width
- » Heavy duty tubular steel construction
- » Operates with 4 quick release clevis pins
- » Reflective strips and safety flag included
- » Extends a truck bed to accommodate longer payloads

Model	Length	Adjustable Width	Adjustable Height	Weight
HITCH-EXT	53" from center of 1/2" hitch pin hole to extension end 51.5" from center of 5/8" hitch pin hole to end of extension	28.25" – 48.75"	4" – 10"	32 lbs

Hitch Drop/Riser

Correct towing hitch alignment and clearance issues with the DRH-3 Hitch Drop/Riser for 2" hitch receivers. Extends the hitch receiver 6-3/4" and rises or drops 4-1/2". Rated at 5000/500 GTW/TW. Heavy duty steel construction with a black powder coat finish.



FEATURES:
- » 4-1/2" hitch drop or rise adapter
- » Fits 2" hitch receivers
- » Extends hitch receiver 6-3/4"
- » Ideal to fix towing hitch alignment and clearance issues
- » Heavy duty steel construction
- » Black powder coat finish

Model	Tongue Weight	Pin Hole Distance	Rise/Drop	Weight	Weight Capacity
DRH-3	500 lbs	Length: 6.75" Height: 4.5" Overall Length: 12"	4.5"	8 lbs	5000 lbs

Hitch Tube Extender

Extend a Class III or Class IV solid 2" hitch receiver to give bicycle racks and carriers extra clearance between the vehicle bumper. The Bike Rack Adapter is rated at a 225 lb capacity which includes the bike carrier/rack and all bicycles being transported. Includes pinch bolt stabilization hardware for receiver attachment and a built-in bike rack/carrier stabilization bolt. Heavy duty steel construction with a smooth black powder coat finish.



FEATURES:
- » Works with 2" receiver hitches
- » Built-in carrier/rack stabilization bolt
- » Intended for hitch bicycle carriers and racks only
- » Includes pinch bolt stabilization hardware
- » Smooth black powder coat finish
- » *Solid 2" hitch receivers only, not for use with plastic or metal adapter sleeves

Model	Dimensions	Weight	Weight Capacity
BIKE-RACK-ADAPTER	4.75" hitch end, 7" receiver end (overall 11.75") 8.25" pin hole distance	6 lbs	225 lbs

Anti-Tilt Bracket

The Anti-Tilt Bracket prevents wobble in hitch mounted products attached to a 2" Class III or greater hitch. The bracket pinches the main hitch tube to the the hitch receiver, eliminating tilting or rocking.

FEATURES:
- » For use with 2" Class III or greater hitches
- » Reverse style to work with most extended chain loops
- » Steel construction

Model	Description	Fits
ANTI-TILT-REV	Anti-Tilt Bracket	2" Class III or greater trailer hitches

Bicycle Products
Featured Items

Trekker Modular Hitch Bike Rack

The Trekker bike rack is an easy to use wheel-mount carrier that fits into a 1.25" or 2" hitch receiver. Its convenient modular design allows it to be used as a 2-bike rack or a 4-bike rack with the optional extension. The Trekker features adjustable wheel mounts and an adjustable downtube to accommodate various bike sizes. Tie down straps are included and the rack can be folded up when not in use.

FEATURES:
- » Available in 2-bike or 4-bike versions
- » Optional 2-bike extension available separately for the 2-bike rack
- » Adjustable wheel mounts (30" - 47")
- » Center downtube has seven adjustment points
- » Downtube has foam padding to protect bikes
- » Black powder coat finish
- » Includes three 18" tie down straps for each bike
- » Includes one 12' tie down strap to secure all bikes to the rack
- » May be folded up and out of the way when not in use

Model	Description	Dimensions	Bike Capacity	Hitch Size	Weight Capacity
BC-7621	2-Bike Rack	47" L x 30" W x 24" H	2	1.25" or 2"	112.5 lbs
BC-7621+2E	4-Bike Rack	47" L x 45" W x 24" H	4	1.25" or 2"	225 lbs
BC-7621-E	2-Bike Extension	(rack and extension) 47" L x 45" W x 24" H	2 (add-on)	-	225 lbs (total)

Everhold Bicycle Work Stand

The Everhold work stand suspends a bicycle up to 65 lbs for easier repairs and maintenance. The stand features a heavy duty clamp that can secure a bike by the top tube or the seat tube without pinching bike cables. A quad style base with high traction feet and predrilled mounting holes provide stability. The work stand includes a magnetic tool tray and can fold for storage.

FEATURES:
- » For bicycle maintenance and repair
- » Holds bikes by the top tube or the seat tube
- » Heavy duty clamp will not pinch bike cables
- » Quad style base extends out to 41" x 41"
- » Feet have high traction pads and predrilled mounting holes
- » Telescoping handlebar stabilizer
- » Adjustable height and clamp
- » Includes an allen key for adjustments and assembly
- » Includes magnetic tool tray
- » May be folded up for storage

everhold

Model	Dimensions	Frame Diameter	Weight	Weight Capacity
Bike-Stand-4	Adjustable Height: 43" - 74-3/4" Bike Lift Height: 41-1/4" - 72-3/4" Base: 41" x 41" Clamp Reach: 4" - 10" Stabilizer Bar: 20" - 35-1/2"	1" - 1-3/4"	17 lbs	65 lbs

Toll Free (800)-851-6396 · Fax- (314)-754-8180 · www.RagePowersports.com

Tener Bike Hitch Rack

The Tener Bike Rack series offers three different models which haul up to two, three, or four bikes. The bike cradle arms fold down when not in use for compact storage and has a spring-loaded tilt lock mechanism allowing for rear hatch/tailgate access. Works with 1-1/4" Class II hitch receivers and includes a 2" Class III or IV adapter and pinch-bolt.

FEATURES:
» Works with 1-1/4" Class II or 2" Class III or IV hitch receivers
» Includes 2" Class III or IV adapter and pinch-bolt
» Bike cradle folds down for storage
» Spring-loaded tilt lock mechanism allows rear hatch/tailgate access
» Steel construction with black powder coat finish
» Includes 9" rubber tiedowns and one 12' safety tiedown strap

Model	Bike Capacity	Hitch Size	Weight Capacity
BC-7806-2J	2	1.25" or 2"	150 lbs
BC-7806-3J	3	1.25" or 2"	150 lbs
BC-7806-4J	4	1.25" or 2"	150 lbs

2-Bike and 4-Bike Hitch Rack

This affordable hitch bike rack has a sturdy steel construction and is available in 2-bike and 4-bike versions. The bike rack features grooved rubber cradles with Velcro straps and can swing down for access to the rear of the vehicle. An included pinch bolt prevents hitch wobble.

FEATURES:
» Available in 2-bike or 4-bike versions
» 1" steel tubing with plastic end caps
» Rubber cradles with Velcro straps
» Swings down for access to the rear of vehicle
» Includes threaded pinch bolt (will not work with standard hich pin)

Model	Bike Capacity	Hitch Size	Bike Frame Diameter
HMBC-2	2	1.25" or 2"	2"
HMBC-4	4	1.25" or 2"	2"

Eagle 2+2 Towing 4 Bike Carrier

The Eagle 2+2 includes a unique bike frame locking clamp system that rotates to safely support various kinds of bikes and converts from a 2 to a 4 bike carrier with the included extension. The hitch bar extends out with a reinforced opening to mount a tow ball which allows towing up to a 2000 lb trailer. The Eagle includes two keys and an 80" strap to secure the bikes together and folds down to access a rear hatch or tailgate.



FEATURES:
» Allows for towing a trailer
» Holds 2 or 4 bicycles
» Lockable for bicycle security
» All steel construction
» Swings down for rear door access
» Black powder coated finish

Model	Bike Capacity	Hitch Size	Weight Capacity
BC-EGL-2+2	2 or 4	2"	2 bikes - 90 lbs 4 bikes - 180 lbs

Eagle 2+2 Non-Towing 4 Bike Carrier

The Eagle BC-6808-EGL-2+2 Bike Carrier works with 2" receiver hitches to haul two to four bicycles safely behind a vehicle using a unique bicycle frame grip system. For easy hatch or trunk access, simply swing down the bicycle carrier when unloaded. A theft deterrent lock is located on the last bicycle frame clamp of both the 2 bike rack and 2 bike extension tube. All steel construction with a black powder coat finish.

The Eagle 4 Bike Carrier

FEATURES:
» Swing down capability for trunk/hatch access when not loaded
» Adjustable, pivoting bicycle clamps fit frames 1-1/8" to 1-3/4"D
» Heavy duty clamps hold 2 to 4 bicycles
» End clamp locks for security
» Steel construction with a black powder coat finish

Model	Bike Capacity	Hitch Size	Weight Capacity
BC-6808-EGL-2+2	2 or 4	2"	2 bikes - 66 lbs 4 bikes - 132 lbs

Blue Devil 3+2 Locking 5 Bike Carrier

The 3+2 bike rack converts from a 3 to a 5 bike carrier with the included extension for versatility while traveling. Rubber frame mounting pads with Velcro straps protect the bicycle frame while in use. Folds down to access a rear hatch or tailgate. All steel construction with black powder coat finish.

FEATURES:
» Transports 3 or 5 bicycles
» Rubber cradle mounts protect bike frame finish
» Velcro cradle straps
» Folds down for rear vehicle access
» All steel construction
» Black powder coated finish

Blue Devil

Model	Bike Capacity	Hitch Size
BC-7626-3+2	3 or 5	2"

Latitude 4+1 Swing Down 5 Bike Carrier

This 4 bike rack features a unique adaptor allowing it to carry an additional bike on the rack giving it a 5 bike capacity. Bike frames rest on the plastic cradles and are secured to the carrier with adjustable rubber straps. The fork arms can be folded down when not in use. The rack post can be folded down away from the vehicle for access to the rear hatch of a vehicle without removing the carrier. Includes a hitch adaptor.



LATITUDE 5 BIKE CARRIER

FEATURES:
- » Includes hitch adaptor
- » Transport 4 or 5 bicycles
- » Plastic frame cradles with rubber fastening straps
- » Folds down for rear vehicle access
- » All steel construction
- » Black powder coated finish
- » Includes a hitch pinch bolt

Model	Bike Capacity	Hitch Size	Weight Capacity
BC-8809-4AH+1EXT	4 or 5	2″	165 lbs

Turtleback 3 Bike Tire Mount Rack

This tilting tire mounted carrier rack hauls up to three bikes. A unique tire-well configuration straps bicycle tires in place on the platform while a 26″ support and 360° grasp locks bicycle frames in place with extra tie-down points. The entire 3-mount bicycle carrier rack is also able to tilt down as far as 90° for unrestricted access to a SUV hatch. Great for mountain bikes with large frames.

FEATURES:
- » Designed to transport up to 3 large bicycles
- » Integrated tie-down strap system
- » 360° arm with a 360° swivel clamp
- » Works with 1-1/4″ and 2″ hitch receivers
- » Dark gray powder coat finish
- » Two protective foam rests
- » Easy to turn knobs for adjustments
- » 90° tilt mechanism for trunk and hatch access

Turtleback

Model	Bike Capacity	Hitch Size	Weight Capacity
BC-9584-3A	3	1.25″ or 2″	99 lbs

Razorback 2+1 Swing Down 3 Bike Carrier

The 2+1 bicycle carrier features a 1 bike add on that allows the carrier to transform from a 2 bike to a 3 bike carrier. The carrier swings down for rear door access and the arms fold down when not in use. A receiver adaptor is included allowing the carrier to be used on a 1.25″ or 2″ receiver.



RAZORBACK

FEATURES:
- » Transport 2 or 3 bicycles
- » Folds down for rear vehicle access
- » All steel construction with black powder coat
- » Fits 1.25″ or 2″ receiver hitches with included adaptor
- » Plastic frame cradles with rubber fastening straps
- » Includes hitch pinch bolt

Model	Bike Capacity	Hitch Size	Weight Capacity
BC-8812-2AH-1A+1EXT	2 or 3	1.25″ or 2″	100 lbs

2+2 Bike Platform 4 Bicycle Carrier

This bike rack takes our platform bike rack design to the next level. The removable rack extension turns the 2 bike rack into a 4 bike carrier so the user can change the capacity of the rack to meet their hauling needs. The bike tires easily fit into the platforms that adjusts from 50″ - 76″ long and each bike has an attaching bar with rubber coated grips that fits on the frame. This rack both folds up when not loaded and folds down to access a rear hatch or tailgate.



Piggyback Bicycle Rack

FEATURES:
- » Transport 2 or 4 bicycles
- » Adjustable wheel cradles with attaching bars
- » Folds up vertical when not in use
- » Folds down for rear vehicle access
- » All steel construction
- » Black powder coated finish



Model	Bike Capacity	Hitch Size	Weight Capacity
BC-08581-2A+2EXT	2 or 4	2″	120 lbs

Deluxe Fold Down 3 Bike Carrier

The HMBC-4808 is a deluxe 3 bike carrier with many high quality features at an affordable price. The rubber coated bike clamps include a key-lock turn down knob to protect the bikes from theft and a reflector for safety. A locking pin and release lever allow the carrier to quickly fold down to access the rear hatch back or trunk. The rubber coated bike stop prevents bikes from getting too close to the vehicle. Includes a hitch pin with two mounting positions.



FEATURES:
- » Transports up to 3 bikes
- » Steel tubing with epoxy powder coat
- » Lockable bike clamps
- » Swings down for access to rear of vehicle
- » Does not include hitch hardware

Model	Bike Capacity	Hitch Size	Weight Capacity
HMBC-4808	3	2″	99 lbs

Horizon 3 Bike Platform Bicycle Carrier

This innovative 3 bike rack is full of quality features that set it apart from others. The bike tires easily fit into one of three platforms that adjusts from 50″ - 76″ long and each bike has an attaching bar with rubber coated grips that fits on the frame. This rack both folds up when not loaded and folds down to access a rear hatch or tailgate. All steel construction with black powder coat finish.

HORIZON x3 WHEEL MOUNT BIKE RACK

FEATURES:
- » Allows for towing a trailer
- » Holds 2 or 4 bicycles
- » Lockable for bicycle security
- » All steel construction
- » Swings down for rear door access
- » Black powder coated finish

Model	Bike Capacity	Hitch Size	Weight Capacity
BC-3581	3	2″	100 lbs

X-Country RV Bumper Bike Racks

These heavy duty RV Bumper Bike Racks are an effective way to secure up to two or four bicycles to RV campers. Each rack comes with two separate carrier racks designed to be adjusted to the length of the bikes it's hauling. Bicycles need to be strapped to the RV bike rack to ensure secure transport; tie-down straps are not included.

FEATURES:
- » Tubular steel construction
- » Durable black powder coat finish
- » 1-3/4" tire-well spacing
- » BC2BM installs to a 4" - 4-1/2" RV bumper with (4) 6-1/2" U-bolts
- » BC4BM installs to a 4" - 4-1/2" RV bumper with (6) 6-1/2" and (2) 8" long bolts
- » Tie-down straps not included

Model	Bike Capacity	Dimensions
BC2BM	2	24"L x 20"W 1.75"W tire wells; 6.5" between wells
BC4BM	4	40"L x 20"W 1.75"W tire wells; 6.5" between wells

3 Bike Towing Bike Rack

This unique bike carrier clamps onto a 2" hitch bar receiver, allowing the user to still use the full capacity of the receiver hitch and ball when towing. It locks in place with a handle and safety pin bolt. The rack features rubber cradles to carry up to three bikes and flat-hook end straps to secure the carrier to the vehicle for stability.

FEATURES:
- » For 2" x 2" hitch tubes only, requires 1-1/2" clearance on ball mounts
- » Works with bicycle frames up to 1-1/2" in diameter
- » Able to tow trailers, campers, or boats at the same time
- » Handle and safety lock pin system keep rack in place
- » 6 rubber snap-on tie straps for use with cradles
- » Made from 1" steel tubing with a black powder coated finish

Model	Bike Capacity	Weight Capacity
BC-7821-3K	3	100 lbs

2 Bike Spare Tire Bike Rack

The SMBC-2525 is designed to fit on a spare tire mounted on the rear of a vehicle either in the middle or offset. Universal, adjustable design fits spare tires from 7" - 10" wide. Rubber coated arms hold two bikes and swing down when not in use. Comes with a black powder coat finish, tie down straps and no assembly required. Folds for compact storage.

FEATURES:
- » Carries up to 2 bikes
- » Adjustable, universal mounting system fits most spare tires
- » Steel construction with black powder coat finish
- » Nylon securing straps
- » Works with SUVs, campers, motorhomes, and 5th wheel trailers with a rear spare tire

Model	Bike Capacity	Weight Capacity
SMBC-2525	2	66 lbs

3 Bike Rear Hatch Bicycle Carrier

The BC-7509-3 trunk bicycle carrier has extra foam added to offer better protection to the bike tubes, holds three bikes and has foam cushions to protect the vehicle. Comes with black powder coat finish. Fits a wide range of vehicles and folds for compact storage.

FEATURES:
- » Carries up to 3 bikes
- » Works with many vehicles, including hatchbacks, SUVs and vans
- » Attaches to vehicle with 6 straps with rubber coated hooks
- » Adjustable frame
- » Folds up for storage
- » Bike securing straps not included

Model	Bike Capacity	Weight Capacity
BC-07509-3	3	99 lbs

3 Bike HatchBack Bicycle Carrier

The BC-07513-3H 3 bike carrier is designed with the hatchback of vans and SUVs in mind, but also works on a trunk mount application. This model has adjustable cradles for a better hold, six straps for a stronger tie down and foam cushions to protect the vehicle. Designed to allow licence plates to be visible at all times. Comes with black powder coat finish. Fits a wide range of vehicles and folds for compact storage.

FEATURES:
- » Tranports up to 3 bikes
- » Works with many SUVs, crossovers, hatchbacks and vans
- » Attaches to vehicle with 6 straps with rubber coated hooks
- » Cradles fit 1", 1.25" and 1.5" D bike frames
- » Includes tie down strap and extra foam pads

Model	Bike Capacity	Weight Capacity
BC-07515-3H	3	100 lbs

The Scout 3 Bike Trunk Mounted Carrier

The BC-71031-3 is the most economical of our trunk bicycle carriers. This model has rubber cradles that hold three bikes and foam cushions to protect the vehicle. Comes with a black powder coat finish and folds for compact storage.

FEATURES:
- » Tranports up to 3 bikes
- » Side adjustment levers
- » Attaches to vehicle with 6 straps
- » May be folded up for storage
- » Includes one bike securing strap

Model	Bike Capacity	Weight Capacity
BC-71031-3	3	99 lbs

Deluxe 3 Bike Trunk Mounted Bike Carrier

The BC-07518-3H is our top end trunk bike rack. This model has adjustable cradles for three bikes with integrated soft pads, six straps for a stronger tie down, and foam cushions to protect the vehicle. Folds up and has a quick release system for easier opening. Comes with black powder coat finish. Fits most hatchbacks on SUVs, vans, and trunks.

FEATURES:
- Carries up to 3 bikes
- Fits many SUVs, hatchbacks and vans
- Attaches with 6 straps
- Rubber cradles fit 1", 1.25" and 1.5" D bike frames
- Includes 2 tie down straps, 2 Velcro straps and additional foam pads

Model	Bike Capacity	Weight Capacity
BC-07518-3H	3	99 lbs

The Talon Premium Bike Carrier

The BC-6301 bike rack transports two or three bikes on a sedan, SUV, or hatchback. The rack is constructed of nylon components with A6061 heat treated aluminum for durability. Six tie-down points and four mounting points keep the rack safely secured to the back of a vehicle. Adjustable anti-sway cradles allow for use with a variety of bike frame styles.

FEATURES:
- Fits SUVs, sedans, and hatchbacks
- 2 or 3 bike capacity models
- Anti-sway multifaceted bike holders
- 6 tie down points
- Nylon coated strap hooks
- Nylon mounting cups protect from scratching

Model	Bike Capacity	Weight Capacity
BC-6301-2J	2	99 lbs
BC-6301-3J	3	99 lbs

Buzz Rack Skipper 2-Bike Tire Mount Rack

SUVs and cars can transport one or two bikes without a hitch by mounting the Buzz Rack Skipper to a trunk or hatch. The Skipper is height adjustable for maintaining license plate and tail light visibility while driving and features two 180° pivot points allowing the rack to be mounted to most vehicles. Great for mountain bikes with large frames.

FEATURES:
- Hauls 1 or 2 bicycles
- Uses a 6 point tie strap system for hatch and trunk attachment
- Four protective foam bumpers
- Height adjustable for license plate and tail light visibility
- Black powder coat finish
- Center support for added stability
- Two 180° pivot points
- Lock-nut assembly system
- Includes all necessary tie-down and safety straps

Model	Bike Capacity	Weight Capacity
BC-9524-2TP	2	70 lbs

Trunk/Hatch Bike Rack for SUVs or Vans

This bike rack attaches to the hatch or trunk of an SUV or van and is available in 2 or 3 bike capacity models. It's designed with two 360° pivot points to conform to different trunk and hatch shapes while maintaining stability. Features dual sliding tire wells that extend out for ideal bike support and adjustable bike frame clamps that lock with a key to prevent theft.

FEATURES:
- Attaches to an SUV or van hatch/trunk
- Not intended for car trunks
- Adjusts to different trunk and hatch shapes while maintaining stability
- Dual sliding tire wells extend outward to support bike
- Bike frame clamps are adjustable in length and lock to prevent theft
- Uses a 6-point tie-down system with 4-1/2 ft long trunk/hatch straps
- Includes (1) 11 ft safety tie-down strap, (4) 15-1/2"Velcro hand brake tie-downs and (4) 2-3/4"L x 2"D foam vehicle protectors
- Heavy duty steel tube framework with black powder coat

Model	Bike Capacity	Weight Capacity
BC-6315-2Q	2	70 lbs
BC-6315-3Q	3	100 lbs

Roof Top Bike Rack

Secures one bicycle to the roof of a vehicle equipped with existing cross-bars. Constructed of lightweight aluminum, weighs only 5.4 lbs. The front housing of the carrier attaches to the front crossbar with two adjustable plates to accommodate a bike with a wheelbase up to 50". The back wheel is secured into rubber straps that hold the bike firmly in place.



FEATURES:
- » Carries 1 bike
- » Mounts to existing roof crossbars
- » Lightweight aluminum construction – only 5.4 lbs
- » Front fork mount -9mm skewer
- » Ratcheting tie downs secure rear wheel to wheel holder
- » Wheel holder is adjustable up to 50"

Model	Cross Bar Requirements
BC-219	Overall max. cross bar size – 2.75"W x 1.5"H Min. height from underside of crossbars to roof: 1.5" Min. distance between two crossbars: 15.75"

Roof Bike Rack

The BC-208 attaches to existing vehicle crossbars to transport one bicycle upright. This bike rack mounts to front and rear crossbars with anti-skid mounting plates and knobs that secure to the end of screws. Bike wheels are strapped to a tray with ratcheting straps and the bike frame is gripped by a locking clamp on a support arm holding the bicycle securely in place. Made with lightweight aluminum and weighs only 5.6 lbs.

FEATURES:
- » Transports 1 bike upright
- » Mounts to existing vehicle crossbars
- » Bike wheels secure to tray with ratcheting straps
- » Clamp fits bike frames 1" - 2.5" wide and 1" - 3" high
- » Fits crossbars with a maximum overall size of 2.75"W x 1"H
- » Wheel tray is 2.25" at the top and tapers down to .75"
- » Lightweight aluminum construction
- » Includes Velcro straps to secure hand brake and bike frame

Model	Cross Bar Requirements	Weight Capacity
BC-208	Overall max. crossbar size: 2.75"W x 1"H Min. height from underside of crossbars to roof: 1.25"	25 lbs

Rooftop Bike Rack and Gear Bag Combo

The SP1 is a roof mounted bike rack that also has an integrated UV and water resistant 1.5 cu. ft. bag. Fits on aftermarket roof bars and easily installs or removes in seconds. Rear adjustable tire holder fits all sizes and has aluminum fork mounts that fit up to two bicycles.

FEATURES:
- » Transport 2 bicycles and extra gear
- » Wheel cradles with integrated straps
- » Fork mount design
- » Cargo bag is removable
- » Black powder coated finish

Model	Bike Capacity	Bag Capacity
SP1	2	1.5 cu. ft.

Alternative Bike Adaptor

This adjustable length adaptor fits women's, children's or Y-frame bicycles to allow them to fit onto bicycle racks and carriers. Push button opening loops are plastic to protect the bike frame. Black powder coat finish.

FEATURES:
- » Allows Y-frame bicycles to fit on bike racks
- » Adjustable length
- » Black powder coating

Model	Adjustment	Weight Capacity
AA-8602	22" - 29.5"	45 lbs

Roswheel Bike Repair Kit

A bike repair kit can provide cyclists with peace of mind when riding. This compact kit includes a multi-tool, tire levers, and tire patching items that fit into a handy carrying case.

FEATURES:
- » 16-in-1 bicycle multi-tool
- » Three 1" round patches
- » Three 1-7/8" x 2-1/4" oval patches
- » 8ml rubber patch cement
- » Rasp
- » Two tire levers
- » Velcro-close carrying case

Model	Description
BT-21042	Bike Repair Kit - Includes multi-tool, tire repair items, 2 tire levers, and carrying case

Roswheel Bike Multi-Tool

This 16-in-1 multi-tool has a compact design that is easy to take along while biking. The multi-tool includes flathead and Phillips screwdrivers and various wrenches in case repairs or adjustments are needed.

FEATURES:
- » Flathead screwdriver
- » Phillips screwdriver
- » Socket hex wrench rod w/ 8mm, 9mm, and 10mm sockets
- » Hex key wrenches - 2mm, 2.5mm, 3mm, 4mm, 5mm, and 6mm
- » Solid wrench tool w/ 8mm, 10mm, and 15mm sizes
- » 14 GE spoke wrench

Model	Folded Size	Description
BT-22047-1	3-1/2" x 1-3/4" x 1"	Bike Multi-Tool with screwdrivers, socket hex wrenches, hex key wrenches, solid wrench, and spoke wrench

Cable Locks

These cable locks are an easy way to secure bikes, motorcycles, or other cargo. They feature a lightweight, self-coiling design that is easy to transport and include lock covers to keep dirt out of the key hole.

FEATURES:
» Available in 6' or 10' lengths
» May be used for bicycles, motorcycles, or other cargo
» Self coiling for easy transport
» Lock cover keeps out dirt
» Includes two keys

Model	Length	Cable Size
CABLE-LOCK-6	6'	9mm steel braid core, 12mm overall
CABLE-LOCK-10	10	9mm steel braid core, 12mm overall

Roswheel Rear Bike Rack

This aluminum bike rack can be installed on a wide range of bikes, providing a platform to attach bags or panniers. The rack includes an integrated clamp to help hold bags down and has a back plate to mount a rear reflector if desired.

FEATURES:
» Provides a place to attach bags and panniers
» Aluminum construction
» Integrated clamp helps hold down bag
» Rear reflector may be mounted on the rack
» Works with a wide range of bikes including 24", 26", 28", and 700c
» Bike should have all necessary fender mount eyelets for installation
» Requires reflector clamp to install to seat post
» Screws not included to mount rack to bike

Model	Overall Dimensions	Weight Capacity
BR-62197	15-5/8"L x 5-1/4"W x 13-5/8"H	50 lbs

Roswheel Seat Post Bike Rack

The seat post bike rack has an adjustable bracket to mount around a seat post, providing a place to transport bags or panniers. The rack has an adjustable length to work with different bikes and is made of lightweight, rust-free aluminum.

FEATURES:
» Provides a place to attach bags and panniers
» Aluminum construction
» Attaches to a bike's seat post with an adjustable bracket
» Fits 7/8" - 1-1/4" seat posts
» Length is adjustable

Model	Overall Dimensions	Weight Capacity
BR-62131	14-5/8"L x 4-5/8"W x 3-5/8"H Expands to: 20-1/4"L x 4-5/8"W x 3-5/8"H	30 lbs

Roswheel Cycling Hydration Pack

The BP-15153 includes a two-liter capacity, PEVA bladder that is attached to the inside of the backpack with Velcro straps. From the bottom of the bladder is a drinking tube with a 1.5 psi bite valve mouthpiece to use for drinking. The pack itself is constructed from 420D nylon and has a comfortable padded mesh back panel and shoulder straps. The hydration pack also contains pockets for storing small items.

FEATURES:
» Two-liter capacity bladder attached with Velcro straps
» Bladder is made of polyethylene vinyl acetate (PEVA)
» Drinking tube with 1.5 psi bite valve for drinking
» Comfortable backpack design
» Padded mesh back panel and shoulder straps
» Additional pockets for small items

Model	Outside Dimensions	Inside Dimensions
BP-15153	8-1/2"L x 3-3/4"W x 15-1/2"H	8-1/4"L x 3-1/4"W x 15-1/4"H

Roswheel Bike Trunk Bag

This bicycle trunk bag has a multi-compartment design consisting of one main compartment, three extra side pockets, and a built-in water bottle holder. It attaches to a rear bike rack with four Velcro straps on the bottom and is constructed of water resistant polyester with a built-in cushion lining. For additional safety, the bag includes a reflective strip on the back and has a detachable shoulder strap and carrying handle.

FEATURES:
» One main compartment and three side pockets
» Built-in water bottle holder
» Attaches to a rear bike rack with four Velcro straps
» Constructed with water resistant polyester
» Built-in cushion lining for added protection
» Reflection strip on back for additional safety
» Detachable shoulder strap and carrying handle

Model	Outside Dimensions	Inside Dimensions
BB-14024	13-5/8"L x 7"W x 6-3/4"H	10-1/2"L x 6"W x 5-3/4"H

Toll Free (800)-851-6396 · Fax- (314)-754-8180 · www.RagePowersports.com

Roswheel Bicycle Pannier

This spacious bicycle pannier bag contains two compartments and four outside pockets - all of which zip close - and is made with water-resistant, durable polyester. It is secured to the rear rack with four straps and includes two reflective strips on the front. When not in use, the bag folds flat.

FEATURES:
- Two large compartments and four outside pockets
- All storage spaces zipper shut
- Constructed with water-resistant polyester
- Secured to the rear rack with four straps on the bottom
- Includes two reflective binding strips on front
- Folds flat when not in use

Model	Outside Dimensions	Inside Dimensions
BB-14154-B	17-3/4" L x 12-1/4"W x 12-1/2" H	12" L x 6"W x 12" H (Each)

Roswheel Waterproof Pannier

The waterproof pannier, made of a waterproof PVC fabric, is a two compartment storage bag that closes with quick release buckles. Each compartment is lined by a U-shaped polyethylene board to retain its shape and protect the materials inside. It attaches to a rear bike rack with four straps and includes two reflective strips, one on the back of each compartment, for additional safety. The pannier folds flat for storage when not in use.

FEATURES:
- Constructed of waterproof PVC fabric
- Two compartments that close with quick release buckles
- Lined by U-shaped polyethylene for shape and protection
- Attaches with four straps on bottom of bag
- Includes two reflective strips for safety
- Folds flat when not in use

Model	Outside Dimensions	Inside Dimensions
BB-14032	11-3/4" L x 13-3/8"W x 12-5/8" H	12-5/8" L x 4-3/8"W x 12" H (Each)

Roswheel Single Pannier Bag

This single compartment pannier bag has a water-resistant polyester construction and secures close with a plastic release buckle. It includes a zippered pocket on the front of the bag for smaller items and has a handle on top for carrying. The bag attaches to a rear rack on a bicycle with two integrated hooks on the back of the bag along with two Velcro straps, and it has reflective strips on both the front and sides for safety. Folds flat when not in use.

FEATURES:
- Constructed of water-resistant polyester
- Single compartment secured by a plastic release buckle
- Additional zippered pocket for small items
- Handle on top for carrying
- Attaches to rear rack on bicycle with two hooks and two Velcro straps
- Reflective strips on front and sides
- Folds flat when not in use

Model	Outside Dimensions	Inside Dimensions
BB-14033	14-3/8" L x 5-1/4"W x 13-1/4" H	13-3/4" L x 4-7/8"W x 12-1/2" H

Roswheel Triangle Bike Frame Bag

This bicycle triangle frame bag has a 1-1/2" wide storage compartment with an additional zippered pocket on the opposite side for holding smaller items. Also included is a mesh pocket along the edge and foam padding for when the bicycle needs to be carried. The bag attaches below the seat to the frame of the bicycle with two 1" Velcro straps, and is constructed of water resistant polyester.

FEATURES:
- 1-1/2" wide storage compartment
- Added zippered pocket on opposite side
- Mesh pocket on the edge of bag
- Foam padding for carrying bicycle
- Attaches to the frame with two 1" Velcro straps
- Constructed of water resistant polyester

Model	Outside Dimensions	Inside Dimensions
BB-12010	12-1/4" L x 1-3/4"W x 6-5/8" H	9-1/2" L x 1-1/2"W x 5-3/4" H

Roswheel Bike Saddle Bag

The bike saddle bag is an unobtrusive, water resistant polyester bag that is mounted on rails beneath the bike's seat with both a Velcro strap and a quick release buckle strap. Its storage space can be doubled with the pull of a zipper, and is protected by a polyethylene board inside. The bag is compatible with most types of of saddles.

FEATURES:
- Made of water resistant polyester
- Mounts on rails beneath the bike seat
- Attaches with a Velcro strap and quick release buckle strap
- Expands via zipper to double storage space
- Contains polyethylene board for protection
- Compatible with most types of saddles

Model	Outside Dimensions	Inside Dimensions
BB-13014	7-1/8"L x 4-5/8"W (tapers to 3-1/4" W) x 3-1/2"H (tapers to 3"H) Expands to: 7-1/8"L x 4-5/8"W (tapers to 3-1/4"W) x 6-1/2"H (tapers to 4"H)	7"L x 4-3/8"W (tapers to 3" W) x 3"H (tapers to 2-1/2"H) Expands to: 7"L x 4-3/8"W (tapers to 3"W) x 6"H (tapers to 3-1/2"H)

Roswheel Bike Seat Bag

The BB-13022-B is a water resistant polyester bike seat bag that attaches with a quick release buckle and a Velcro strap; it can be mounted permanently by using a two-piece mounting plate and the buckle. The storage space can be expanded with a pull of a zipper and a polyethylene board inside the compartment protects the items inside and retains the bag's shape. A small mesh pocket is also included for additional storage.

FEATURES:
- Water resistant polyester construction
- Attached via quick release buckle and Velcro strap
- Mounts permanently with a 2-piece mounting plate
- Zipper expanded storage space
- Polyethylene board for protection and shape retention
- Small mesh pocket for additional storage
- NOT compatible with springer style seats

Model	Outside Dimensions	Inside Dimensions
BB-13022-B	6-3/8"L x 4-5/8"W x 4-1/2"H Expands to: 6-3/8"L x 4-5/8"W x 5-3/4"H	5-1/2"L x 4-1/4"W x 3-1/4"H Expands to: 5-1/2"L x 4-1/4" W x 4-1/2"H

Roswheel Bike Handlebar Bag

This water-resistant polyester handlebar bag provides easy-access storage for small items. The main storage space consists of a single compartment protected by a 2mm polyethylene board. A mesh pocket on the front and two elastic straps on the top allow additional storage. The bag attaches via two 1"Velcro straps secured to the back side and has reflective binding strips on either side for added safety.

FEATURES:
- Water resistant polyester construction
- Single compartment storage area
- 2 mm thick polyethylene board for protection
- Mesh pocket on front of bag for additional storage
- 2 Elastic straps on top
- Secures to handlebars with 1"Velcro straps
- Reflective binding strips on both sides

Model	Outside Dimensions	Inside Dimensions
BB-11001	10-1/2"L (tapers to 7-3/8"L) x 4-1/2"W x 6"H	9-3/4"L (tapers to 7"L) x 3-1/2"W x 5-3/4"H

Bike Parking Rack

The BC-9411 Bike Parking Rack can hold up to six bicycles on its heavy duty, double-sided, 1"D steel tube frame. It holds each front bicycle tire 1-1/2" off the ground between a 2" center rung, and has a 6" channel between each rung pair, which can be used for larger wheeled bikes. The rack measures 36"L x 35"W x 19"H and can be positioned temporarily or permanently, anywhere bicycle parking is needed.



FEATURES:
- Double-sided rack holds up to 6 bicycles
- Made of heavy duty, 1"D steel tube frame
- Holds each front tire 1-1/2" off the ground
- 2" center rung for most tires
- 6" channel that can be used for larger wheeled bikes
- Can be mounted permanently

Model	Dimensions	Tire Wells	Weight
BC-9411	36"L x 35"W x 29"H	(6) 2"W x 25-3/4"H	18 lbs

Gravity Bike Storage Rack

The Gravity Bike Rack stores up to two bicycles of various types on two adjustable sets of dual arms with rubber grip cradles. It is constructed of heavy-duty steel, has a black powder-coated finish, and requires no tools to assemble.

FEATURES:
- Stores up to two bicycles
- Two sets of adjustable arms
- Made of heavy-duty steel
- Black powder-coated finish
- Requires no hardware to assemble

Model	Dimensions	Weight
Bike-Stand-1	21"L x 29-1/2"W x 78-1/2"H	22 lbs

Bike Wall Rack

The LY-02016 can be attached to any wall to store a single bicycle on its rubber-coated hooks. The lightweight bicycle wall rack is made of powder-coated steel. Assembly is required. Note: Does not come with mounting hardware.

FEATURES:
- Stores one bicycle on any wall
- Rubber-coated hooks
- Lightweight – weighs 5 lbs
- Constructed of powder-coated steel
- Assembly required
- Mounting hardware not included
- Compact folding design

Model	Dimensions	Folded Dimensions
LY-02016	17-1/4"L x 13-1/2"W x 8"H	20"L x 13-1/2"W x 3"H

Everhold Bike Repair Stand

This Bicycle Repair Stand is a lightweight, portable stand made of heavy-duty steel, and has a swivel mechanic tray for parts and tools. A spring-loaded quick clamp system secures the bike in place, and two movable arms hold the front tire to prevent movement.

FEATURES:
» Lightweight–only 13.25 lbs–and portable
» Made of heavy-duty steel
» Swivel mechanic tray
» Spring-loaded quick clamp system
» Dual, movable arms to hold front tire

Model	Dimensions	Folded Dimensions	Max Bike Frame
Bike-Stand-3	47-1/2" H x 34-1/4" L x 23-1/4 W	37" H x 8-1/2" L x 23-1/4" W	1-1/4" Dia.

Bike Cargo Trailer

This lightweight cargo trailer easily bolts to a bike's rear axle, allowing a person to haul up to 70 lbs of camping equipment, fishing gear, groceries, beach items, and more. The trailer features reflective side strips and wheel reflectors for safety and includes a bright yellow rain cover that fits over the top. When not in use, the cargo trailer can be folded compactly for convenient storage.

FEATURES:
» Bolts directly to bike's rear axle (includes safety strap)
» Lightweight aluminum frame with nylon fabric
» Includes a top rain cover
» Reflective side strips and wheel reflectors for visibility
» Easy pull pin assembly
» May be folded down for storage
» Does not work with rear wheel quick release skewer setups

Model	Dimensions	Weight	Weight Capacity
Bike-Cargo-Trailer	28" L (52" L w/hitch) x 25" W x 19" H 22" from bike hitch to cargo trailer Cargo area: 26" L x 18" W x 10-1/2" H	25 lbs	70 lbs

Bike Trailer/Stroller

The bike trailer and stroller combo is a versatile product that both parents and kids can enjoy. The trailer is easy to move with a lightweight frame, large pneumatic wheels, and wide handle. A removable front wheel allows the trailer to be quickly converted into a stroller. The trailer includes two safety harnesses and can carry up to 100 lbs.

FEATURES:
» Lightweight frame with silver powder coat
» Universal mount systems fits most bikes
» Roll-up mesh and vinyl window panels
» Two safety harnesses
» Two inside pockets
» Large 15.5" pneumatic tires
» Includes safety flag
» Includes optional stroller wheel
» Large handle for easy maneuvering or using as a jogger

Model	Dimensions	Weight	Weight Capacity
Bike-Trailer-1	66" L x 30" W x 42" H Cabin: 21" L x 20" W x 22" H	22 lbs	100 lbs

Pet Bike Trailer/Stroller

Pet lovers will appreciate this versatile trailer and stroller combo. The easy to use trailer includes an optional front stroller wheel and large handle, allowing the trailer to also be used as a stroller/jogger. The trailer/stroller includes mesh window and doors with front and back clear plastic rain covers, an attached side storage bag, and may be folded down when not in use.

FEATURES:
» May be used as a trailer or stroller/jogger
» Easily clamps to bike for use as a trailer
» Front stroller wheel and large handle for use as a stroller
» Easy to assemble
» Mesh windows and doors
» Roll-up clear plastic covers for front and back doors
» Attached side storage bag
» Large 19.5" pneumatic tires
» Removable wheels
» Folds down for storage

Model	Dimensions	Weight	Weight Capacity
Pet-Trailer-2	63" L x 29" W x 43" H Cabin: 32" L x 23" W x 26" H	48 lbs	115 lbs

MARINE PRODUCTS

ROOF KAYAK/CANOE CARRIER

The V-Rack Carrier transports a single kayak or canoe in the horizontal position. The steel support bars are wrapped in 1/4" thick foam to grip and protect your boat. Each support section is independently placed to accommodate a variety of hull widths. Two 9.5' tie down straps are included.

FEATURES:
- » Carries a single kayak or canoe
- » Steel construction with foam grips
- » Independent supports fit various hull widths
- » Includes (2) 9.5' tie down straps
- » Mounting hardware is included

Model	Dimensions	Mounting Requirements
V-RACK	11-1/2"L x 7"W x 8-3/8"H	Max. Cross Bars: 1-3/4"W x 1-1/2"H Min. Cross Bars: 1/4"W x 1/2"H Min. Height from Cross Bars to Roof: 1-5/8"

ROOF KAYAK CARRIER

The L-Rack provides two stable tie-down supports to carry a single kayak on a square vehicle roof bar system. Dual flat-iron carriers can easily be positioned to fit various sizes of kayaks and feature a high-density foam jacket to protect the kayak during transport. Includes two 8' tie-down straps.

FEATURES:
- » Transports 1 kayak on a vehicle roof
- » Includes (2) 8 ft. tie-down straps
- » High-density foam jackets protect the kayak
- » No tools required

Model	Dimensions	Mounting Requirements
L-RACK	13-1/2"H x 1-3/4"W x 3"D	Max. Cross Bars: 1-3/4"W x 1-1/2"H Min. Cross Bars: 1/4"W x 1/2"H Not recommended for round cross bars

OUTBOARD MOTOR CART AND STAND

Outboard motor carts and stands are sturdy and hold outboard motors securely for storage and performing maintenance. Because each cart also has 7" rubber tires, it can also be used for transporting an outboard motor effortlessly to and from a boat. The carts make it easy to perform maintenance on the dock or in the shop or garage. Three sizes are available to fit the most common outboard motor sizes.

FEATURES:
- » 1" tubular steel frame with powder coat finish
- » Soft ergonomic handles
- » 7" hard rubber tires
- » Solid 1-1/2" thick hanger block impervious to oils and gas
- » OMC-130 comes with gas can rack w/strap
- » OMC-315 comes with additional front caster wheels for stability

Model	Dimensions	Top of block to base	Max Motor HP	Weight Capacity
OMC-85	34"H x 22"W x 13"L	34"	15	85 lbs
OMC-130	36.5"H x 20"W x 19"L	36.5"	30	130 lbs
OMC-315	41"H x 27.5"W x 21"L	41"	115	315 lbs

KAYAK ROOF CARRIER

The T-Rack Kayak Carrier secures a single kayak to a vehicle roof bar system. The carrier includes all necessary hardware for installation and two 98" tie-down straps to hold the kayak in place. Black powder coated steel supports with foam padded sections protect the kayak being carried.



FEATURES:
- » Transport (1) kayak on a vehicle roof
- » Includes all necessary hardware to mount to round or square roof bars
- » Includes two 98" tie-down straps
- » Padded frame protects the kayak

Model	Dimensions	Mounting Requirements
T-RACK-DLX	17-3/4"L x 4-1/2"W x 17"H	Max. Cross Bars: 1-5/16"W x 1-3/8"H or 3-3/8"W x 7/8"H Min. Cross Bars: 1-5/16"W x 5/8"H Min. Height from Cross Bars to Roof: 1-1/4"

KAYAK ROOF RACK

The J-Rack is designed to carry a single kayak securely on the roof of your vehicle. The universal design allows for use with most kayaks on the market today and can be installed on factory or after-market square crossbars (not recommended for use on round crossbars). Each rack is constructed of high quality steel and features soft foam padding to prevent scuffing. Includes two 114" straps specifically designed for use with the J-Rack Kayak Carrier.

FEATURES:
- » Single kayak roof carrier
- » High quality steel
- » Padding prevents damage to kayak
- » Includes mounting hardware and (2) 114" kayak straps

Model	Dimensions	Mounting Requirements
J-RACK	16-3/4"L x 1-3/4"W x 15-1/4"H	Max. Square Cross Bar: 1-3/4"W x 1-1/2" Min. Cross Bars: 1/4"W x 1/2"H Not recommended for round cross bars

FOLDING OUTBOARD MOTOR STAND

The folding outboard motor stand is ideal for storing and moving an outboard motor to and from the garage to a boat. Designed with a fold down handle to allow for easier storage when not in use and is available in three different models.

FEATURES:
- » For outboard motor maintenance and storage
- » 1" tubular steel frame construction
- » Solid 1-1/2" thick hanger block repels oil and gas
- » Ergonomic, folding handles for storage or maintenance
- » Black powder coat finish
- » Pneumatic, smooth rolling tires
- » OMC-F130 includes gas can rack w/strap
- » OMC-F315 includes additional front caster wheels for stability

Model	Dimensions	Top of block to base	Max Motor HP	Weight Capacity
OMC-F85	43"H x 25"W x 20"L	35"	15	85 lbs
OMC-F130	40"H x 24"W x 29"L	37"	30	130 lbs
OMC-F315	42"H x 28"W x 33"L	41"	115	315 lbs

Industrial Products
Featured Items

Hot Seller: Rubber Cable Ramp

These heavy duty cable bridges protect valuable cables and cords from heavy traffic. They are constructed of high density rubber with a diamond tread surface for sure traction. A modular design with male/female connectors allow bridges to be joined creating continual custom lengths. Each bridge features four cutouts for permanent mounting and a massive 24,000 lb per axle capacity for the industrial environment.





FEATURES:
» Huge 24,000 lb capacity
» Protects up to 5 cables in 1-1/4" x 1-1/4" channels
» Diamond tread non-slip surface
» High visibility yellow top with molded in warning symbols
» Male/female connectors to create custom lengths
» Mounting holes for permanent applications

Model	Description	Dimensions	Channel Width	Channel Height	Weight	Weight Capacity
CR900	5-Channel Rubber Cable Ramp	35-1/2" L x 21-13/16" W x 1/4" - 2" H	1-1/4"	1-1/4"	46 lbs	24,000 lbs per axle

Convenient Modular Design: 3-Channel Rubber Cable Ramp

Cable protectors are a fast, easy and economical way to protect electrical cables and hose lines from damage caused by foot and vehicle traffic. Individual channels provide protection and organization to ensure safety. The modular design allows individual cable protectors to join together to create continuous sections in a variety of configurations.

FEATURES:
» Protects cables and hoses up to 2.5" in diameter
» All-weather thermoplastic rubber construction
» Hinged lid for easy cable and hose line placement
» Integrated tread surface for superior traction
» Heavy duty interlocking connectors
» High visibility black and yellow
» Safety warning symbols molded into lid surface
» Lightweight for easy installation, removal and transport

Model	Description	Channel Type	Dimensions	Channel Size	Weight	Weight Capacity
DH-CP-4	3-Channel Rubber Cable Ramp	Straight	35-3/8" L x 19-3/4" W x 3" H	2-1/2" x 2-1/2"	46 lbs	24,000 lbs per axle
DH-CP-4R	3-Channel Rubber Cable Ramp Turn	22.5° Turn	Outside: 12" L Inside: 4-1/2" L	2-1/2" x 2-1/2"	11 lbs	24,000 lbs per axle

2-CHANNEL RUBBER CABLE RAMP

These commercial grade rubber cable protector ramps are an efficient solution for protecting wires, cables, or hoses. The DH-CP-5 straight cable ramp and the DH-CP-5R turn cable ramp connect together with interlocking ends to form a long bridge capable of turning corners around objects in a single direction. Great for use in warehouses, sporting events, amusement parks, trade shows, and most public, industrial, and construction applications.

FEATURES:
- » Protects cables up to 1-1/8" in diameter
- » Durable thermoplastic rubber construction
- » Hinged lid for easy access to cables or hoses
- » Integrated tread surface for superior traction
- » Heavy duty interlocking connectors
- » Lightweight for easy handling
- » Bright yellow lid with molded-in safety warning symbols

Model	Channel Type	Dimensions	Channel Size	Weight	Weight Capacity
DH-CP-5	Straight	39-1/8" L x 10" W x 2" H	1-1/8" x 1-1/8"	15.75 lbs	12,000 lbs per axle
DH-CP-5R	22.5° Turn	Outside: 7-1/2" and 7-3/4" Inside: 4" and 3-3/4"	1-1/8" x 1-1/8"	4.5 lbs	12,000 lbs per axle

5-CHANNEL RUBBER CABLE RAMP

The heavy-duty 5-channel DH-CP-2 protects wires, cables, and hoses from traffic. Constructed from a commercial grade thermoplastic rubber, it supports up to 18,000 lbs per axle. This straight section can be connected to the optional DH-CP-2R turn sections to curve around warehouse racking, large poles, or other objects in a single direction (no compound curves).

FEATURES:
- » 4 channels that protect cables and hoses up to 1.5" D, and a center channel which protects up to 1.625" D
- » Thermoplastic rubber construction
- » Hinged yellow lid with molded in warning symbols
- » May be used indoors or outdoors
- » Tread surface for traction

Model	Channel Type	Dimensions	Channel Size	Weight	Weight Capacity
DH-CP-2	Straight	35-1/2" L x 19-3/4" W x 2" H	1-1/2" x 1-1/2" Center channel: 1-5/8" x 1-5/8"	36 lbs	18,000 lbs per axle
DH-CP-2R	22.5° Turn	Outside: 12" L Inside: 4-5/8" L	1-1/2" x 1-1/2" Center channel: 1-5/8" x 1-5/8"	9 lbs	18,000 lbs per axle

2-CHANNEL CABLE COVER

The 2-channel DH-CP-7 permits foot traffic and vehicles up to 10,000 lbs per axle to cross over cables, hoses, and wires. Its modular design allows multiple ramps to be connected together. The dual channel cable protector is made from heavy duty commercial grade thermoplastic rubber and works great indoors and outdoors. Includes a 10" wide, highly visible yellow hinged lid with slip and electrical safety warning symbols.



FEATURES:
- » Dual channels protect cables, wires and hoses
- » Bright yellow lid with safety warning symbols
- » Thermoplastic rubber construction
- » For indoor or outdoor use
- » Modular design allows multiple covers to be connected together

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-CP-7	35-1/2" L x 24" W x 4" H	3-3/4" W x 3-1/4" H	63 lbs	10,000 lbs per axle

HEAVY DUTY 3-CHANNEL CABLE PROTECTOR

The highly visible DH-PCP-4 cable protector has a heavy duty design with a 40,000 lb per axle capacity. An interlocking design allows several to be connected together for custom lengths. These cable protectors may be used indoors or outdoors to protect cables from pedestrian or vehicle traffic.

FEATURES:
- » 3 channels protect cables, wires, or hoses
- » Heavy duty polyurethane construction
- » For indoor or outdoor use
- » Non-slip surface tread
- » Slip and electrical warning symbols molded into lid
- » HIghly visible orange and yellow design
- » Interlocking design allows multiple covers to be connected together

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-PCP-4	35-1/2" L x 19-5/8" W x 2-7/8" H	2-5/8" W x 2-1/4" H	26.5 lbs	40,000 lbs per axle

HEAVY DUTY 5-CHANNEL CABLE PROTECTOR

These 5-channel cable protectors feature non-skid tread, warning symbols, and a highly visible orange and yellow design. The heavy duty polyurethane construction supports up to 40,000 lbs per axle, making it suitable for vehicle or pedestrian traffic. The cable protectors also have an interlocking design, allowing several to be connected together if needed.



FEATURES:
- » 5 channels protect cables, wires, or hoses
- » Heavy duty polyurethane construction
- » For indoor or outdoor use
- » Non-slip surface tread
- » Slip and electrical warning symbols molded into lid
- » HIghly visible orange and yellow design
- » Interlocking design allows multiple covers to be connected together

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-PCP-2	35-1/2" L x 19-5/8" W x 2-1/4" H	(2) 1-3/8" W x 1-5/8" H (2) 1-1/2" W x 1-5/8" H (1) 1-3/4" x 1-5/8"	22 lbs	40,000 lbs per axle

TOLL FREE (800)-851-6396 · FAX- (314)-754-8180 · WWW.RAGEPOWERSPORTS.COM

3-Channel Cable Cover

The DH-CP-6 covers and protects wires and cables in high traffic areas. Made from heavy duty commercial grade thermoplastic rubber, it can handle up to 24,000 lbs per axle. Includes four pre-drilled holes for permanent mounting and a hinged lid for convenient access to wires and cables. The DH-CP-6 features male and female connectors, allowing multiple ramps to be hooked together.



FEATURES:
- Protects wires, cables, and hoses
- Includes 4 pre-drilled holes for permanent mounting
- Bright yellow, hinged lid with warning labels
- For indoor or outdoor use
- Skid-resistant surface
- Modular design allows multiple covers to be connected together

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-CP-6	35-1/2"L x 23"W x 2-1/2"H	2-5/8"W x 2-1/4"H	55 lbs	24,000 lbs per axle

Pedestrian Cable Cover

The yellow, highly visible DH-CR3-V2 covers cables and wires in high traffic pedestrian areas like office buildings, flea markets, and more to prevent accidental tripping. The DH-CR3-V2 has a maximum capacity of 441 lbs and features an interlocking design that allows multiple cable covers to be connected together.

FEATURES:
- For light duty, pedestrian use
- Works good in high traffic pedestrian areas like the office, warehouses, flea markets, worksites, and more
- Prevents accidental tripping over wires
- Highly visible safety yellow color
- Interlocking design allows multiple cable covers to be connected together

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-CR3-V2	39.5"L x 5.25"W x .75"H	1.5"W x .5"H	5 lbs	441 lbs

Pedestrian Cable Ramp

DH-CR4-V2 cable ramps cover cables and wires in high traffic pedestrian areas such as office buildings, theme parks, and worksites to prevent accidental tripping. Its lightweight design is easily portable and features interlocking ends for joining multiple cable covers to span a larger traffic area. The covers will also work with light duty vehicles such as handtrucks and carts. A bright yellow thermoplastic construction makes the covers highly visible and durable.

FEATURES:
- Covers potential trip hazards in high traffic areas
- Interlocking design allows mulitple covers to be connected together
- Highly visible yellow thermoplastic rubber construction
- Not recommended for use with hardened plastics or PVC pipe

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-CR4-V2	38"L x 11"W x 1.5"H	4"W x 1"H	7 lbs	Light duty 2,000 lbs

1-Cord Floor Cable Cover

The DH-COP-1 is an easy solution for those who want to conceal or protect a cable or cord in a pedestrian area. They can also help prevent tripping and reduce clutter. The cover is made of flexible PVC that can be cut with a utility knife or scissors for custom lengths.

FEATURES:
- Protects and conceals a cable or cord
- Flexible PVC construction
- Minimizes tripping and clutter
- May be cut with a utility knife or scissors to desired length
- Bottom slit allow cord to be easily inserted
- For foot traffic only

Model	Dimensions	Channel Size	Capacity
DH-COP-1	29-1/2"L x 2-1/2"W x 3/8"H	5/8"W x 1/4"H	Foot Traffic Only

2-Cord Floor Cable Cover

These floor cable covers are a fast way to reduce cord clutter, prevent tripping hazards, and protect cables in pedestrian traffic areas. The covers have a flexible PVC construction that can be easily cut to custom lengths and feature a bottom slit that allows cords to easily be inserted.

FEATURES:
- Protects and conceals up to two cables or cords
- Flexible PVC construction
- Minimizes tripping and clutter
- May be cut with a utility knife or scissors to desired length
- Bottom slit allow cords to be easily inserted
- For foot traffic only

Model	Dimensions	Channel Size	Capacity
DH-COP-2	29-1/2"L x 3-1/4"W x 5/8"H	7/8"W x 3/8"H	Foot Traffic Only

3-Cord Floor Cable Cover

Three cables or cords can be easily covered and kept out of the way with the DH-COP-3 floor cable cover. This cable guard protects cords and reduces tripping hazards and clutter. The flexible PVC cover may be easily cut to custom lengths with a utility knife or scissors.

FEATURES:
- Protects and conceals up to three cables or cords
- Flexible PVC construction
- Minimizes tripping and clutter
- May be cut with a utility knife or scissors to desired length
- Bottom slit allow cords to be easily inserted
- For foot traffic only

Model	Dimensions	Channel Size	Capacity
DH-COP-3	29-1/2"L x 3-1/4"W x 1"H	1-5/8"W x 5/8"H	Foot Traffic Only

Modular Curb Ramp Kits

These modular curb ramp kits offer three heights of 23.5" wide ramp sections with optional beveled ramp ends. The modular design allows configuration of the ramp to meet the desired length of your specific application. Their heavy duty 30 ton weight capacity allow these ramps to be driven on daily by forklifts, construction equipment, heavy trucking, and other industrial applications. The sloped end sections allow vehicles to hit the ramp from almost any angle. A solid solution for ramping curbs or small rises for lighter applications such as wheeled carts, bicycles, and lawn equipment, especially where space is limited. A perfect solution for easy to set up temporary ramping, and include cutouts for permanent mounting.

FEATURES:
- » Huge 60,000 lb capacity
- » High visibility reflective surface
- » Ribbed for traction in all weather conditions
- » Mounting holes for permanent applications
- » Modular design with male/female connectors to create custom lengths

Model	Curb Ramp Style	Dimensions	Weight	Weight Capacity
KR30R	Straight	11.8" L x 23.5" W x 3.9" H	24 lbs	30 tons
KER30R	Corner	11.8" L x 11.8" W x 3.9" H	8 lbs	30 tons
KR36R	Straight	14.12" L x 23.5" W x 5.9" H	35 lbs	30 tons
KER36R	Corner	14.1" L x 14.1" W x 5.9" H	14 lbs	30 tons
KR45R	Straight	17.7" L x 23.5" W x 7.8" H	66 lbs	30 tons
KER45R	Corner	17.7" L x 17.7" W x 7.8" H	31 lbs	30 tons

Custom Curb Ramp

The DH-UP-4 and DH-UP-4-END provide increased access between surfaces that have a difference in elevation up to 3-1/2". The middle DH-UP-4 provides a 20° incline and can be combined with the DH-UP-4-END end caps to allow access from the side. Multiple ramps can be fit together to create a custom sized ramp. Both are black with a non-slip traction surface made with heavy duty molded thermoplastic rubber.

FEATURES:
- » Provides a 20° incline
- » Non-slip traction surface
- » Black heavy duty molded thermoplastic rubber
- » Vehicles require at least 3-1/2" of clearance for proper use

Model	Ramp Type	Dimensions	Weight	Weight Capacity
DH-UP-4	Middle	10-1/8" L x 23-3/4" W x 3-1/2" H	18 lbs	5 tons
DH-UP-4-END	End	10-1/8" L x 14" W x 3-1/2" H	3-1/2 lbs	5 tons

Heavy Duty Rubber Curb Ramp

Rubber curb ramps are a simple solution for accessing curbs or other small steps in an industrial or commercial environment. Heavy duty, high density rubber construction allow these ramps to handle up to 20 tons to accommodate the heaviest of industrial applications. A grooved surface provides traction both indoors and outdoors, and two holes at the front of the ramp allow it to be permanently mounted.

FEATURES:
- » Constructed of high density rubber
- » Grooved surface for traction
- » For indoor or outdoor use
- » Massive 20 ton capacity
- » May be permanently mounted using two front holes

Model	Dimensions	Weight	Weight Capacity
KR01	18.8" W x 16.1" L x 4.3" H	30 lbs	20 tons

Heavy Duty Kerb Ramp

The DH-UP-5 works great in commercial areas and loading docks. The ramp has a 20 ton capacity that provides a 32° incline permitting vehicles to transition between surfaces with up to a 5-1/4" rise. Includes pre-drilled holes so ramps can be permanently mounted. Made with heavy duty molded thermoplastic rubber and features a non-slip traction surface that provides added grip in any weather condition.



FEATURES:
- » Provides a 32° incline to a 5-1/4" rise
- » Non-slip traction surface
- » 4 pre-drilled holes for permanent mounting
- » Vehicles require at least 5-1/4" of clearance for proper use
- » Black heavy duty molded thermoplastic rubber

Model	Dimensions	Weight	Weight Capacity
DH-UP-5	11-3/4" L x 20" W x 5-1/4" H	25 lbs	40,000 lbs

Threshold Ramp

The DH-UP-8 provides a transition between elevated surfaces with up to a 2-1/2" rise. Features a textured surface for traction and works great with wheelchairs, power chairs, scooters, and pedestrian traffic. Includes three channels to run wires, cables, and hoses beneath the ramp.

FEATURES:
- » Provides a transition to elevated surfaces up to 2-1/2"
- » Textured surface for traction
- » Works great for pedestrian traffic, wheelchairs, power chairs, and scooters
- » 3 channels for running cables, wires, and hoses underneath
- » Constructed with rubber for any weather condition

Model	Dimensions	Channel Heights	Channel Width	Weight	Weight Capacity
DH-UP-8	24" L x 42" W x 2-1/2" H	3/4", 1-1/8", 1-1/4"	1-1/8"	44 lbs	600 lbs

Toll Free (800)-851-6396 · Fax- (314)-754-8180 · www.RagePowersports.com

Supply Line Hose Ramp

The DH-HR-3 is a dual 3-3/4" D channel hose ramp specifically designed to protect supply line and/or master stream hoses from interruptions or bulges due to vehicle traffic. Hose ramps can be bridged together with the included connectors and surface mounted to prevent movement during use. The ramp supports vehicles up to 20,000 lbs per axle and requires 4" of clearance.

FEATURES:
- » Dual 3.75" D channels for hose suppy and/or master stream line protection
- » Bridge design allows trucks to cross hoses without line interruptions or bulges
- » Black thermoplastic rubber with bright reflective yellow safety strips
- » Includes 2 connectors for connecting multiple ramps together
- » 2 pre-drilled holes in the connectors for permanenet mounting
- » Vehicles require at least 4" of clearance for proper use

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-HR-3	33-1/2" L x 12" W x 4" H	3-3/4" D (Master Stream)	27 lbs	20,000 lbs per axle

Dual Channel Hose Ramp

The 2-channel DH-HR-5 is designed to hold hose lines with a 4-1/2" diameter, allowing vehicles with at least a 5" clearance to drive over the ramp, reducing the chances of hose bulges. Constructed with industrial strength thermoplastic rubber that supports up to 20,000 lbs per axle. Includes two connectors so ramps can be connected side to side to cover more area. Connectors have pre-drilled holes to permanently mount ramps together.

FEATURES:
- » Designed for 4-1/2" diameter hose lines
- » Vehicles require at least 5" of clearance for proper use
- » Made from black thermoplastic rubber with bright reflective yellow safety strips
- » Includes 2 connectors with pre-drilled holes so multiple ramps can be permanently mounted together

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-HR-5	40" L x 11-1/2" W x 5" H	4-1/2" D (Master Stream)	47 lbs	20,000 lbs per axle

2-Channel Hose Bridge

The heavy duty dual channel DH-HCR4 encloses stream hoses up to 3-1/2" in diameter, preventing bulges that are created by heavy traffic running over the lines. The DH-HCR4 is 5" high and each side has steps which increase at 1" increments that feature reflective yellow safety strips and glass bead reflectors that provide greater visibility in low light conditions. Works great inside and out at warehouses, construction sites, or on fire calls.

FEATURES:
- » Protects stream hoses up to 3-1/2" D
- » Prevents stream lines from bulging when heavy vehicles run over the lines
- » Black with bright yellow reflective safety strips
- » Made with heavy duty thermoplastic rubber
- » Includes 6 safety yellow reflective strips, 4 glass bead reflectors and 2 ramp connectors to attach multiple ramps together
- » Works great inside and outside at a warehouse, construction site, or on a fire call
- » Vehicles require at least 5" of clearance for proper use

Model	Dimensions	Channel Size	Weight	Weight Capacity
DH-HCR4	33" L x 12" W x 5" H	3-1/2" D (Master Stream)	42 lbs	20,000 lbs per axle

Hauler Truck Wheel Chock

The DH-WC-1 chock prevents rolling or load shifting during loading and unloading at sloped loading docks. The 37° slope with a tread surface adds extra grip for tires up to 44" D. Features an integrated carrying handle with a 3/8" pre-drilled tie-down hole for rope or chain attachment.

FEATURES:
- » Thermoplastic rubber construction
- » Tread surface for extra grip
- » Great for over-the-road hauler trucks with a max 40 ton capacity
- » Stabilizes truck trailers to prevent vehicle rolling or shifting during docking
- » Ideal in sloped surface loading dock environments
- » Integrated carrying handle with pre-drilled 3/8" tie down hole
- » Available in singles; recommended to be used in pairs to meet OSHA guidelines

Model	Dimensions	Tire Size	Weight	Weight Capacity
DH-WC-1	9-7/8" L x 6-1/4" W x 7-1/4" H	Up to 44" D	6 lbs	40 tons

Industrial Rubber Wheel Chock

The industrial strength rubber wheel chock DH-WC-3 is designed for stabilizing fire trucks and commercial vehicles with a maximum 120 ton capacity. The DH-WC-3 is made from thermoplastic rubber to resist fuel, oil, and solvents. Features a surface tread which grips tires 41" or greater in size, a built-in carrying handle, and a built-in mounting hole for rope or chain tie-downs.



FEATURES:
- » Huge 120 ton capacity
- » Thermoplastic rubber construction
- » Built-in carrying handle
- » Tread surface for a firm grip
- » For 41" sized tires or larger
- » Mounting point for rope or chain tie down

Model	Dimensions	Tire Size	Weight	Weight Capacity
DH-WC-3	12-3/4" L x 11-1/2" W x 10-1/2" H	41" D or greater	23-1/2 lbs	120 tons

Rubber Loading Dock Chock

The DH-WC-2 chock eliminates truck trailer rolling or shifting during loading and unloading at sloped loading docks. The double-sided 67° slope grips tires up to 41" in size and works great with tandem wheel configurations. Rated for use with over-the-road trucks weighing up to 40 tons. Features an integrated carrying handle which can also be used for fastening with a rope or chain.

FEATURES:
- » Double-sided 67° chock is great for tandem wheels
- » Integrated carrying handle can also be used for fastening
- » Designed for use in a loading dock environment
- » Tread surface provides added grip for tires up to 41" D
- » Made from heavy duty thermoplastic rubber
- » Available in singles; recommended to be used in pairs per OSHA guidelines
- » Rated for over-the-road trucks with a max 40 ton capacity

Model	Dimensions	Tire Size	Weight	Weight Capacity
DH-WC-2	10" L x 7" W x 8-5/8" H	Up to 41" D	13 lbs	40 tons

Heavy Duty Ramps

Super Duty Trailer Ramps

These Heavy Duty trailer ramps have either a 8,000 or 10,000 lb weight capacity per axle for loading of large commercial equipment or farm equipment. These all aluminum ramps are lightweight and will never rust and are available in two lengths for varying trailer heights. These ramps are a hefty 14" or 16" wide and are available only with a hook end to attach to most trailers. These ramps have wide, serrated cross rungs for superior traction.

FEATURES:
- » Heavy duty hook end to attach to trailer rails
- » Extra wide serrated cross bar for tractions and a smooth ride
- » 2 lengths to choose from
- » Lightweight all aluminum construction
- » Store flat on top of each other
- » 8,000 or 10,000 lb capacities available
- » Serrated foot for stable connection with ground
- » 2 included safety straps

Model	Length	Width	Thickness	End	Weight (each)	Weight Capacity
10-14-090-05-S	90"(7'6")	14"	4.25"	Hook	47 lbs	10,000 lbs per axle
08-16-168-05	168"(14')	16"	4.25"	Hook	96 lbs	8,000 lbs per axle

5000 lb Trailer Ramps

These lightweight auto trailer ramps have a 5000 lb weight capacity per axle (vehicles up to 8500 lbs) for loading of cars, farm equipment, and heavy machinery. These all aluminum ramps are lightweight and will never rust and are available in two lengths for varying trailer heights. These ramps are a hefty 15" or 16" wide and are available with a plate end or hook end to attach to most trailers. These ramps have a wide, serrated cross rung for superior traction.

FEATURES:
- » 2 available ramp ends, hook or plate
- » 2 lengths to choose from
- » Extra wide serrated cross bar for tractions and a smooth ride
- » Lightweight all aluminum construction
- » Store flat on top of each other
- » 5000 lb per axle rating (8500 lb total vehicle weight)
- » Serrated foot for stable connection with ground
- » 2 included safety straps

Model	Length	Width	Thickness	End	Weight (each)	Weight Capacity
05-15-094-04	94"(7'10")	15"	3.25"	Hook	36 lbs	5000 lbs per axle
05-15-094-06	94"(7'10")	15"	3.25"	Plate	37 lbs	5000 lbs per axle
05-16-120-04	120"(10')	16"	4.75"	Hook	47 lbs	5000 lbs per axle
05-16-120-06	120"(10')	16"	4.75"	Plate	47 lbs	5000 lbs per axle

Car Trailer Ramps

Our car trailer ramps have a 2500 or 3000 lb weight capacity per axle (vehicles up to 4500 or 5500 lbs) for loading of car trailers, farm equipment, or construction equipment. These all aluminum ramps are lightweight and will never rust even being kept outside. They are available with a hook/plate end or hook end to attach to most car trailers. These ramps have a wide, serrated cross rung for superior traction.

HOOK END



HOOK/PLATE END HYBRID

FEATURES:
- » 2 available ramp ends, hook or hook/plate
- » Extra wide serrated cross bar for tractions and a smooth ride
- » Lightweight all aluminum construction
- » Store flat on top of each other
- » 2 included safety straps

Model	Length	Width	Thickness	End	Weight (each)	Weight Capacity
03-12-060-046-S	60"(5')	12"	2"	Hook/Plate	18 lbs	3000 lbs per axle
03-12-060-04-S	60"(5')	12"	2"	Hook	18 lbs	3000 lbs per axle
02-12-072-046-S	72"(6')	12"	2"	Hook/Plate	19 lbs	2500 lbs per axle

Bus Service Stands

Bus service stands are designed for raising the wheels of buses or large commercial vehicles for service and maintenance. The ramps are modular in design and can be taken apart. Each ramp section has its own carrying handle and weighs no more than 50 lbs. The surface of these service ramps features a serrated cross plate design for traction. The bottom of the stands feature a commercial grade PVC belted rubber bonded on to keep the ramps from sliding. Constructed of aluminum making them lightweight and rust proof.

FEATURES:
- » Durable aluminum construction won't rust
- » Serrated traction surface
- » Commercial grade PVC belted rubber bonded to underside
- » Ramps break down into sections with carrying handles weighing no more than 50 lbs
- » For tandem axles or single axles

Model	Length	Height	Width	Weight	Weight Capacity
Bus-Stands-50-20-Front (Single Axles)	116.5"	6.5"	20.5"	111 lbs per ramp	50,000 lbs per axle
Bus-Stands-50-20-Rear (Tandem Axles)	153.5"	6.5"	20.5"	150 lbs per ramp	50,000 lbs per axle
Bus-Stands-80-20-Front (Single Axles)	116.5"	6.5"	20.5"	135 lbs per ramp	80,000 lbs per axle
Bus-Stands-80-20-Rear (Tandem Axles)	153.5"	6.5"	20.5"	180 lbs per ramp	80,000 lbs per axle

Toll Free (800)-851-6396 · Fax- (314)-754-8180 · www.RagePowersports.com

Low Profile Car Service Ramps

The Mini-Lift car ramps are designed to do what most standard car ramps cannot, lift lower clearance vehicles like many of today's sports cars. Two models to choose from for most vehicle sizes. No more trying to struggle getting a hydraulic jack under a lowered vehicle for service or scraping the front clip of a lowered car with standard car ramps. Raise even the lowest of vehicles with our "ML-1066". All aluminum construction and a 3000 lb load capacity (1500 lbs ea.).



FEATURES:
- All aluminum construction provides a lightweight car ramp that never rusts
- The extended length works great for lowered sports cars that would bottom out on most standard car ramps.
- Raises a vehicle 10" and has built in tire stops
- Serrated cross bars for traction

Model	Length	Width	Height	Weight	Weight Capacity
ML-1066	66"	14"	10"	50 lbs (25 lbs ea.)	3000 lbs (1500 per ramp)

Low Profile Service Ramps

Safely get a car off the ground 9.5" for repair, service, or show. 72" removable ramps secure onto each platform to get even low profile vehicles up in the air easily. Once on the platforms the ramps can be removed allowing extra work space under the vehicle. A stable platform base and wheel stops at the end of the platform helps reduce the risk of driving off the end of the platform.



FEATURES:
- 3000 lb max axle capacity
- Extra large 24" x 16" platform with tire stop
- Super long 72" detachable ramps
- Tall 9.5" lift height
- Lowest loading angle available - 7.6 degrees
- Lightweight high quality aircraft aluminum
- Serrated rung surface provides excellent traction

Model	Platform Length	Platform Height	Width	Weight	Weight Capacity
CR-7214	16"	9.5"	10"	42 lbs ea.	3000 lbs (per pair)

Plastic Mini Car Ramps

Plastic Mini Car Ramps are designed for long storage of vehicles and to lift low profile vehicles high enough to get a floor jack or service lift underneath them. The quality plastic ramps have a honeycomb design on the top to help prevent moisture build up under the tires during long storage periods. Plastic Mini Car Ramps lift vehicles high enough to place a floor jack or service lift underneath without damaging a body kit.

FEATURES:
- Built in tire stops
- High quality plastic design
- Honeycomb design helps prevent moisture build up
- Lifts vehicles high enough for floor jacks and service lifts
- Sold in sets of two

Model	Description	Dimensions	Loading Angle	Weight	Weight Capacity
6009	1 pair plastic car ramps	27.5"L x 7.75"W x 3"H	9.05°	4.5 lbs	4400 lbs per pair

Semi Truck Wheel Risers

Lightweight, all aluminum wheel risers have a huge 20,000 lb capacity and only weigh 48 lbs each for portability. The surface of the heavy duty wheel risers is made of cross bar plates with a serrated traction surface. The service ramps are 64" long allowing for use with lower clearance trucks. These service ramps can be used with semi trucks, RVs, or other heavy duty pneumatic wheeled vehicles.



FEATURES:
- Durable aluminum construction won't rust
- Serrated traction surface
- Portable for road side repairs
- For single or dual wheels
- Made in the USA



Model	Length	Lifting Height	Width	Weight	Weight Capacity
WR-20K	64"	10.5"	16"	48 lbs per ramp	20,000 lbs (per axle)

Truck Wheel Risers

Lightweight aluminum wheel risers have a large 7,000 lb capacity and only weigh 32 lbs each. The surface of the heavy duty wheel risers is made of cross bar plates with a serrated traction surface. These service ramps are 63" long allowing for use with lower clearance trucks.

FEATURES:
- Durable aluminum construction won't rust
- 7,000 lb capacity
- Serrated traction surface
- Portable for road side repairs
- For single or dual wheels
- Made in the USA

Model	Length	Lifting Height	Width	Weight	Weight Capacity
WR-7K	63"	10.5"	16"	32 lbs per ramp	7,000 lbs (per axle)

Custom Heavy Duty Ramps

Rage Powersport's manufacturing division can manufacture custom heavy duty ramps or other products for many specific applications based on you or your customers needs. If you need ramps for a specific trailer type, vehicle type or other application, we can build ramps for almost every application.

We have the manufacturing capability to make almost any product out of aluminum or steel and be able to substantially cut your manufacturing costs and allow you to focus on marketing your products. We currently supply custom made products to trailer companies, auto manufacturers, transportation companies and the US Military. In house engineering allows us to quickly manufacture custom ramps from 1,000 -140,000 lb capacity and beyond and an almost limitless number of custom machined products.

Mobility & Medical

Adjustable Threshold Ramps

Adjustable Threshold Ramps are designed to work on steps/thresholds with no door or a door that swings away. The easy to use threaded legs allow the ramp to be adjusted from 3-3/4" to 7-1/2" high . A yellow powder coat finish provides maximum visibility. Made from lightweight aluminum with an epoxy based non-slip surface. Weighs only 12 lbs and has a weight capacity of 400 lbs.

FEATURES:
» Lightweight aluminum
» Black non-slip surface
» Yellow powder coat for easy visibility
» Threaded legs allow adjustment from 3 3/4" to 7 1/2" high

Model	Length	Width	Height	Weight	Weight Capacity
ATR400	26"	28.34" / 26.18"	3.75" - 7.5"	12 lbs	400 lbs

Compact Telescoping Wheelchair Ramps

These ramps telescope three times so they are the most compact portable wheelchair ramps available and can adjust to about any situation. The wheelchair ramps come in a set of two and have an integrated anti-slip attaching lip for use on flat loading surfaces. The track ramps can be set to any width to work with almost any wheelchair or four wheeled scooter. (Not recommended for 6-wheel power chairs or 3-wheel scooters.)

FEATURES:
» Made of lightweight aluminum
» Telescope to 1/3 its length
» Built in locking tab and carrying handles
» Set to any length between open and closed position
» Black non-skid traction surface
» Anti-slip attaching lip for flat surface

Model	Lengths	Width	Height	Weight	Weight Capacity
TWR3-6	24" - 72"	Outside: 10-1/8" Inside: 7-1/8"	Rail: 2-1/4"	16 lbs each	600 lbs
TWR3-9	44.25" - 112.5"	Outside: 10-1/8" Inside: 7-1/8"	Rail: 2-1/4"	24 lbs each	600 lbs

Portable Folding Track Ramps

Portable Folding Track Ramps assist with moving mobility scooters/wheelchairs into the side door of a van, over stairs, or over curbs. A sturdy attaching lip holds the ramps in place, while a textured surface ensures mobility scooters and wheelchairs do not slip during use. When the track ramps are folded, the carrying handle allows for convenient portability.

FEATURES:
» Great for stairs, side-door van access and curbs
» Each ramp folds in half for storage/carrying
» Textured surface for added traction
» Surface friendly attaching lip
» Attached carrying handles
» Lightweight aluminum construction



Model	Length	Width	Height	Weight (each)	Weight Capacity
FTR-6	Unfolded: 72" Folded: 36.5"	Overall: 11" Usable: 8.5"	Overall: 2" Outside Rails: 1.25" Folded 5.5"	14 lbs	600 lbs
FTR-7	Unfolded: 84" Folded: 42.5"	Overall: 11" Usable: 8.5"	Overall: 2" Outside Rails: 1.25" Folded 5.5"	17 lbs	600 lbs

Single-Fold Mobility/Utility Ramps

The SCG series Mobility and Equipment loading ramps feature a full width platform and built-in serrated surface which provides excellent stability and traction. The platform folds in half length-wise for easy storage and has a convenient carrying handle for portability. Works great with mobility wheelchairs and scooters, handcarts, dollies, and lawn and garden equipment such as lawn mowers, snow blowers, tillers, gas grills, etc. For use on vehicles, steps, porches ,and sheds.



FEATURES:
» Heavy duty 600 lb capacity
» Lightweight aluminum construction
» Available in 5 different lengths
» Folds in half to only 15" wide
» Carrying handle for easy transport
» Attaching lip works on almost any flat surface
» Raised side rails for safety
» Integrated traction surface
» Pre-drilled holes and included safety pins allow mounting of the ramp

Model	Overall Dimensions (29" usable width)	Folded Dimensions	Weight	Weight Capacity
SCG-2	24" L x 29-1/4"W	24" L x 15"W	11 lbs	600 lbs
SCG-3	36" L x 29-1/4"W	36" L x 15"W	16 lbs	600 lbs
SCG-4	48" L x 29-1/4"W	48" L x 15"W	22 lbs	600 lbs
SCG-5	60" L x 29-1/4"W	60" L x 15"W	28 lbs	600 lbs
SCG-6	72" L x 29-1/4"W	72" L x 15"W	35 lbs	600 lbs

Telescoping Wheelchair Ramps

These versatile wheelchair ramps telescope to half their length and can be used at any length throughout the ramps travel allowing the user to vary the length of the ramps to each specific loading situation. These ramps are sold in a set of two tracks which allow adjustment for variable widths. Each track ramp has a handle so it can be easily transported, and when fully closed, a locking tab prevents accidental opening during carrying or storage.



FEATURES:
» Lightweight aluminum construction
» Dual tracks can be set to any width
» Attached carrying handles
» 2.5 inch attaching lip
» Black non-skid traction surface
» 2 sizes available
» Telescope to 1/2 its length
» Set to any length between open and closed position



Specifications	TWR-6	TWR-10
Max Length	6' long	10' long
Usable Lengths	42" to 72"	66" to 120"
Ramp Weight (per ramp)	14 lbs	23 lbs
Storage Size	42" L x 10"W x 2"T	66" L x 10"W x 2"T
Rail Widths	7.5" inside (usable)	7.5" inside (usable)
Max Rail Height	1-13/16"	1-13/16"
Weight Capacity	600 lbs (300 lbs per track)	600 lbs (300 lbs per track)
Usage Guidelines	Curbs, 1-3 steps, minivans	Curbs, 1-4 steps, minivans, full size vans

SC500 Hitch Cargo Carrier

The SC500 fits into a 2" Class III or IV receiver hitch. This carrier is used for transporting a power wheelchair, scooter, or other equipment. For securing cargo, 10 tie-down points are available along the sides. The SC500 heavy duty steel construction has a black powder coat finish to give it a sleek look and protect it from rusting. A 60" loading ramp is attached to allow a wheeled vehicle to be easily pushed up onto the platform. The ramp then folds up for transport. When not in use, the ramp folds flat onto the platform and the carrier folds up against the vehicle.

FEATURES:
- For use with 2" Class III or IV trailer hitches
- Large 48.25" x 28" platform accommodates scooter up to 27"W
- Folding ramp for loading and unloading
- Assembles with just a few bolts and standard hand tools
- Black powder coat finish
- 10 built in tie-down points
- Heavy duty steel construction with a thick steel mesh platform
- Included anti-wobble hitch collar
- Optional Swing Away Kit available to swing the carrier away from the rear of the vehicle for easy access

Specifications	SC500
Weight Capacity	500 lbs
Hitch Class	III or IV
Usable Dimensions	48.25" L x 28"W
Ramp Dimensions	60" L x 27.5"W
Center of Pin Hole to Carrier Length (unfolded)	13.875"
Center of Pin Hole to Carrier Length (folded)	4.75"

SC500-AF Hitch Cargo Carrier

The SC500-AF is used for transporting power chairs, wheelchairs, and scooters. This carrier fits into a 2" Class III or IV receiver hitch and can fold up vertically out of the way when not in use. The SC500-AF has an attached ramp that folds into three positions: down for loading/unloading, upright for transport, and laid flat on the carrier for storage. The platform, ramp, rungs, and rails are constructed with heavy duty aluminum while the underside support tube and brackets are made from reinforced steel. Ramp rungs are 4" wide and spaced 1" apart along the ramp and platform with a raised-edge to provide traction.

FEATURES:
- For use with 2" Class III or IV trailer hitches
- Folds up vertically for easier parking and maneuvering
- Large platform accomodates most power wheelchairs and scooters
- Folding ramp for loading and unloading
- Carrier constructed with heavy duty aluminum while the underside support tube and brackets are made from reinforced steel with a gray powder coat finish
- Made with 4" wide raised-edge rungs spaced 1" apart
- Built-in eyelet tie-down points for safely securing load
- Contains 2 anti-rattle springs to reduce vibrations
- Includes an anti-tilt bracket to reduce carrier wobble and a 5/8" hitch pin

Specifications	SC500-AF
Weight Capacity	500 lbs
Hitch Class	III or IV
Usable Dimensions	46.5" L x 30.25"W
Ramp Dimensions	59.25" L x 28.25"W
Hitch Height	13" - 18"
Center of Pin Hole to Carrier	7.25"

SC400 Hitch Cargo Carrier

The SC400 hitch cargo carrier fits into a 2" Class III or IV receiver hitch. The SC400 is used for transporting a wheelchair, scooter, small equipment, and cargo. This carrier has a built-in ramp that can be locked in place in an upright position or laid flat on the carrier. The hitch cargo carrier's heavy duty steel construction has a black powder coat finish to give it a sleek look and protect it from rusting.

FEATURES:
- For use with 2" Class III or IV trailer hitches
- Large 47" x 28" platform accommodates cargo up to 27"W
- Folding ramp for loading and unloading
- Assembles with just a few bolts and standard hand tools
- Black powder coat finish
- Heavy duty steel construction with a thick steel mesh platform
- Included anti-wobble hitch collar minimizes carrier wobble
- Built-in tie-down points for easier securing of equipment
- Optional Swing Away Kit available to swing the carrier away from the rear of the vehicle for easy access

Specifications	SC400
Weight Capacity	400 lbs
Hitch Class	III or IV
Usable Dimensions	47" L x 28"W
Ramp Dimensions	42" L x 27.5"W
Hitch Height	11" – 14"
Center of Pin Hole to Carrier Length (unfolded)	5/8" Hitch Pin Hole: 14" 1/2" Hitch Pin Hole: 15"
Center of Pin Hole to Carrier Length (folded)	5/8" Hitch Pin Hole: 6" 1/2" Hitch Pin Hole: 7"

Tilt-A-Rack Mobility Carrier

Tilt-a-Rack Scooter Carriers are designed for transporting a powerchair or mobility scooter using a vehicle's 2" Class III hitch receiver. Each rack tilts on an angle for easy loading and unloading without the need for ramps. Between uses, the Tilt-a-Rack folds vertical against the vehicle bumper for storage and transport. Tilt-a-Rack Carriers feature a built-in deck extender to reduce the angle of incline, a solid deck surface, pinch-bolt attachment to eliminate sway during use, and multiple tie-down points for securing a powerchair or mobility scooter easily.

FEATURES:
- Designed for transporting powerchairs and mobility scooters with a vehicle hitch
- Tilts for easy loading and unloading
- Fits 2" Class III receivers (will work with Class II adapter)
- Folds vertical for storage against the vehicle bumper
- Solid deck surface with built-in deck extender
- Pinch-bolt attachment reduces rack swaying during travel
- Multiple tie-down points

Specifications	350ARV
Usable Deck Area	52" x 26" x 4"
Deck Extension	44.5"
Clearance (5/8" pin)	40.25" (unfolded), 14.25"(folded)
Clearance (1/2" pin)	38.875" (unfolded), 13"(folded)
Hitch Class	2" Class III (Class II with Adapter)
Max Hitch Height	14"
Weight Capacity	350 lbs
Weight	58 lbs

Pet Products

Deluxe Vehicle Pet Barrier



The deluxe pet barrier is designed to fit into SUVs or cars to prevent pets from becoming potential distractions while driving. These pet barriers have six width adjusting bars and two height adjusting legs. Four cupped ends grip the roof and floor of the vehicle keeping the pet barrier stable.

FEATURES:
» Universal fitting
» Cup ends grip floor and roof for stability
» 6 width-wise adjustable bars
» 2 height-wise adjustable legs

Model	Adjustable Width	Adjustable Height
DB-02706	33.5" - 57"	34" - 46"

Mesh Vehicle Pet Barrier

The mesh pet barrier is designed to fit in compacts, midsize SUVs, and most crossovers. The barrier is constructed of steel wire mesh with two adjustable sides and two adjustable legs. Polyurethane cups on the top and bottom grip the roof and floor of the vehicle for a stable hold.



FEATURES:
» Adjustable fitting
» Cup ends grip floor and roof for stability
» 2 adjustable mesh sides
» 2 height-wise adjustable legs
» Steel wire mesh construction

Model	Adjustable Width	Adjustable Height
MPB	39" - 66"	35" - 45"

8 Bar Vehicle Pet Barrier

The 8 bar pet barrier is designed to fit into SUVs, vans, or cars to prevent pets from becoming potential distractions while driving. These pet barriers have eight width adjusting bars and two height adjusting legs. Four cupped ends grip the roof and floor of the vehicle keeping the pet barrier stable.



FEATURES:
» Universal fitting
» Cup ends grip floor and roof for stability
» 8 width-wise adjustable bars
» 2 height-wise adjustable legs

Model	Adjustable Width	Adjustable Height
DB-02708	33.5" - 57"	38" - 51"

Deluxe Mesh Vehicle Pet Barrier

The deluxe mesh pet barrier is designed to fit in full size SUVs, minivans, and some wagons. The barrier is constructed of steel wire mesh with two adjustable sides and two adjustable legs. Polyurethane feet and a mesh top covering grip the roof and floor of the vehicle for a stable hold.



FEATURES:
» Adjustable fitting
» Cup ends grip floor and roof for stability
» 2 adjustable mesh sides
» 2 height-wise adjustable legs
» Steel wire mesh construction

Model	Adjustable Width	Adjustable Height
DB-03721-S	36" - 59"	24" - 43.25"

Angled Pet Barrier

The angled pet barrier is designed to fit into SUVs or cars with reclined seats to prevent pets from becoming potential distractions while driving. These pet barriers have four width adjusting bars and two height adjusting legs. Four cupped ends grip the roof and floor of the vehicle keeping the pet barrier stable.

FEATURES:
» Angled to fit vehicles with reclined seats
» Cup ends grip floor and roof for stability
» 4 width-wise adjustable bars
» 2 height-wise adjustable legs

Model	Adjustable Width	Adjustable Height
DB-2702	33.5" - 60"	29.5" - 40"

Indoor Canvas Pet Gate

The canvas indoor pet gate is designed to keep pets in or out of rooms in the home. The gate features a heavy duty durable canvas covering with a steel tubular framing. Four end cups grip the door jamb or wall opening. The pet gate is adjustable to fit openings up to 39.5" wide. Quick, easy setup and removal for moving from room to room.

FEATURES:
» Adjustable width up to 39.5"
» Cup ends grip door jambs or walls
» Heavy duty durable canvas covering
» Strong steel frame

Model	Adjustable Width	Height	Color
DB-07737-BLK	31" - 39.5"	26.5"	Black
DB-07737-TAN	31" - 39.5"	26.5"	Brown

Aluminum Folding Dog Ramps

Aluminum folding dog ramps are designed to aid pets in reaching raised surfaces such as into vehicles or up stairs. The ramps can fold in half and include a carrying handle on the side for easy maneuvering. Three different lengths are available for specific applications. The folding dog ramps are constructed of aluminum making them lightweight and rust proof.

FEATURES:
- » Aluminum construction with grip tape surface
- » Folding design for portability
- » Integrated carrying handle on the side
- » Integrated strap keeps ramp folded together
- » 3 lengths available

Model	Length	Width	Folded Length	Weight	Weight Capacity
DR-06	72" (6')	15"	36"	14 lbs	250 lbs
DR-07	82" (6'10")	15"	41"	19 lbs	250 lbs
DR-08	96" (8')	15"	48"	21 lbs	250 lbs

Extra Wide Aluminum Folding Dog Ramps

These extra wide dog ramps are designed to aid pets in reaching raised surfaces such as into vehicles or up stairs. The ramps are portable, with the ability to fold in half and feature a carrying handle on the side. Three different lengths are available for specific applications. The folding dog ramps are constructed of aluminum making them lightweight and rust proof. Extra wide design for larger dogs.

FEATURES:
- » Aluminum construction with grip tape surface
- » 18.75" wide to allow more stability for larger pets
- » Folding design for portability
- » Integrated carrying handle on the side
- » Integrated strap keeps ramp folded together
- » 3 lengths available

Model	Length	Width	Folded Length	Weight	Weight Capacity
DR-06-XW	72" (6)	18.75"	36"	17 lbs	250 lbs
DR-07-XW	82" (6'10")	18.75"	41"	20 lbs	250 lbs
DR-08-XW	96" (8')	18.75"	48"	24 lbs	250 lbs

Metropolitan Pet Stroller

This pet stroller has a lightweight steel frame and is available in yellow or maroon. The top and front have zippered, mesh openings along with canvas flaps to cover the openings for a more sheltered enclosure. The back of the stroller features a large pocket to carry treats, toys, or other items. Inside the carrier, there is a removable pad and a leash to prevent pets from jumping out of the stroller.

FEATURES:
- » Available in yellow or maroon
- » Lockable rear wheels
- » Top and front zippered mesh openings
- » Canvas flaps cover mesh openings for additional protection
- » Large back pocket for storing items
- » Padded handle
- » Tray with dual cupholders
- » Inside leash to secure pet
- » Removable bottom pad
- » Folds up when not in use

Model	Enclosure Size	Stroller Size	Weight	Weight Capacity
PS-54	10.5"W x 11.5"L (tapers to 19"L) x 15.5"H	17"W x 32"L x 36"H	11 lbs	30 lbs

Designer Pet Stroller

This popular pet stroller has a stylish design that's available in four colors: a brown and white pattern, navy blue, green, and pink. The stroller features a retractable awning with zippered openings and has a storage basket for carrying treats or accessories. An inside leash helps keep pets inside. A removable bottom pad is also included inside the stroller. The Designer Pet Stroller has an ergonomic handle, a dual cupholder tray, and lockable rear wheels. When not in use, it can be easily folded.

FEATURES:
- » Retractable awning with zippered openings
- » Storage basket for accessories
- » Includes inside leash to keep pet in stroller
- » Removable bottom pad
- » Ergonomic handle
- » Dual cupholder tray
- » Rear wheels are lockable
- » Available in a white/brown pattern, green, navy, and pink
- » Easliy folds down when not in use

Model	Enclosure Size	Stroller Size	Weight	Weight Capacity
PET-STR-3	23"L x 13"W x 21"H	35"L x 17.5"W x 35.5"H	16 lbs	25 lbs

Skyline Pet Stroller & Carrier Combo

The pet stroller combo conveniently offers a stroller and pet carrier in one. The carrier attaches to the stroller with Velcro straps and may be easily removed for use on its own. Underneath the carrier is a handy storage basket. The stroller features lockable rear wheels, a padded handle, and a dual cupholder tray. The inside of the carrier includes a removable bottom pad as well as an attached leash to keep pets secured inside. There are zippered mesh openings in both the back and top/front area. A roll-up canvas flap can cover the top/front area for additional protection if desired. When not in use, the stroller easily folds up.

FEATURES:
- » Removable carrier with side pockets and carrying handles
- » Carrier attaches to stroller with four Velcro straps
- » Removable bottom storage basket - 17"L x 11"W x 6.5"H
- » Lightweight steel frame
- » Lockable rear wheels
- » Padded handle
- » Tray with dual cupholders
- » Inside leash to keep pet inside
- » Removable bottom pad
- » Zippered mesh openings in back and top/front
- » Roll up canvas flap for top/front opening
- » Folds up when not in use

Model	Enclosure Size	Stroller Size	Weight	Weight Capacity
PS-53	11"W x 18"L x 12" H (tapers to 6"H)	17.5"W x 28.5"L 37.5"H	13 lbs	25 lbs

RAGE

POWERSPORT PRODUCTS

2013

www.RagePowersports.com